

Air Resources Board

Mary D. Nichols, Chair 1001 I Street • P.O. Box 2815 Sacramento, California 95812 • www.arb.ca.gov



Edmund G. Brown Jr. Governor

Matthew Rodriquez Secretary for Environmental Protection

QUALITY ASSURANCE BULLETIN – 004

Temporary Closure of Monitors in AQS December 2015

Introduction

This bulletin is intended to provide clarification for ambient air monitoring organizations (MO) within the California Air Resources Board's (ARB) Primary Quality Assurance Organization (PQAO) regarding the temporary closure of monitors in the U.S. Environmental Protection Agency's (U.S. EPA) Air Quality System (AQS) database.

<u>Issue</u>

Monitors that have been removed from operation at air monitoring sites within the ARB PQAO are not always closed in AQS. As a result, data completeness for these monitors is calculated in AQS using an incorrect time of operation. Therefore, many of these monitors are not meeting ARB's goal of 85 percent data completeness and U.S. EPA's requirement of 75 percent data completeness.

Resolution

MOs within the ARB PQAO that intend on temporarily closing a monitor should notify ARB and send U.S. EPA a letter requesting approval for the closure. The letter should include the monitor's AQS identification number, reason for closing the monitor, and expected dates of the closure. If the closure is approved, the MO should update AQS by going into the Maintain Monitor tab (see Attachment 1 – Figure 1), entering the monitor's identification numbers, selecting Sampling Period (see Attachment 1 – Figure 2), and entering the appropriate End Date. When the monitor reopens, go into the Maintain Monitor tab, enter the monitor's identification numbers, select Sampling Period, and add a new line with a new Start Date.

Note: If a monitor is being permanently closed, also enter a Closure Date in the Maintain Monitor tab and ensure other fields that have a start date entered are accompanied with the appropriate end date.

Contact: Patrick Rainey (916) 327-4756 patrick.rainey@arb.ca.gov

The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our website: <u>http://www.arb.ca.gov</u>.

Attachment 1

| Action Help Session Admin Retrieval Maintain Critical Rev CErtification Batch COrrect Main Menu | |
|---|----------------------|
| 日 🖳 💵 🚀 🔀 🛅 🛱 Site 🛛 🔺 🕨 🛨 🗶 🔁 🖄 🗭 式 🤶 | _ |
| Maintain - Monitors (Read Only. Update/I Monitor | |
| State Select Audit Monitors Parameter | Monitor Basic |
| Code Code POC Status Ind | Sample Periods |
| Blanks | Type Assign. |
| Project Class 01 COncurrence Ind It Source | Network Affiliations |
| Meas Scale SiTe Sampler Path Num • Probe Location QA Assessments • be Height 5 • Probe Hor Dist | Agency Roles |
| Probe Vert Dist Monitoring Seasons ogate Ind Vinrest Air Flow | Objectives |
| Samp Res Time Maln Menu amp Date 20101031 Last Post Date 20110422 | Req Frequencies |
| Close Date 20101101 - monitoring Agency (Owner) 0145 California Air Resources Board | QA Collocation |
| | Methods |
| | Exclusions |
| | Pollutant Area |
| | Tangent Road |
| | Probe Obs. |
| | Reg Compliances |
| | Protocols |
| Check Completeness Duplicate Monitor | Channels |
| | Comments |

Figure 1: Screenshot of AQS Maintain Monitor Tab

Attachement 1

| 🞽 Maintain - Monitors (Read Only. Update/Insert Not Al | wed.) | | |
|--|----------------|---------------------|----------------------|
| Sample Periods | Monito | 06-067-0002-42401-1 | Monitor Basic |
| Begin Date End Date | inorito | 05-057-0002-42401-1 | Sample Periods |
| ▲ 19800101 20101101 | | | Type Assign. |
| | | | Network Affiliations |
| | | | Agency Roles |
| | | | Objectives |
| | | | Req Frequencies |
| | | | QA Collocation |
| | | | Methods |
| | | | Exclusions |
| | | | Pollutant Area |
| | | | Tangent Road |
| | | | Probe Obs. |
| | | | Reg Compliances |
| | Check PMP Gaps | | Protocols |
| | Sites and Supe | | Channels |
| | | | Comments |

Figure 2: Screenshot of AQS Sample Periods Fields