

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER M-6-83
Relating to Certification of New Motorcycles

BAYERISCHE MOTOREN WERKE AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and exhaust emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Model Year: 2001

<u>Engine Family</u>	<u>Displacement Cubic Centimeters</u>	<u>Class</u>	<u>Exhaust Emission Control Systems & Special Features</u>
1BMXC01.1R21	1130, 1085 & 848	III	Multiport Fuel Injection Three Way Catalytic Converter Heated Oxygen Sensor

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and exhaust emission certification values for this engine family. The designated hydrocarbons standard shall be listed on the permanent tune-up label:

<u>Hydrocarbons Standards (Corporate Average) Grams per Kilometer</u>	<u>Hydrocarbons Standards (Designated) Grams per Kilometer</u>	<u>Hydrocarbons (Certification) Grams per Kilometer</u>	<u>Carbon Monoxide (Standard) Grams per Kilometer</u>	<u>Carbon Monoxide (Certification) Grams per Kilometer</u>
1.4	0.7	0.6	12	7

BE IT FURTHER RESOLVED: That the above-described certification is subject to the following terms, limitations and conditions:

The above designated hydrocarbons standard shall be the exhaust limit for this engine family during the model year and therefore cannot be redesignated by the manufacturer. It represents the hydrocarbons exhaust emission standard applicable to this engine family that shall be applied when determining compliance of any motorcycle within this engine family pursuant to Section 2101 of Title 13, California Code of Regulations. It will also be used to determine compliance with the above corporate average hydrocarbons standard as required per Section 1958(b), Title 13 of the California Code of Regulations.


BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 2001 and Subsequent Model Motor Vehicles," as required by Section 1976, Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 29th day of June 2000.



R. B. Summerfield, Chief
Mobile Source Operations Division

Attachment

Engine Family: 1BMXC01.1R21

E6 # M-6-83

Motorcycle Model Summary Form

65. Model Designation	66. Wors t Case	67. Disp. (cc)	68. Bore / Stroke (mm)	69. Basic Ignition Timing (degrees)	70 Power (kW)	71 Rated Speed (RPM)	72 Rated Torque (Nm)	73. Rated Speed (RPM)
R1150GS	X	1130	101/70.5	0° static	62	6750	98	5250
R1150R		1130	101/70.5	0° static	62	6750	98	5250
R1100RS		1085	99/70.5	0° static	66	7250	95	5500
R1100RT		1085	99/70.5	0° static	66	7250	95	5500
R1100S		1085	99/70.5	0° static	72	7500	97	5750
R850R		848	87.5/70.5	0° static	52	7000	77	5600

65. Model Designation	74. EIM (kg)	75. Loaded Vehicle Weight Range (kg)	76 Road Load (nt)	77 Total Vehicle Mass (kg)	78 Full Weight with All Factory Options (kg)	79. Trans. Type	80 N/V
R1150GS	330	326-335	141.6	460	256	M-6	31.2
R1150R	320	316-325	139.5	450	242	M-6	31.2
R1100RS	320	316-325	139.5	450	246	M-5	34.7
R1100RT	360	356-365	147.4	490	280	M-5	35.9
R1100S	310	306-315	137.5	450	236	M-6	36.0
R850R	320	316-325	139.5	450	242	M-5	39.5

Motorcycle Test Information Form

27. Are you carrying over test results from a previously certified family? Yes No
 a) If yes, indicate family name: YBMXC01.1R21
 b) Is the family being certified identical to the family from which the data is being carried over? Yes
28. Model Designation of Test Vehicle: R1150GS
29. Test Information Number: R21
30. Vehicle ID: V 201811
31. Service Accumulation Duration: 15010 (km)
32. Maximum Rated Power: 62 kW @ 6750 RPM
33. Displacement: 1130 cc
34. Certification Fuel: 95 RON
35. Test Data Set: 1
36. Road Load: 141,6 N
37. Inertia Mass: 330 kg
38. N/V: 31,18
39. EVAP. Bench Test Method Approved:
 Date: 1996
 Reference: V 201153
40. Unscheduled Maintenance: Yes No
41. If yes, Vehicle Log provided: _____

42. Exhaust Emission Deterioration Factors:

Test Number	System Kilometers	Emission Values	
		HC	CO
1	3740	0,278	4,106
2	10014	0,335	4,437
3	10032	0,308	3,802
4	15010	0,408	5,317
5			
6			
7			
Interpolated Values at 15 000 km:		HC = 0,3973	CO = 4,9491
Extrapolated Values at 30 000 km:		HC = 0,5674	CO = 6,4589

Check one:	
Regular DF	<input checked="" type="checkbox"/>
Modified DF	<input type="checkbox"/>
If different vehicle specify vehicle ID	

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	CO	5,317			
g/km	CO ²	164,4			
g/km	HC	0,408			
g/test	Evap.	0,870			

Deterioration Factors
(X) 1,305

(X) 1,428
(+) 0,260

44. Certification Levels:

g/km	CO	6,939		
g/km	HC	0,583		
g/test	Evap.	1,130		

Processed by: J Hada Date: 6/22/06 Reviewed by: [Signature] Date: 6/27/2000

2001 / BMW Motorcycle

Section: 7: Page: 1

EO # M-6-83

Issued: 5/15/2000

Revised:

Engine Family:
BMWXC01-1R21

Motorcycle Engine Family Information Form

1. Manufacturer: BMW *Bayerische Motoren Werke AG*
2. Certification Contact Person, address, phone, and fax:
Mr. Gordon B. Keil
BMW of North America, Inc.
Montvale, N.J. 07645
Phone No. 201-573 2195
Fax No. 201-930 8402
3. Model Year: 2001
4. Process Code: new
(new, correction, revision, r/c, f/f. etc.)
5. Engine Family: BMWXC01.1R21
50s Engine Code: X
49s Engine Code: _____
Calif. Engine Code: _____
6. Emission Control System: MFI, TWC, HO₂S
7. Calif. Designated Standard: 0.7 g/km HC
8. Projected Annual Sales: _____
_____ *urnia*
9. New Technology ___ Yes X No
If yes, cite the correspondence or reference the
submittal document: _____
10. Displacement: 1130 cc; 1085 cc; 848 cc
11. Number of Cylinders: 2
12. Cylinder Arrangement: opposed
13. Cylinder Head Configuration: OHC
14. Type of Cooling: Air
15. Combustion Cycle: 4 stroke
16. Method of Aspiration: natural
17. Fuel System: MFI
18. Number of Catalytic Converters: 1

1.5

19. Adjustable Parameters:

Parameter(s)	Adjustable Range (or NA)	Tamper Resistance Method (or NA)	Method Approved
Ignition timing	N.A.	N.A.	
Idle speed	1000 + 150 RPM (R1100RS/RT)	N.A.	
Idle speed	1100 ± 50 RPM (R1150GS; R1150R; R850R; R1100S)	N.A.	

20. AECDs In the Emission Control Systems:

Exhaust System	Evaporative System
AECDs In System: <u>ECM</u> <u>Fuel pressure regulator</u> <u>Engine oil temperature sensor</u> <u>Air temperature sensor</u> <u>Throttle position sensor</u> <u>Oxygen sensor</u> <u>Cold start lever</u>	AECDs In System: <u>Purge valve</u> _____ _____ _____