

*Joseph J.*

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2001 model-year engine and emission control systems (ECS) produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

<u>Engine Family</u>	<u>Evaporative Family</u>	<u>Displacement (cm<sup>3</sup>)</u>	<u>Class</u>	<u>ECS &amp; Special Features</u>
1HNXC0.75CBB	1HNXE0024HZY	747	III	PAIR

Vehicle Models (Equivalent Inertia Mass): CB750 (340 kg)

Production motorcycles shall be in all material respects the same as those for which certification is granted.

The exhaust emission standards and certification values in grams per kilometer for hydrocarbons (HC) and carbon monoxide (CO), and the HC evaporative (Evap) standard and certification value in grams per test for this engine/evaporative family are as follows. The designated HC standard shall be listed on the permanent tune-up label:

	<u>HC</u>	<u>CO</u>	<u>Evap HC</u>
<u>Standard: (Effective Standard)</u>	1.4	12	2.0 (1.8)
<u>Designated Standard:</u>	1.0	n/a	n/a
<u>Certification:</u>	0.7	8	0.9


BE IT FURTHER RESOLVED: That the designated HC standard shall be the exhaust limit for this engine family and cannot be changed during the model-year. It represents the HC exhaust emission standard applicable to this engine family for determining compliance with Title 13, California Code of Regulations, Sections 1958(b) and 2101.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative emission standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 4<sup>th</sup> day of October 2000.

  
 R. B. Summerfield, Chief  
 Mobile Source Operations Division

## Motorcycle Engine Family Information Form

1. Manufacturer: Honda Motor Co., Ltd.
2. Certification contact Person, address, phone, and fax:

Julie Barkow-Peck, Certification Assistant, Certification Department  
 American Honda Motor Co., Inc. Mail Stop 500-2C-8A  
 1919 Torrance Blvd., Torrance CA 90501-2746  
 Telephone: (310)783-3417 Fax: (310)783-3510 E-Mail: Julie\_Peck@ahm.honda.com

- |   |   |
|---|---|
| <ol style="list-style-type: none"> <li>3. Model Year: 2001</li> <li>4. Process Code: New<br/>(new, correction, revised, r/c, f/f, etc.)</li> <li>5. Engine Family: 1HNXC0.75CBB<br/>                     50s Eng. Code: N/A<br/>                     49s Eng. Code: N/A<br/>                     Calif. Eng. Code: 1DNL</li> <li>6. Emission Control System: PAIR</li> <li>7. Calif. Designated Standard(g/km): <input type="checkbox"/> N/A<br/> <input checked="" type="checkbox"/> HC - 1.0<br/> <input type="checkbox"/> HC+NOx</li> <li>8. Project Annual Sales: <b>CONFIDENTIAL</b></li> <li>9. New Technology: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No<br/>                     If yes, cite the correspondence or reference<br/>                     the submittal document: N/A</li> </ol> | <ol style="list-style-type: none"> <li>10. Displacement(cc): 747</li> <li>11. Number of Cylinder: 4</li> <li>12. Cylinder Arrangement: L-4</li> <li>13. Cylinder Head Configuration: OHV/DOHC</li> <li>14. Type of Cooling: Air Cooled</li> <li>15. Combustion Cycle: Otto</li> <li>16. Method of Aspiration: Natural</li> <li>17. Fuel System: Carburetors</li> <li>18. Number of Catalytic Converters: N/A</li> </ol> |
|---|---|

19. Adjustable Parameters:

Parameters(s)	Adjustable Range (or N/A)	Tamper Resistance Method (or N/A)	Method Approved
Carburetor Pilot Screw	Limited to 3/4 turn leaner side	Limiter cap	N/A

20. AECDS in the Emission Control System:

Exhaust System	Evaporative System
AECDS In System: <u>PAIR Control Valve</u> _____ _____ _____ _____ _____ _____ _____ _____ _____ _____	AECDS In System: <u>Evap CAV Control Valve</u> _____ _____ _____ _____ _____ _____ _____ _____ _____ _____

Engine Family: 1HNXC0.75CBB

**Motorcycle Test Information Form**

0.062

27. Are you carrying over test results from a previously certified family?  Yes  No  
 a) If yes, indicate family name: MFN074744N3  
 b) Is the family being certified identical to the family from which the data is being carried over? Yes
28. Model Designation of Test Vehicle: CB750
29. Test Information Number: M09
30. Vehicle ID: 91DN-01
31. Service Accumulation Duration(km): 15016
32. Maximum Rated Power(kW @ RPM): 56.7 @ 8500
33. Displacement(cc): 747
34. Certification Fuel: Indolene
35. Test Data Set: 1
42. Exhaust Emission Deterioration Factor
36. Road Load(nt): 143.6
37. Inertia Mass(kg): 340
38. N/V: 42.8
39. Evap Bench Test Method Approval:  
 Data: March 9, 1983  
 Reference: 17.01.01-1(ARB) &  
 17.01.02-2(ARB) thru  
 17.01.02-12(ARB) in 1999  
 Model Year Application
40. Unscheduled Maintenance:  Yes  No
41. If yes Vehicle Log Provided: N/A  
 N/A

Test Number	System Kilometers	Emission Values			
		HC	CO	NOx	HC+NOx
1	3687	0.89	7.2		
2	6262	0.88	6.7		
3	6292	0.87	7.1		
4	9797	0.76	6.9		
5	12889	0.75	7.2		
6	12919	0.68	7.7		
7	15016	0.70	7.3		
Interpolated Values at <u>15,000</u> km:		HC = 0.6820	CO = 7.3649		
		HC+NOx =			
Extrapolated Values at <u>30,000</u> km:		HC = 0.3845	CO = 7.9369		
		HC+NOx =			

Check One:	
Regular DF	<input checked="" type="checkbox"/>
Modified DF	<input type="checkbox"/>
If Different Vehicle Specify Vehicle ID	

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	CO	7.3			
g/km	CO <sub>2</sub>	111.0			
g/km	HC	0.70			
g/km	NOx				
g/km	HC+NOx				
g/km	Evap.	0.88			

Deterioration Factors	
(X)	1.078
	-----
(X)	1.000 (0.564)
	-----
(X)	
(+)	0.0

44. Certification Levels:

g/km	CO	8			
g/km	HC	0.7			
g/km	HC+NOx				
g/test	Evap.	0.9			

( ): Calculated Value

Application Processed by: Joseph Jegede Date: 9/29/00 Reviewed by: Charles Bate 10/2/00