(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER M-1-306 Relating to Certification of New Motorcycles

KAWASAKI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and,

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and exhaust emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Model Year: 2001

Engine Family	Displacement Cubic Centimeters	<u>Class</u>	Exhaust Emission Control Systems & Special Features
1KAXC.249AAA	249	П	Engine Modification

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and certification emission values for this engine family:

Hydrocarbons	Hydrocarbons	Carbon Monoxide	Carbon Monoxide
(Standard)	(Certification)	(Standard)	(Certification)
Grams per	Grams per	Grams per	Grams per
Kilometer	Kilometer	<u>Kilometer</u>	<u>Kilometer</u>
1.0	0.8	12	5

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 2001 and Subsequent Model Motor Vehicles," as required by Section 1976, Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

KAWASAKI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER M-1-306 (Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this $2 \frac{12}{2} \frac{12}{2} \frac{12}{2}$ day of June 2000.

umerfull

(R. B. Summerfield, Chief Mobile Source Operations Division

ATTACHMENT

Page: 6 Issued: APR 0 6 2000 Revised: E.O. #: M-1-306 Engine Family: <u>1KAXC.249AAA</u>

Motorcycle Model Summary Form

65. Model Designation	66. Worst Case	67. Disp. (cc)	68. Bore / Stroke (mm)	69. Basic Ignition Timing (degrees)	70 Power (kW)	71 Rated Speed (RPM)	72 Rated Torque (Nm)	73. Rated Speed (RPM)
KL250-D18	No	249	74.0X58.0	10°/1300 rpm	20.6	8500	22.5	7500
1.1						:		

65. Model Designation	74. EIM (kg)	75. Loaded Vehicle Weight Range (kg)	76 Road Load (nt)	77 Total Vehicle Mass (kg)	78 Full Weight with All Factory Options (kg)	79. Trans. Type	80 N/V
KL250-D18	240	236 ~ 245	+ 123.2	133.5	165	M-6	68.59

Issued: APR 0 6 2000

Revised: E.O. #: M-1-306 Motorcycle Engine Family Information Form

1. Manufacturer: KAWASAKI HEAVY INDUSTRIES, LTD.

	Jeffrey D. Shetler / David Corey Kawasaki Motors Corp., U.S.A. 9950 Jeronimo Road, Irvine, CA 92618-2084 Tel : 949-770-0400 Fax : 949-4	60-5602
3.	Model Year: 2001	10. Displacement: <u>249 cm³</u>
4.	Process Code: <u>New</u> (new, correction, revision, r/c, f/f. etc.)	11. Number of Cylinders: <u>1</u>
5	Engine Family: 1KAYC 2404 AA	12. Cylinder Arrangement: <u>Single</u>
5.	50s Engine Code:	13. Cylinder Head Configuration: <u>DOHC</u>
	Calif. Engine Code: KL250D-AC1	14. Type of Cooling: Liquid
j.	Emission Control System: <u>EM</u>	15. Combustion Cycle: <u>4</u>
7.	Calif. Designated Standard: <u>NA</u>	16. Method of Aspiration: <u>Natural</u>
3.	Projected Annual Sales:	17. Fuel System: <u>Carburetor</u>
).	New Technology Yes X No If yes, cite the correspondence or reference the submittal document:	18. Number of Catalytic Converters: <u>NA</u> CONFIDENTIAL

19. Adjustable Parameters:

Parameter(s)	Adjustable Range (or NA)	Tamper Resistance Method (or NA)	Method Approved
Air adjust on carburetor (Air/Fuel Ratio)	NA	A tamper proof cap is placed over the adjusting screw	Carry over

20. AECDs In the Emission Control Systems:

Exhaust System		Evaporative System	
AECDs In System:	EM	AECDs In System:	Sealed loop with Canister

Page: 4 Issued: APR 0 6 2000

Revised: E. O. # : M-1-306

Engine Family: 1KAXC.249AAA

Motorcycle Test Information Form

0.1

- 27. Are you carrying over test results from a previously certified family? X Yes No
 - a) If yes, indicate family name: GKA024941A3
 - Is the family being certified identical to the family from which the data is being carried over? Yes b)
- 28. Model Designation of Test Vehicle: <u>KL250-D2</u>
- 29. Test Information Number: 86-1
- 30. Vehicle ID: JKAKLMD14FA000039
- 31. Service Accumulation Duration: _____9000 (km)
- 32. Maximum Rated Power: 20.6 kW @ 8500 RPM
- 33. Displacement: 249 cc
- 34. Certification Fuel: Indolene: 91-95 RON
- 35. Test Data Set: Test 1
- Exhaust Emission Deterioration Factors: 42

- 36. Road Load: 123.2 nt at 65 kph
- 37. Inertia Mass: 240 kg
- N/V: 68.59 38.
- 39. EVAP. Bench Test Method Approved: Date: 2/23/1983

Reference: 84ARB-03

40. Unscheduled Maintenance: ___ Yes X No

41. If yes, Vehicle Log provided:

		Emiss	ion Values	
Test Number	System Kilometers	HC	CO	
1	2422	0.91	6.1	
2	4966	0.94	5.3	
3	4996	0.91	5.9	
4	9013	0.89	4.6	
5	9043	0.80	4.6	
6				
7	ì			
Interpolated Va	alues at <u>9000</u> km:	HC = <u>0.8986</u>	CO = _4.6356	
Extrapolated V	alues at <u>18000</u> km:	HC = 0.8643	CO = 2.5659	

Regular DF	X
Modified DF	
If different vehici	le
specify vehicle II	D

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	со	4.6			/
g/km	CO ₂	55.3		/	-
g/km	HC	0.80	/	/	
g/test	Evap.	1.505	/		



44. Certification Levels:

g/km	CO	(5)		1
g/km	HC	(0.8)		
g/test	Evap.	1.505	-	1.0.1

Application Processed by: Joseph Jegede Date: 6/8/2000 Reviewed by: ______ /tack Date: 6/8/00

(X)

(+)