

MuZ, Mottorrad- und Zweiradwerk G.m.b.H

**EXECUTIVE ORDER M-24-6** New On-Road Motorcycles

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2001 model-year engine and emission control systems (ECS) produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Engine Family Evaporative Family Displacement (cm³) Class \_\_\_ ECS & Special Features 1MZXC.660ARA 1MZXE0032POA 660 111 EM

Vehicle Models (Equivalent Inertia Mass): Skorpion Sport (290 kg)

Production motorcycles shall be in all material respects the same as those for which certification is granted.

The exhaust emission standards and certification values in grams per kilometer for hydrocarbons (HC) and carbon monoxide (CO), and the HC evaporative (Evap) standard and certification value in grams per test for this engine/evaporative family are as follows:

	HC	CO	Evap HC
Standard: (Effective Standard)	1.0	12	2.0 (1.8)
Certification:	0.8	2	0.4

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seg.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative emission standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 30 day of November 2000.

R. B. Summerfield, Chief Mobile Source Operations Division

E. O. # : M-24-6 Section: 7: Page: 4

Issued:

Revised:

Engine Family: 1MZXC.660ARA

## **Motorcycle Test Information Form**

Model Designation of Test Vehicle: Skorpion Sport				36. Road Load: 133.4					
Test Information N	37. Inertia Mass: 290								
Vehicle ID: SNZ6SE200R7501322				38. N/V: <u>35.5</u>					
Service Accumulat	39. EVAP. Bench Test Method Approved: Date:								
Maximum Rated P	ower: <u>35</u> kV	V @ <u>6250</u> R	PM						
Displacement: _660	0 00			Referen	ce:				
Displacement. 000	<u>o cc</u>			40. Unsched	uled Mainten	ance:	Yes X N	lo.	
Certification Fuel:		40. Unscheduled Maintenance: Yes X No							
				41. If yes, V	ehicle Log pr	ovided: _			
Test Data Set: 1									
Exhaust Emission I	Deterioration	Factors:							
	_ Jierioiadoli			Emission Value	es				
Test Number	System Kil	ometers	HC		СО				
1	3532		.575	10.39					
2	6011		.615	6.38		Check one:			
3	6041		.809	7.	16	Reg	ular DF	X	
4	11,99	7	.666	3.	21	Mod	dified DF		
5	12,02	7	.695	3.05		If different vehicle			
6	15,04	5	.712	2.11		specify vehicle ID			
7									
Interpolated Val	ues at 15,00	00 km:	HC = .71	24 CO =	1.3062				
Extrapolated Val	lues at 30.00	00 km:	HC = .79	82 CO =	-8.7159				
		N .				_			
Emission Test Resu	ilts:						D : 1		
Official Test Results		Test 1	Test 2	Test 3	Test 4		Deteriora Factor		
g/km	со	2.11	7			(X)	1.00		
g/km	CO <sup>2</sup>	92.0							
g/km	НС	0.712				(X)	1.1204		
g/test	Evap.	0.35	1			(+)	0.08		
	s.								
Certification Level	CO	(2.11)				-12			
Certification Level g/km g/km	HC	(0.798)							

Reviewed by:

E. O.#: M-24-6 Section: 7: Page: 1

Issued: Revised:

## **Motorcycle Engine Family Information Form**

	10. Displacement: 660	cc			
Model Year: 2001  Process Code: new (new, correction, revision, r/c, f/f. etc.)  Engine Family: 1MZXC.660ARA  50s Engine Code:		10. Displacement: 660 cc  11. Number of Cylinders: 1  12. Cylinder Arrangement: 1-16°  13. Cylinder Head Configuration: SOHC  14. Type of Cooling: air  15. Combustion Cycle: 4-stroke  16. Method of Aspiration: natural  17. Fuel System:			
espondence or reference t:	Tamper Resistance Method (or NA)	Method Approved			
sion Control Systems:	Evaporative System AECDs In System:				
	ode: ode: code:	13. Cylinder Head Confider   14. Type of Cooling: ai			