

RUSSIAN AMERICAN MOTORBIKE COMPANY, INC.

EXECUTIVE ORDER M-50-1 New On-Road Motorcycles

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code. Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9:

IT IS ORDERED AND RESOLVED: That the following 2000 model-year engine and emission control systems (ECS) produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Engine Family Evaporative Family Displacement (cm³) Class ECS & Special Features YR4XC0.65RAM YR4XE0066RAM 649 III TWC

Vehicle Models (Equivalent Inertia Mass): U/10, U/40, U/50, U10S, U/10W, U/40W, U/50W, U/10SW, D/11, D/16, D/11S (400 kg for each model)

Production motorcycles shall be in all material respects the same as those for which certification is granted.

The exhaust emission standards and certification values in grams per kilometer for hydrocarbons (HC) and carbon monoxide (CO), and the HC evaporative (Evap) standard and certification value in grams per test for this engine/evaporative family are as follows:

Evap HC Standard: (Effective Standard) 1.0 2.0 (1.8) Certification: 0.3

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative emission standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this //

R. B. Summerfield, Chief

Mobile Source Operations Division

E. O. #: M-50-1 Section: 7: Page: 1

Issued: Revised:

Motorcycle Engine Family Information Form

. Certification Con	tact Person, address, phone	, and fax:					
Kathleen H. Wo Harrison / Wolf 1275 N. Indian Claremont, CA	olf Hill Blvd.	tel. (909) 626-1395 fax (909) 626-2906	1. (909) 626-1395				
3. Model Year: 2000 4. Process Code: new (new, correction, revision, r/c, f/f. etc.) 5. Engine Family: YR4XC0.65RAM 50s Engine Code: 49s Engine Code: Calif. Engine Code: Calif. Engine Code: Calif. Engine Code: 7. Calif. Designated Standard: 8. Projected Annual Sales: CONFIDENTIAL 9. New Technology Yes X No If yes, cite the correspondence or reference the submittal document:		11. Number of Cylinders 12. Cylinder Arrangeme 13. Cylinder Head Confi 14. Type of Cooling: ai 15. Combustion Cycle: 16. Method of Aspiration 17. Fuel System: carbun 18. Number of Catalytic	 Number of Cylinders: 2 Cylinder Arrangement: opposed twin Cylinder Head Configuration: OHV Type of Cooling: air Combustion Cycle: OTTO 4-stroke 				
Adjustable Parame	Al .						
Parameter(s) Adjustable Range (or NA)		Tamper Resistance Method Method Approved (or NA)					
20. AECDs In the Emission Control Systems: Exhaust System AECDs In System:		Evaporative System AECDs In System:					

E-0.#: M-50-1 Section: 7: Page: 4

Issued: Revised:

Engine Family: YR4XC0.65RAM

Motorcycle Test Information Form

Model Designation of Test Vehicle: U/10				36. Road Load: 155.8						
Test Information Number: 1 Vehicle ID: 4YG391214VS051723 Service Accumulation Duration: 15,000				37. Inertia Mass: 400						
				38. N/V: 44						
				39. EVAP. 1	ethod App	proved:				
Maximum Rated	PM	Date: _								
	101101.00 1011	(a) 0200 10		Referen	ice:					
Displacement: 6-	49 cc									
				40. Unsched	duled Maintena	ance:	Yes X No)		
Certification Fue	l: Indolene			41 If yes V	ehicle Log pro	wided:				
Test Data Set: 00	11			41. 11 yes, v	enicie Log pro	ovided				
Test Data Set. 00	- para - selenar		s - re mil	LANGE PERSONS	denomina de	and the second	niary samuel a			
Exhaust Emission	n Deterioration	Factors:			T. V	_				
9444 - 14 III	-2-44			Emission Valu	ies]		-		
Test Number	System Kil	ometers	HC		СО					
1		3500				7.481		-		
2	4996		0.387		.789	-	ck one:	-		
3	5017		0.242		.756	_	ular DF	-		
4		9976			5.738		Modified DF If different vehicle			
5	10002		0.283		.499 .582	specify vehicle ID				
7	15154		0.200	*	.302	Spec	my vemere			
Interpolated V	alues at 15000	km:	HC = 0.260	6 CO=	4.559					
Extrapolated V	alues at 3000	km:	HC = 0.166	1 CO =	1.480					
Emission Test Re	esults:		1 1 1							
Official Test Results		Test 1	Test 2	Test 3	Test 4		Deteriorat Factors			
g/km	со	4.582				(X)	1.0			
g/km	CO ²	108.71						-		
g/km	HC	0.280				(X)	1.0			
g/test	Evap.	1.292				(+)	0.5	-		
Certificat on Lev										
g/km	CO	4.582)	1000						
g/km	HC	0.280	2							
Application	Evap.	1.792				11-0				