C. C. P.

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-97 Relating to Certification of New Motor Vehicle Engines

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That General Motors Corporation 1977 model-year gasoline-powered engines in heavy-duty motor vehicles are certified for the engine family described below:

Family	Engine Size CID	Engine Model	Exhaust Emission Control System
GM 114	366	L86	Air Injection and
	427	L43	Engine Modification

Section 43200, Part I, Division 26 of the California Health and Safety Code requires that the manufacturer affix a decal to the side window to the rear of the driver or, if there is no such window on the driver's side, to the windshield of the motor vehicle.

The following are the recommended values to be listed on the decal:

Engine	HC + NO	CO	HC	NO ₂
Family	gm/bhp-hr	gm/bhp-hr	gm/bhp-hr	gm/bhp-hr
GM 114		24	0.8	5.4

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this _______ day of August, 1976.

G. C. Hass, Chief

Division of Vehicle Emissions Control

8. C. 92112

1977	AIR	RESOURCES	RAADD	CHINDLE CHESTAL			•		
		MESOCIALES	DOWND	SUPPLEMENTAL	DATA	SHEET	HEAVY_DUTY	GASOL THE	ENGINES
								COULTINE	EMOTINES

Manufacturer General Motors Corporation	Executive Order No. A-6-97 Page 1
Engine Family GM 114	Engine (CID) 366 & 427 Calibration
Emission Control Sant	741101441011

Emission Control System___ AI

	00/12/	1 Jys cent	Al	T	
	Engine Models	Distributor Type EI C,V Mfgr. Part No.	Fuel System Type 1-4V Mfgr. Part No.	EGR System Part No. Service*	Tune-Up Specifications (1) Idle Speed (2) Basic Timing (3) Idle Mixture
L86	6	Delco 1103241	Holley 2006710	None	See Tune up label No. 2002490
1.43	3	Delco 1103241	Holley 2006713		
					·

Comments

Date of Issue 08/17/76 Deleted Carbs. 2006709,711 & 712. 090376.

Abbreviation

Distributor

C-Centrifugal Advance

V-Vacuum Advance

VR-Vacuum Retard
El-Electronic Ignition

Exhaust Emission Control System AI-Air Injection EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst

*Service
I-Inspect, repair, replace
as needed
R-Replace

1977 AIR RESOUR	CES BOARD	SUPPLEMENTAL	DATA SHEET	HEAVY-DUTY	GASOLINE ENGIN	1ES
Manufacturer_					A-6-97	
Engine Family	GM 114	•				- 30

2002490 ENGINE EXHAUST EMISSION CONTROL
INFORMATION
GENERAL MOTORS CORPORATION

GM

ENGINE GM 114
366/427 CID
IDLE SPEED 700 RPM
IGN. TIMING 8° BTDC
SPARK PLUG GAP 0.060 IN.
VALVE LASH HYDRAULIC

MAKE ADJUSTMENTS WITH ENGINE AT NORMAL OPERATING TEMPERATURE, AIR CLEANER ON, AIR CONDITIONING OFF, AND TRANSMISSION IN NEUTRAL PLUG D'SCONNECTED VACUUM FITTINGS.

SET PARKING BRAKE AND BLOCK DRIVE WHEELS

- 1 DISCONNECT FUEL TANK HOSE ON VAPOR CANISTER, WHEN EQUIPPED.
- 2. SET TIMING AT SPECIFIED IDLE SPEED.
- 3. ADJUST IDLE STOP (ENERGIZED SOLENOID) TO SPECIFIED IDLE SPEED.
- 4. RECONNECT CANISTER HOSE.

NOTE: Idle mixture screws are preset and capped at factory. Either removing mixture screw caps or breaking the tabs thereon and altering the mixture setting by other than approved procedures may violate Federal and/or California or other state laws.

FUEL REQUIREMENTS-USE 91 OCTANE OR HIGHER

PRINTED IN U.S.A.

IF IDLE MIXTURE ADJUSTMENT IS REQUIRED, ADJUST MIXTURE SCREWS TO HIGHEST IDLE SPEED AND SET IDLE STOP TO 750 RPM FOR 366, OR 775 RPM FOR 427. THEN, TURN IN, MIXTURE SCREWS EQUALLY TO REDUCE IDLE SPEED TO 700 RPM. SEE SERVICE MANUAL FOR ADDITIONAL INFORMATION.



THIS ENGINE CONFORMS TO U.S. ENVIRONMENTAL PROTECTION AGENCY, AND WHERE APPLICABLE CALIFORNIA, REGULATIONS APPLICABLE TO 1977 MODEL YEAR GASOLINE-FUELED HEAVY DUTY ENGINES.

LOCATION: LABELS TO BE AFFIXED TO THE AIR CLEANER