#### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-21-24 Relating to Certification of New Motor Vehicle Engines

#### CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1981 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating greater than 8500 pounds:

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
092A	855 (14.0)	Air Fuel Control (Turbo Charged)
093G	855 (14.0)	Air Fuel Control Mechanical Variable Timing (Turbocharged and Aftercooled)
<b>0</b> 93H	855 (14.0)	Air Fuel Control Mechanical Variable Timing (Turbocharged and Aftercooled)
1720	903 (14.8)	Air Fuel Control One Bank Valve (Turbocharged)

Engine Models and Codes as listed on attachments.

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the engine manufacturer furnish a decal with each engine sold or delivered to a vehicle manufacturer. The decal shall display the applicable model year heavy-duty engine exhaust emission standards and the following certification emission values:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Hydrocarbons + Nitrogen Oxides gm/bhp-hr
<b>09</b> 2A	0.7	2	5.4
093G	0.8	3	5.4
093Н	0.4	2	5.8
172D	0.7	2	5.6

BE IT FURTHER RESOLVED: That Cummins Engine Company, Inc. has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24 day of November, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

Cummins Engine Co., Inc.

Manufacturer Executive Order No. A-21-24 Page 1

Engine Family

Mode 1

Critical Parts List

092A

NTCC-230 NTCC-240

0448 0498

Date of Issue - 11/24/80

Revisions: 1 R/C 1-092A-81, Add model.

Manufacturer	Cummins Engine	Company, Inc.		Page	2
Engine Family	092A	C	ID-Type	85 <b>5-16</b>	
ECS(Special Fe	atures) Air Fuel	Source of Transport	narged)		te de la companya de
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Mumber	Maximum Rated HP and RPM	Fuel Rate at Maximum <sup>3</sup> HP mm <sup>3</sup> /stroke	Label Ident.
NTCC-230 CPL-448	217795 217797 3004284 3008908	3023233 <b>3025083 (0P</b> 1	230 @ 1800 )	140	19 <sup>0</sup> BTDC 0.2032 in Piston Travel and .0635 in Injector push travel
NTCC-240 <sup>1</sup> CPL-498			240 @ 1800	145	

Date of Issue - 11/24/80

Revision: 1 R/C 1-092A-81 added model

Manufacturer Cummins Engine Co. Inc. Executive Order No. A-21-24 Page 3

Engine Family	Model	Critical Parts List
093G	NTCC-400 NTCC-350 NTCC-300 NHHTCC-290 NHHTCC-350	0454, 0457 0455, 0458 0456, 0459 0494 0495

Date of Issue:

Revisions:

	093 <b>G</b>				
ECS(Special Fe	atures) Air F	uel Control, Ma	echanical Var	iable Timing (	(TCA)
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum 3HP nm /stroke	Lab <b>el</b> Ident.
NTCC-400 CPL 0454 0457	217795 217797 3004284 3008908	302226 <b>9</b> 3024638	400 @ 2100	213	190 BTDC @ .2032 in Piston Travel and .115 in Injector pu <b>c</b> h tube trave
NTCC-350 CPL-0455 0458		3022268 3024637	350 @ 1800	203	19 <sup>0</sup> BTDC @ .2032 in Piston Travel and .105 in Injector pus tube travel
NTCC-300 CPL-0456 0459 NHHTCC-290		3022268	300 @ 1800	176	190 BTDC @ .203 in Piston Trave and .100 in Injector push tube travel
CPL-0494  NHHTCC-350	-	3022268	290 @ 1900	167	190 BTDC @ .203 in piston trave and .105 in injector push tube travel
CPL-0495		3024637	350 @ 1900	198	190 BTDC @ in piston travel and .110 in injector push tube travel

TCA - Jurbocharged and after cooled Date of Issue -

Revisions:

Manufacturer Cummins Engine Co. Inc. Executive Order No. A-21-24 Page 5

Engine Family

<u>Mode1</u>

Critical Parts List

093H

NTC-475

0330

Manufacturer_	Cummins Engine Co	Page 6			
Engine Family_	093H	C	ID(Liter)-T	ype <u>855-16</u>	
 ECS (Special Fe	atures <u>) air-fuel c</u>	cal variable	timing (turboo	charged	
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum <sup>3HP</sup> mm <sup>3</sup> /stroke	Label Ident.
NTC-475	217795 217796 3004284 3008908 177761 201790 204160	Cummins 3024147	475 @ 2100	250	19° BTDC @ 0.2032 inch piston travel and @ 0.0085 injection push tube travel
ì				·	

Date of Issue -

Manufacturer Cummins Engine Co. Inc. | Fxecutive Order No. A-21-24 Page 7

Engine Family

Model

Critical Parts List

172D

V [BC-903

0480

Engi	Engine Family 172D CID-Type  ECS (Special Features) Air Fuel Control, One Bank Valve (					903-V8		
	ne Model	Fuel Injection Pump Mfr. Part Number	Injector  Mfr.  Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum 3HP nm /stroke	Label Ident.		
VTBC-CPL C		217794 LH 217796 LH 3008037 LH 3008909 LH 217795 RH 217797 RH 3004284 RH 3008908 RH	Cummins 3026074	275 @ 2100	110	21°BTDC@ .2032 inch and @ .111 inch injector push tube travel		

Date of Issue -

/IC - Turbocharged