State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-36 Relating to Certification of New Motor Vehicle Engines

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Isuzu Motors Limited 1984 model-year diesel engines have shown compliance with the optional transient standards and are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating greater than 8500 pounds:

Engine Family	Displacer Cubic Inches	ment (Liters)	Exhaust Emission Control Systems (Special Features)		
ESZ0353DAE5	353	(5.8)	Engine Modification (Diesel Injection - Direct)		

Engine models and codes are listed on attachments.

Section 43200, Part 5, Division 26 of the California Health and Safety Code requires that the engine manufacturer furnish a decal with each engine sold or delivered to a vehicle manufacturer. The decal shall display the applicable model-year heavy-duty engine exhaust emission standards and the following certification emission values:

Engine Famil <u>y</u>	Hydrocarbons _gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr
ESZ0353DAE5	1.2	4.4	4.6

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order.

Executed at El Monte, California this

day of May, 1984.

K. D. Drachand, Chief Mobile Source Division

Manufacturer	ISUZU MOTORS LIMITED	Executive Order No.	A-20-36
Engine Family	ESZ0353DAES	Evaporative Family	NA
		Engine CID (Liters)	353(5.785)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue 1 Injection MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

DRIVE SYSTEM: NA Engine/ NA -Wheel Drive

1984 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufacturer	ISUZU MOTORS LIMI	Page 2				
Engine Family_	ESZ0353DAE5	CID(Liter)-Type 353(5.785)-L6				
ECS and (Specia	al Features) <u>EM</u>	(DID)				
Engine Model	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum HP mm ³ /stroke	Label Ident.	
6BD1H	DIESEL KIKI CO., LTD. 1156017150 1156017160 1156017170 1156017180 1156017190	DIESEL KIKI CO., LTD. 1153001340	126 HP 3200RPM	53.2 mm ³ /stroke	1858858700	
	;		;			

Date of Issue -