State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-128-1

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1995 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
SCE855EJDASW (093V)	14.0	(855)	Powertrain Control Module Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

Total	Carbon	Nitrogen	<u>Particulates</u>	
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>		
1.3	15.5	5.0	0.10	

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:

Engine	Total	Carbon	Nitrogen	<u>Particulates</u>	
<u>Family</u>	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>		
SCE855EJDASW (093V)	0.4	0.8	4.4	0.06	

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Executive Order A-21-128 dated December 8, 1994, is hereby superseded by Executive order A-21-128-1.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 5th day of June 1995.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

E.O	9-21-	128	3-1_
Page	1	of	1

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer Cummins Engine Company, Inc. Engine Family (093V)SCE855EJDASW						
Displacement: / 14 Liters / 855 Cubic Inches						
Maximum Rated Power: 370 HP @ 1800 RPM Engine Configuration: I-6						
Ignition: Con	npression x	Compres	sion with G	Low Plug	Spa	ark
Fuel Type(b):	Dedicated	Flex-Fuel	Dual-Fuel	Diesel	х м100_	мв5
	CNGL	NGLPG	Other (spe	cify)		
Diesel Cert F	uel: 13 CCR	2282	40 CFR 86.13	13-90	40 CFR 86	.1313-94 X
Primary Inten	ded Service (lass: LHD	MBD	HHD >	Urba	n Bus
		TC, CAC):	PCM (TC, CAC	?)		
			(use abbrevi	ations per S	SAE J1930 SEE	91)
Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate 4 Rated HP mm3 / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	FGR Valve Part No.	PTOX / Catalytic Converter Part No.
N14-370E (1807)	350 @ 1800	190 (115.2)	3083846 3087733	3084473	N/A	N/A
N14 ESP II N14-350E (1807)	350 4 1800	190 (115.2)	Same	Same ,	Same	Same
N14-330E (1807)	330 @ 1800	178 (108.2)	Same	Same	Same	Same
N14 ESP I N14-310E (1807)	310 @ 18 0 0	167 (101.4)	Same	Same	Same	5ame
N14-390E (1807)	370 4 1800	203 (123.1)	Same ,	Same	Same	Same
N14-350ESP (1987)	350 @ 1800	186 (113)	3083848 3087734	Same	Same	Same
				ļ		
			}	!		
	,					
•	İ		ļ			Ì
					ļ	
					1	
			ł			
			<u> </u>			
Date Issued:						
Revisions:						