

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-138

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1995 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

<u>Engine Family</u>	<u>Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
SCE855EJDARB (093Y)	14.0 (855)	Powertrain Control Module Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

<u>Total Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:


<u>Engine Family</u>	<u>Total Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
SCE855EJDARB (093Y)	0.4	1.0	4.2	0.08

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 20th day of July 1995.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer Cummins Engine Company, Inc. Engine Family 093Y SCE855EJDARB
 Displacement: /14 Liters /855 Cubic Inches
 Maximum Rated Power: 410 HP @ 1800 RPM Engine Configuration: I-6
 Ignition: Compression X Compression with Glow Plug _____ Spark _____
 Fuel Type(s): Dedicated _____ Flex-Fuel _____ Dual-Fuel _____ Diesel X M100 _____ M85 _____
 CNG _____ LNG _____ LPG _____ Other (specify) _____
 Diesel Cert Fuel: 13 CCR 2282 _____ 40 CFR 86.1313-90 _____ 40 CFR 86.1313-94 X
 Primary Intended Service Class: LHD _____ MHD _____ HHD X Urban Bus _____
 Exhaust ECS (include.MFI, TC, CAC): PCM (TC, CAC)
 (use abbreviations per SAE J1930 SEP91)

Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
N14-425E+ (2027)	410 @ 1800	222 (134.8)	3087807	3090528	N/A	N/A
N14-370E+ (2027)	389 @ 1800	208 (126.6)	Same	Same	N/A	N/A
N14-370E+ (2027)	370 @ 1800	196 (119.0)	Same	Same	N/A	N/A
N14-350E+ (2027)	368 @ 1800	195 (118.3)	Same	Same	N/A	N/A
N14-350E+ (2027)	350 @ 1800	184 (111.8)	Same	Same	N/A	N/A
N14-330E+ (2027)	345 @ 1800	182 (110.3)	Same	Same	N/A	N/A
N14-330E+ (2027)	330 @ 1800	174 (105.5)	Same	Same	N/A	N/A
N14-310E+ (2027)	310 @ 1800	164 (99.5)	Same	Same	N/A	N/A
N14-330 ESP+ (2027)	330 @ 1800	174 (105.5)	Same	Same	N/A	N/A

Date Issued:

| Revisions: | | | | | |

SUBMITTED

MAY 18 1995