(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-127-2

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

WHEREAS, sections 43100 and and 43102 of the Health and Safety Code authorize the Air Resources Board (ARB or Board) to certify new motor vehicles and new motor vehicle engines if the vehicles and engines meet the emission standards adopted by the Board pursuant to section 43101 in accordance with the test procedures adopted by the Board pursuant to section 43104;

WHEREAS, section 43105 of the Health and Safety Code authorizes the ARB to require any manufacturer to take corrective action as specified by the Board in the event any new motor vehicle or engine fails to meet the emission standards during the vehicle's or engine's useful life;

WHEREAS, section 39515 and 39516 of the Health and Safety Code authorize the Executive Officer to establish the necessity for and scope of the corrective actions which may be required of a manufacturer for violations of an emission standard in accordance with regulations of the Board;

WHEREAS, the Board has adopted regulations pertaining to in-use vehicle recalls and other corrective action in Title 13 California Code of Regulations (CCR) sections 2111 through 2149;

WHEREAS, the Cummins Engine Company, Inc. (Cummins) experienced repeated failures of the particulate matter (PM) trap on a substantial percentage of 1992 and 1993 model-year urban bus engines, specifically engine families NCEO611FZE5 and PCEO611F2E3, which caused the engines to violate California PM emission standard during the engine's useful life of 290,000 miles, as specified in 13 CCR section 2112(1)(7);

WHEREAS, in accordance with 13 CCR section 2113 and as a result of ongoing discussions with the ARB, Cummins submitted a voluntary recall plan to correct the nonconformity to the Executive Officer for approval;

WHEREAS, section 2130 of Title 13 CCR permits a manufacturer who cannot correct a sufficient number of vehicle or take other measures to bring an engine family into compliance with applicable emission standards in response to an ordered recall, to propose mitigation measures to offset the emissions of the noncomplying vehicles, provided the reductions from the recalled and repaired engines plus the mitigation measures ensure a net air quality benefit; are real and verifiable; and are implemented in a timely manner;

WHEREAS, sections 39600 and 43105 confer upon the Executive Officer the authority to approve a combination of vehicle recall and repair to correct the nonconformity and other mitigation measures to ensure that a net air quality benefit will result from a voluntary recall along the lines of the model set forth in 13 CCR section 2130; CUMMINS ENGINE COMPANY, INC.

. · . ' ·

WHEREAS, the Executive Officer finds:

- Failure of the PM trap system on the affected 1992 and 1993 model-year engine families is likely to cause a substantial number of the urban buses to violate the applicable PM emission standard during their useful lives.
- 2. It is not economically feasible to repair the PM traps to ensure that average emission levels after repair will comply with the PM emission standard.
- 3. Replacement of the PM trap system on 1992 and 1993 model-year bus engines with an oxidation catalytic (OC) converter will solve the problem of trap deterioration and failure but will also result in PM emissions above the applicable PM standard.
- 4. Cummins has proposed to mitigate the excess PM emissions by agreeing to certify a specified number of new 1995 model-year engines for engine family SCE611FBCAAW (433A), and its derivative engine family in the 1996 model year, to a PM level substantially below the applicable PM emission standard set forth in 13 CCR section 1956.8 for these engine families.
- 5. Cummins has provided data and information demonstrating that the engine models listed below in this Order, within engine family SCE611FBCAAW (433A), comply with the certification standards set forth below and comply with the Board's emission control system warranty provisions set forth in 13 CCR section 2035 et seq.
- 6. Replacement of the PM trap with an OC converter on 143, 1992 and 1993 model-year bus engines combined with certification of 1995 and 1996 model-year bus engines to a stringent PM emission standard will result in approximately a 10 percent net PM emission benefit.

Now, therefore, pursuant to the authority vested in the undersigned by Executive Order G-45-9:

IT IS ORDERED AND RESOLVED, that the ARB approves the voluntary recall plan submitted by Cummins, attached hereto and incorporated by reference herein, in accordance with the procedures set forth in 13 CCR sections 2113-2121 and the conditions set forth in a letter, Reference Number C-95-200 and dated March 2, 1995, from Mr. R. B. Summerfield, Assistant Division Chief, Mobile Source Division, Air Resources Board, to Mr. Hugh M. Daugherty, Director of Engine Certification, Cummins Engine Company, Inc., attached hereto and incorporated by reference herein.

BE IT FURTHER ORDERED, that the following Cummins Engine Company, Inc. 1995 model-year diesel engines are certified for use in urban buses with a manufacturer's gross vehicle weight rating (GVWR) over 33,000 pounds:

Fuel Type: Compressed Natural Gas (CNG) or Liquefied Natural Gas (LNG)

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
SCE611FBCAAW (433A)	10.0	611	Charge Air Cooler Turbocharger Oxidation Catalytic Converter Engine Control Module

CUMMINS ENGINE COMPANY, INC.

BE IT FURTHER ORDERED, that Cummins shall comply with the following exhaust emission standards, in grams per brake horsepower-hour for the engine models within the 1995 model-year urban bus engine family SCE611FBCAAW (433A):

Non-Methane Hydr <u>ocarbons</u>	Carbon Monoxide	Nitrogen <u>Oxides</u>	Particulates <u>Family Limit</u>	
Hydrocarbons	15.5	5.0	0.04	
1.2	10.0			

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

	Non-Methane Hyd <u>rocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
SCE611FBCAAW	0.2	0.4	1.8	0.02
(433A)				Lotal in Cummi

BE IT FURTHER ORDERED, that in accordance with the terms specified in Cummins' recall plan and the ARB approval of the plan, the emission standards specified above shall be applied when determining compliance of the specified engines within the 1995 model-year engine family SCE611FBCAAW (433A) pursuant to 13 CCR sections 2113 through 2121.

BE IT FURTHER ORDERED, that the engine models within the 1995 model-year engine family SCE611FBCAAW (433A) shall conform with all other applicable California emission requirements.

BE IT FURTHER ORDERED, that Executive Order Nos. A-21-127 (December 21, 1994) and A-21-127-1 (March 9, 1995) are hereby superseded and replaced by this Order.

BE IT FURTHER ORDERED, that the Bureau of Automotive Repair shall be notified and provided a copy of this Order and attachments for implementation and enforcement.

Executed at El Monte, California this $\frac{12}{12}$ day of October 1995.

R. Ø. Summerfield Assistant Division Chief Mobile Source Division

E.O.#<u>A-21-127-2</u>

1995___AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES Page 1_ of 2____

	Manufacturer <u>C</u>	ummine Engine	Company Inc.	Enai	ne Family 433	A <u>SCE611</u>	FBCAAW
	D 1	1	10	iters	/ 01	<u> </u>	Dir turues
	Maximum Rated	/	<u></u> НР 0	2100	RPM Engine	Configura	tion: <u>16</u>
			Comp	ression with (low Plug	_	Spark_XX_
	<pre>Ignition: Com Fuel Type(s):</pre>	Pression	Flov-Fuel	Dual-Fuel	Diesel	M100	M85
		- ANA 1 NA		Other (cherly	r V 1		
	Diesel Cert Fu	LNG_{XX} LNG	<u></u>	0 CFR 86.1313-	-90 4	O CFR 86.	1313-94
	Primary Intend	[e]: 13 CCK 2		MHD		Urba	an Bus <u>xx</u>
	Primary Intend	ed Service Ci					
	Exhaust ELS (1	NCI. MFI, IC,	CAC): <u>ECM,</u>	(use abbrevia	tions per SAE	J1930 SEP	91)
		<u></u>	Fuel Rate	Fuel Pump	<u>. </u>	EGR	PTOX /
	Engine Model	Rated HP	0 _Rated HP	& Injector		Valve Part No.	
	(Eng Code)	@ RPM	mm ³ / stroke (lbs/hr)	Part No.	Part No.	Part NU.	Part No.
				MIXER	2000000	N/A	3077383
	L10-260G*	260 @ 2100	(98)	3090961	3080909		30,7000
	(1936) (1937)						
	(1938)						
	L10-240G*	240 @ 2100	(90)	3090961	3080909	N/A	3077383
	(1936)						
	(1937) (1938)						
	* Note: LNG c	: component/syst	em P/N 3088827	is listed in	the applicat	ion and the	e LNG fuel nents.
	syste	em is Cummins	certified. P/	N 3088827 Ide			
		1		i i i i i i i i i i i i i i i i i i i	4		
٢			<u> </u>			_	·
	Date Issued:						
	Revisions: _					<u> </u>	