State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-235

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Navistar International Transportation Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Engine Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems and Special Features		
YNVXH0444ACT	7.3	(444)	Turbocharger Charge Air Cooler Engine Control Module Oxidation Catalytic Converter		

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>	
<u>Hydroçarbons</u>	<u>Monoxide</u>	<u>Oxides</u>		
1.3	15.5	4.0	0.05	

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>	
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>		
0.1	1.6	3.8	0.05	

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine models are certified for use in urban buses.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 6 day of November 1999.

R. B. Summerfield, Chief

Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

Process Code: New Submission

			•		•	
		8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930		DI,ECM,TAA,OC		
		8 Fuel Rate:	(lbs/hr)@peak torqu	Average	0.67	2
uo!	T444E	7.Fuel Rate:	mm/stroke@peak torque	Average	ć	88.0
Process Code: New Submission.	amily Name:		6.Torque @ RPM (SEA Gross)	Advertised	. (580@1800
Process Code:	Manufacturer Family Name:	5.Fuel Rate:	(lbs/hr) @ peak HP (for diesels only)	Average		87.0
		4.Fuel Rate:	mm/stroke @ peak HP (lbs/hr) @ peak HP (for diesels only)	Average	•	92.8
Manufacturer: Navistar E.O. #A-4-235	4ACT		3.BHP@RPM (SAE Gross)	Advertised		230@2100
	EPA Engine Family: YNVXH0444ACT		1 Engine Code 2. Engine Model			C230HV
			1 Engine Code			C230HV