Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						ENGINE D	ESCRIPTION						
MANUFACTURE		ORDER YE		DEL ENGINE FAMILY		ENGINE FUEL TYPE 1 SIZES (L)		STANDARDS & TEST PROCEDURE		INTENDED SERVICE CLASS ²	ECS & SPECIAL FEATURES		
					2VTU09 4D42	8.1	LPG	Otto		HDO	2TWC, 2HO2S, SFI		
Baytech Corporati		330-0140	_	06 6	6 6BYTH08.1P12 8.1 LPG VEHICLE DESCRIPTION						and the second s		
Gasoline, LPG or Alcohol Vehicles Only										ENGINE MODELS / CODES			
EVAPORATIVE		FUEL TANK CAPACITY		VEHICLE MODEL		VEHICLE MAKE & MODELS			ENGINE (L)	(rated power, in hp)			
FAMILY	UL (K)	(gallons) 35, 50, 60, 75,		YEAR	00.00	C6: Chevrolet Kodiak C6500, GMC Topkick C6500				L18	L18 / 10 (225), L18 / 20 (279)		
6BYTE0000000	150	88, 10	0	2000	C7: Chevi	olet Kodiak	C7500, GMC TOPKICK C	,7300	8.1		L18 / 20 (279)		
6BYTE0000000	150	35, 50, 60, 88, 100		2006	C8: Chevi	C8: Chevrolet Kodiak C8500, GMC Topkick C8500			8.1	*			
*		*		*					<u> </u>	 	*		
*	*	•		*		*				•			
*	*	*		*		* -Title 13 California Code of Regulations, Section xyz; 40 CFR 8			7.0	40. Code of Enderal Regulations, Section 86.a			

*=not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 86.abc=Title 40, Code of Federal Regulations, Section 86.abc;
L=iliter; K=1000 miles: hp=horsepower; kw=kilowatt;
CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;

CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;

'UMH HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;

LCS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DFF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; GARB=gaseous carburetor; fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFUMFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; IDI/DDI=indirect/direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; IDI/DDI=indirect/direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; (2004may26)

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

nginos, in				r		со		PM		нсно		
	NN.	NMHC		NOx		NMHC+NOx				EURO	FTP	EURO
		EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	LOKO		+
	FTP	EURO			4.0	+	37.1	•	*	1 * 1	*	1
TD	•		*		1.0			+		*	*	*
EL	*				*	*			<u> </u>	 	*	•
		 		-	0.9	T •	8.7	* _				
ERT	1					_		•		•		*
TE	T	•	i .	*		•				eed emission limit	. STD=standard	or emission tes

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test grampens per prace no sepower nour, it is received a result result received. ECNO-Euro in European Steady-State Cycle, it is not entresion initial, or or established or emission tenter. HCHO-formaldehyde; cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde; cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1976(b)(1)(B)-(C) or 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only. The brackets [] are for gasoline or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 238 day of June 2005.

Allen Lyons, Chief

Mobile Source Operations Division