## **BAYTECH CORPORATION**

**EXECUTIVE ORDER A-330-0174** New On-Road Heavy-Duty Engines

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAMILY	ENGINE SIZES (L)	FUEL TYPE 1	STANDARDS & TEST PROCEDURE	SERVICE CLASS 2	ECS & SPECIAL FEATURES 3
YEAR			CNG	Otto	HDO	TWC, 2HO2S, SFI
2007 ENGINE (1	7BYTH08.1C12	8.1	ENGINE MO	DELS / CODES (1 L18: 10 (195), 20	rated power, in	n hp)
8.1				L18: 10 (195), 20	(230)	
	<del></del>			•		
*			OB Title 13 California Code	of Regulations, Sec	ction xyz; 40 CF	R 86.abc=Title 40, Code of Federal Regulations, Section 86.abc;
=not appl	licable; GVWR=gross vehit =horsepower; kw=kilowatt;	cle weight rating; 13 ( ;	CR xyz=file 15, California 5555	ethanol fuel; MF=mul	iti fuel a.k.a. BF	≐bi fuel; DF=dual fuel; FF=flexible fuel;

nica , inp-not-septower, NW-Nicwall, CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel; CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible condition the CERT relies in broaden 1) are therefore the condition to the condition of testing. of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

igines, the 310 and 02tt value 1						C. NOv		:0	PM		нсно	
	NMHC		NOx		NMHC+NOx				FTP	EURO	FTP	EURO
1	ETD	EURO	FTP	EURO	FTP	EURO	FTP	EURO		1	+	*
	FTP	EUNO	<del></del>		1.0	*	37.1	` <u> </u>				<del>                                     </del>
	•				<del>                                     </del>			•		*		
		· '	٠.		L	<del></del>		*		•	•	<u> </u>
	<del></del>		•	•	0.5		5.4	<u> </u>		<del></del>		. 4
RT	<u> </u>	<del></del>	<del>                                     </del>	*		•	l	•	<u> </u>		=standard or emi	ssion test car
<u> </u>	<u> </u>	ake horsepow		P=Federal Te	4 Freedure	EURO=Euro II	European Ste	ady-State Cycle	: NTE=Not-to	o-Exceed; S1D ide; PM≐panici	⊫stantoalu oi eiiii. Jale matter: HC	HO=formalde

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde; FLE=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde; PM=particulate matter;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

day of February 2007. Executed at El Monte, California on this \_

Annette Hebert, Chief

Mobile Source Operations Division

CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; EB5=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;

L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;

L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;

ECS-emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DFF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; GARB=gaseous carburetor; GENEP=sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGF=direct gasoline injection; SPL=smoke puff limiter; HO2S/O2S=heated/oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGF=direct gasoline injection; SPL=smoke puff limiter; HO2S/O2S=heated/oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGF=direct gasoline injection; SPL=smoke puff limiter; HO2S/O2S=heated/oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGF=direct gasoline injection; SPL=smoke puff limiter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-throttle body fuel injection; DGF=direct gasoline injection; GCARB=gaseous carburetor; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-throttle body fuel injection; DGF=direct gasoline injection; GCARB=gaseous carburetor; HAFS/AFS=heated/air-throttle body fuel injection; DGF=direct gasoline injection; GCARB=gaseous carburetor; HAFS/AFS=heated/air-throttle body fuel injection; DGF=direct gasoline injection; GCARB=gaseous carburetor; HAFS/AFS=heated/air-throttle body fuel injection; DGF=direct gasoline injection; GCARB=gaseous carburetor; HAFS/AFS=heated/air-throttle body fuel injection; DGF=direct gasoline injection; GCARB=gaseous carburetor; HAFS/AFS=heated/air-throttle body fuel injection; DGF=direct gasoline injection; GCARB=gaseous carburetor; HAFS/AFS=heated/air-throttle b