State of California AIR RESGURCES BOARD

EXECUTIVE ORDER A-5-18 Relating to Approval of New Motor Vehicles

JAGUAR CARS

OF.

BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Jaguar Cars of British Leyland (UK) Limited exhaust emission control systems for 1976 model-year passenger cars are approved for the engine family described below:

Engine Family: 4.2%

Engine: 258 CID

Transmission: 3-speed automatic

Exhaust Emission Control Systems: Air injection, exhaust gas recirculation,

exidation catalyst

Models: Jaguar XJ6C

Jaguar XJ6L

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1976 model vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
4.2L	0.6	6.9	1.5

BE IT FURTHER RESOLVED: That, pending further evaluation of the applicant's general standards submission, this approval is limited to the sale of vehicles with build dates no later than December 31, 1975.

BE IT FURTHER RESOLVED: That this Executive Order is issued subject to the following conditions:

(1) Jaguar Cars of British Leyland (UK) Limited will submit a list of all operating conditions which may lead to catalyst overheating, the provisions taken to protect against damage caused thereby and such other vehicle information concerning safety as the Air Resources Board may reasonably request.

- (2) Jaguar Cars of British Leyland (UK) Limited agrees to provide all purchasers of vehicles built and sold under this Executive Order with any information which is required to be given to purchasers of similar 1976 model-year vehicles manufactured under a subsequent Executive Order.
- (3) Jaguar Cars of British Leyland (WK) Limited will attach a door decal and a window sticker to each vehicle before sale informing customers of the need for a catalyst change within the 5 year 50,000 mile warranty period. These decals and stickers will conform to the requirements of Section 2040, Article 6, Subchapter 1, Chapter 3, Title 13 of the California Administrative Code.

The issuance of this Executive Order is contingent upon conformance with the provisions of Section 2040 of Title 13 and all applicable California emissions regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this $\frac{75}{100}$ day of November, 1975

G.C. Hass by AMARCHAND.

G. C. Hass, Chief

Division of Vehicle Emissions Control

AIR RESCURCES BOARD SUPPLEMENTAL INFORMATION

1976 NODEL YEAR

N PASSENGER CARS

LIGHT-DUTY TRUCKS

manifold plugged & measexhaust Air injection & check rupted ured"0 80+20BTDC| 2-4.5% inter-Idle Mixtu valve Specifications ports @ 750 rpm With connected Timing Basic **X** Tune-up Idle RPM 750 rpm +25 rpm 5-18 in neutral Ą Service* Emission Control System Part No. C41866 I@25,000 EXECUTIVE ORDER NO. EGR Miles Part Set Service* R@25,000 Miles Type AI EGR OC Part No. Stromberg 175CD2SET C 45857 & C 45858 System Zenith Fuel Type (2) 1-(2) Part No. Distributor Lucas C45829 Mfgr. Jaguar Cars of British Leyland UK Ltd. Frans Weight Type Inertia 4500 A-3 ngine CH C 258 attachment) (If coded Vehicle Models see Jaguar XJ6C XJ6L MALIUFACTURER: bbreviations Engine Family 4.2L

- Inspect, repair/replace as neede

ESAC-Electronic Spark Advance Control

PAI -Pulse Air Injection

EFE- Early Fuel Evaporation

Exhaust Emission Control System

AI - Air Injection

- Centrifugal Advance

istributor

Vacuum Advance

OC - Oxidation Catalyst RC - Reduction Catalyst

EFI- Electronic Fuel Injection EGR- Exhaust Gas Recirculation EM - Engine Modifications

> /R - Vacuum Retard nEI- High Energy Ignition

FI - Fuel Injection

*Service