

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-34-5  
Relating to Certification of New Motor Vehicles

ALFA ROMEO, S.p.A.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Alfa Romeo S.p.A. exhaust emission control systems for 1977 model-year passenger cars are certified for the engine family described below:

Engine Family: 01615\*A  
Engine: 119.7  
Transmission: M-5  
Exhaust Emission Control Systems: Engine Modifications, Mechanical Fuel Injection, Air Injection, Oxidation Catalyst

Models: Alfetta Berlina 4-door  
Alfetta Berlina Coupe  
Spider

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
01615*A	.19	3.3	1.0


BE IT FURTHER RESOLVED: That this certification is contingent upon Alfa Romeo, S.p.A. affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon Alfa Romeo, S.p.A. listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 23 day of March, 1977.



G. C. Hass, Chief  
Vehicle Emissions Control Division

Manufacturer ALFA ROMEO Executive Order No. A-34-5 Page 1  
 Engine Family 01615\*A Engine (CID) 119.7 Engine Code 01615\*A0  
01615\*A5  
 Emission Control System EM+FI+AI+OC +10%(A/C) Yes  No

Vehicle Models (If Coded see attachment)	Trans	Inertia Weight	Distributor Type C Mfgr. Part Number	Fuel System Type N/A Mfgr. Part Number	EGR System N/A Part No. Service*	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
Alfetta Berlina 4-door (116.34) Coupe (116.15)	M-5	3000	Magneti Marelli S166B	Fuel Injection Spica-	N/A	1) 5° + 1° BTDC (Pulley Mark F) @ idle speed.  2) Max. 1.2% CO with transmission in neutral, all accessories turned off, air injection system connected, NDIR probe connected to upstream tap.  3) 750 + 100 RPM engine hot.
		3000	11634.05. 011.01 A. R. Number	Livorno		
Spider (115.41)		2750				

Comments

Date of Issue

- Abbreviations**
- |                          |  |  |
|--------------------------|--|--|
| <u>Distributor</u>       | <u>Exhaust Emission Control System</u>   | <u>OC-Oxidation Catalyst</u>           |
| C-Centrifugal Advance    | AI-Air Injection                         | PAI-Pulse Air Injection                |
| V-Vacuum Advance         | CAI-Catalyst Air Injection               | RC-Reduction Catalyst                  |
| RV-Vacuum Retard         | EFI-Electronic Fuel Injection            | TR-Thermal Reactor                     |
| HEI-High Energy Ignition | EGR-Exhaust Gas Recirculation            | TWC-Three Way Catalyst                 |
| EI-Electronic Ignition   | EM-Engine Modification                   | λ-Air Fuel Ratio Sensor                |
| <u>Fuel System</u>       | EFE-Early Fuel Evaporation               | <u>*Service</u>                        |
| EFI, FI                  | ESAC-Electronic Spark Advance<br>Control | I-Inspect, repair/replace<br>as needed |
| nV-nVenturi Carburetor   | FI-Fuel Injection                        | R-Replace                              |
| VV-Variable Venturi      |  |  |