

L-111

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-26
Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1977 model-year light duty trucks are certified for the engine family described below:

Engine Family: II-T
Engine: 304 CID
Transmission: 3-Speed Automatic
Exhaust Emission Control Systems: Air Injection, Exhaust Gas Recirculation, Oxidation Catalyst

Model: Jeep CJ-7

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
II-T	0.9	10	1.3

BE IT FURTHER RESOLVED: That this certification is contingent upon American Motors Corporation affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon American Motors Corporation listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.


AMERICAN MOTORS CORPORATION

EXECUTIVE ORDER A-17-26

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 30 day of July, 1976.



G. C. Hass, Chief
Division of Vehicle Emissions Control

Manufacturer American Motors Corporation Executive Order No. A-17-26 Page 1 of 1
 Engine Family II-T Engine (CID) 304 Engine DAC-3ST-1 & Code DAC-3ST
 Emission Control System AI, EGR, OC +10%(A/C) Yes No

Vehicle Models (If Coded see attachment)	Trans	Inertia Weight	Distributor Type: EI, C,V, TCSA. Mfgr. Part Number	Fuel System Type: 1-2V Mfgr. Part Number	EGR System Backpressure Sensitive Part No. Service*	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
CJ-7 Jeep	A/T3 (3.54 or 4.09 rear axle)	3,500	3228264, which is Prestolite IDJ-4001G or 3231177	Motorcraft 6DA2J (for E. C. DAC-3ST) Motorcraft 7DA2JC (for E. C. DAC-3ST-1)	Eaton G-61373 I-30,000	(1) 50+ 20 BTDC @ 500 RPM in "drive" with vacuum disconnected (2) 20 RPM Lean Drop in "drive" (3) 700 RPM + 100 RPM in "drive"

Comments

Date of Issue : 26 July 1976
12 May, 1977, Running Change No. 77-16C
 New calibration and carburetor per running change No. 77-29C.

Abbreviations

Distributor

- C-Centrifugal Advance
- V-Vacuum Advance
- VR-Vacuum Retard
- HEI-High Energy Ignition
- EI-Electronic Ignition

Fuel System

- EFI, FI
- nV-nVenturi Carburetor

Exhaust Emission Control System

- AI-Air Injection
- CAI-Catalyst Air Injection
- EFI-Electronic Fuel Injection
- EGR-Exhaust Gas Recirculation
- EM-Engine Modification
- EFE-Early Fuel Evaporation
- ESAC-Electronic Spark Advance Control
- EI-Fuel Injection

TCSA-Transmission Controlled Spark Advance

- OC-Oxidation Catalyst
- PAI-Pulse Air Injection
- RC-Reduction Catalyst
- TR-Thermal Reactor
- TWC-Three Way Catalyst
- λ-Air Fuel Ratio Sensor
- *Service
I-Inspect, repair/replace as needed