

E.O Book

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-39
Relating to Certification of New Motor Vehicles

TRIUMPH MOTORS
OF BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Triumph Motors of British Leyland (UK) Limited exhaust emission control systems for 1978 model-year passenger cars are certified for the vehicles described below:

Engine Family: TC/25C
Engine: 91 CID
Transmission: 4-Speed Manual and 4-Speed Manual with Overdrive
Exhaust Emission Control Systems: Air Injection, Exhaust Gas Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
TC/25C	0.28	3.3	0.7

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-5 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 20 day of January, 1978.



G. C. Hass, Chief
Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer British Leyland Executive Order No. A-5-39 Page 1

Engine Family TC/25C Engine (CID) 91

ABBREVIATIONS

Distributor

C-Centrifugal Advance
V-Vacuum Advance
VR-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection
CAI-Catalyst Air Injection
CAB-Chamber Air Bleed
DD-Dual Displacement
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

OC-Oxidation Catalyst
PAI-Pulse Air Injection
RC-Reduction Catalyst
TC-Turbo Charged
TR-Thermal Reactor
TWC-Three Way Catalyst
(Feedback Control)
EGR Syst. Service
I-Inspect, repair/replace
as needed
R-Replace

Vehicle Model

Spitfire 1500
MG Midget

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks Medium Duty Vehicles

Manufacturer British Leyland Executive Order No. A-5-39 Page 1A
 Engine Family TC/25C Engine (CID) 91 Engine Code PE94H/77C
 Emission Control System AI, EGR, OC +10%(A/C) Yes No

Eng. Code	Vehicle Models (If Coded see attachment)	Trans	Inertia Weight Class	Distributor Type EI, C VR Mfgr. Part Number	Fuel System Type 1-1V VV, <i>probably</i> Mfgr. Part Number	EGR System Part No. Service	Tune-Up Specification
PE94 H/77 C	Spitfire 1500	M-4 M-4 with over-drive	2250	LUCAS 41698A B.L. Part # TKC 3287	Zenith 3864 B.L. Part # RKC 3168	7975704 B.L. Part TKC 3523	(1) 2° ATDC @ 800 RPM in neutral. (2) 3% NOM 0.5-6.0% warm engine, disconnect and plug AI system at air pump. Vent pump to atmosphere.
PE94 J/77 C	MG Midget	M-4			Zenith 3863 B.L. Part # RKC 3170	I-50,000 mi.	(3) 800 ± 100 RPM in neutral with warm engine.

Comments: _____ models have special road load HP settings.
 See page 1 for abbreviations and model codes.

Date of Issue Revisions: