

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-45
Relating to Certification of New Motor Vehicles

JAGUAR CARS
OF
BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Jaguar Cars of British Leyland (UK) Limited exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
V12/50	326	Exhaust Gas Recirculation Air Injection Oxidation Catalyst (Electronic Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
V12/50	0.31	4.8	1.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


JAGUAR CARS OF BRITISH
LEYLAND (UK) LIMITED

EXECUTIVE ORDER A-5-45
(Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7 day of November, 1978.



G. C. Hass, Chief
Vehicle Emissions Control Division *

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer British Leyland Executive Order No. A-5-45 Page 1

Engine Family V12/50 Engine (CID) 326

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance

EI-Electronic Ignition

ESAC

VA-Vacuum Advance

VR-Vacuum Retard

Fuel System

EFI, MFI

nV-nVenturi Carburetor

VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection

CCAV-Comb. Chamber Air Valve

EFI-Electronic Fuel Injection

EGR-Exhaust Gas Recirculation

EM-Engine Modification

ESAC-Electronic Spark Advance
Control

MFI-Mechanical Fuel Injection

OC-Oxidation Catalyst

PAI-Pulse Air Injection

TC-Turbo Charged

TR-Thermal Reactor

TWC-Three Way Catalyst
(Feedback Control)

WOC-Warm-up Oxidation
Catalyst

Vehicle Model

XJ12L

XJ-S

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A 5 45
☒ Passenger Cars ☐ Light-Duty Trucks ☐ Medium-Duty Vehicles
Manufacturer Jaguar Cars of British Leyland (UK) LimitedPage 1AEngine Family V12/50 Engine (CID) 326Engine
Code V12LFC-78/50Emission Control System EGR, AI, OC + 10% (A/C)Yes X No

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. Control Parameters CA, VA, VR, EI	Fuel System Type: EFI Mfgr. Part No.	EGR Valve	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	XJ12L	A-3	4500	Lucas 41770	Lucas/Bosch	73166	(1) 4°ATDC of idle. Set dynamically using stroboscopic light in conjunction with timing marks on crankshaft damper.
	XJ-S		4000	BL Part No. DAC 1609	ECU Part No. 83546 BL Part No. DAC 1596	BL Part No. EAC 1262	(2) 1 - 2% CO with air injection interrupted by removing the rubber cap on the diverter valve diaphragm housing. CO measured at the sampling ports in the ends of the secondary air distribution rails. (3) 750 RPM in park or neutral.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -