

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-28
Relating to Certification of New Motor Vehicles

11
DAIMLER-BENZ AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Daimler-Benz Aktiengesellschaft exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
79/2B/L6E/28	167.5	Air Injection Exhaust Gas Recirculation Dual Bed Catalyst (Mechanical Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
79/2B/L6E/28	0.32	1.9	1.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


DAIMLER-BENZ AKTIENGESELLSCHAFT

EXECUTIVE ORDER A-3-28
(Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 15 day of September, 1978.


G. C. Hass, Chief
Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-3 -28

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles

Manufacturer Daimler-Benz AG Page 1A

Engine Family 79/2B/L6E/28 Engine (CID) 167.5 Engine Code M 110 B

Emission Control System AI, EGR, DBC + 10% (A/C) Yes X No

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. Control Parameters CA, VA EI, VR	Fuel System Type: MFI Mfgr. Part Number	EGR Valve	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
M110B	Mercedes-Benz 280E 280SE 280CE	A-4	4000	Bosch 0 237 304 003 MB Part No. 002 158 5201	Bosch 0 438 120 032 0 438 100 011 MB Part No. 000 070 0806	PE 20 338 MB Part No. 000 140 5860	(1) TDC at idle, vacuum connected (2) 0.4-2.0%, measured at exhaust manifold tap cyl. 1-3 (disconnect orange transducer). Transmission in neutral. Accessories not in operation. (3) 800 RPM with air injection disconnected, transmission in neutral and A/C in "off" position.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Daimler-Benz AG Executive Order No. A-3-28 Page 1

Engine Family 79/2B/L6E/28 Engine (CID) 167.5

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EI-Electronic Ignition
 ESAC
 VA-Vacuum Advance
 VR-Vacuum Retard

Fuel System

EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection
 CCAV-Comb. Chamber Air Valve
 EFI-Electronic Fuel Injection
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification

ESAC-Electronic Spark Advance
 Control

MFI-Mechanical Fuel Injection

DBC-Dual Bed Catalyst

OC-Oxidation Catalyst
 PAI-Pulse Air Injection
 TC-Turbo Charged
 TR-Thermal Reactor
 TWC-Three Way Catalyst
 (Feedback Control)
 WOC-Warm-up Oxidation
 Catalyst

Vehicle Model

Mercedes-Benz

280E
 280SE
 280CE