State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-37-7 Relating to Certification of New Motor Vehicles

LOTUS CARS LIMITED

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Lotus Cars Ltd. exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)			
907	120.5	Air Injection Oxidation Catalyst Engine Modifications			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	Grams per Mile	Grams per Mile	Grams per Mile	
907	0.36	4.0	1.4	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

EXECUTIVE ORDER A-37-7 (Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles and the Bureau of Automotive Repair will be notified by copt of this order and attachment.

Executed at El Monte, California this _____ day of February, 1979.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer _	Lotus Car Ltd	Executive Order No.	A-37-7	Page 1
Engine Family	907	Engine (CID)1	20.5	

ABBREVIATIONS
Ignition System
CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CCAV-Comb. Chamber Air Valve
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EEC-Electronic Engine Control
ESAC-Electronic Spark Advance
Control
MFI-Mechanical Fuel Injection

Vehicle Models

Esprit Elite Sprint

E.O. #A <u>37-</u> 7

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars			Light-Dut	y Trucks	Medium-Duty	Vehicles		
lanufacturerLotus Cars Limited					Page 2			
Engine Family 907		Engi	ne (CID)	120.5	Engine Code <u>see below</u>			
Eı	mission Control	System _	AI, OC	, EM	+ 1	0% (A/C)	Yes No _X	
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System	EGR Valve	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed	
Α	Esprit	M5	2500	Lucas 41634A	Zinith 3807R	NA	1) TDC @ Idle rpm with retard opera-	
BD	Elite 502 Sprint 522	M5	2750	2750 Lo	2750 Lotus part # A907E0855	: # part #		tive. (8°BTDC with retard inoperative) 2) 3.5 - 4.5% CO at idle rpm. Disconnect air injection hose from pump and plug.
BL	Elite 503 Sprint 523							
BM	Elite 504 Sprint 524	А3					CO measured before catalyst.	
							3) 950-1000 rpm	
							Settings to be checked with trans-mission in neutral and all engine ancillaries fitted.	
Comments See page one for abbreviations and evaporative emission family identification.								

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -