State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-170 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That General Motors Corporation exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered passenger cars

	Displacement	Exhaust Emission Control Systems
Engine Family	Cubic Inches	(Special Features)
		Air Injection
06T4RCZ-1	368	Exhaust Gas Recirculation
		Three Way Catalyst with Closed Loop

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1980 model-year vehicles:

Engine Family	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	
06T4RCZ-1	0.38	5.8	1.0

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1980 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That General Motors Corporation has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of November, 1979.

K. D. Draghand, Acting Chief
Mobile Source Control Division

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer General Motors Corp.	Executive Order No. A-6-170	Pagel
Engine Family 06T4RCZ-1 Evap. Family: 0B4S-6 ABBREVIATIONS	Engine (CID) 368	
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi	Exhaust Emissions Control System AI-Air Injection CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst PAI-Pulse Air Injection TR-Thermal Reactor TWC-Three Way Catalyst	Special Features CCAV-Combustion Chamber Air Valve EFI-Electronic Fuel Injection MFI-Mechanical Fuel Injection TC-Turbo Charged

Division	Basic Body	ſrim	Body Type	
	<u> </u>			<u>Mode1s</u>
6				<u>Cadillac</u>
	D	F	23	Limousine
		F	33	Formal Limousine
	7	7	an	Commorcial Chassis

Issued: 111679. Includes 6ZZ90, per RC 06-148, approved 111679.

AIR RESOURCES BOARD 1980 SUPPLEMENTAL DATA SHEET - GM FORMAT Gasoline-fueled Passenger Car

Manufacturer: GENERAL MOTORS CORPORATION Executive Order No.A-6-170

Pg. 2

Engine Family <u>06T4RCZ-1</u> Engine CID <u>368</u> Transm. _

ن	E	xhaust	Emission (Control System	AI,EGR,T	VC W/CI	+10%	(A/C) Y	es X	No		
	Eng. Code	Air Cond.	Ign.Syst. CA, VA ESAC, EI Part No.	Fuel System 4V Carb. Part No.	EGR Valve Part No.	Test Wt. Class	Divisions	Basic Body	Trim	Body Type	Trans- mission	Tune-up Label	Rev. Notes
	2	W	Delco Remy 1103415	Rochester 17080530	17062877	5000	6	D		23	A-3	KR	
						5250	6	D		33			
						6500 (1)	6	Z		90			
											•		
	·											· .	
-	,								·				
						·						-	
			·										
					·								
	İ												

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP lists for correct dyno test HP settings based on model, equipment and frontal area. (1) Tested at 5500 per Fed. Reg. 86.129-80.

Date of Issue: 111679, Revisions: