

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-37  
Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

110

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered passenger car.

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
A12C	75	Air Injection Exhaust Gas Recirculation Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1980 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
A12C	0.18	2.5	0.7

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

NISSAN MOTOR COMPANY, LTD.

EXECUTIVE ORDER A-15-37  
(Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1980 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models sold on or after September 1, 1979 also comply with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Sections 2036 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6 day of July, 1979.



G. C. Hass, Chief  
Vehicle Emissions Control Division

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Nissan Executive Order No. A-15-37 Page 1  
 Engine Family A12C Engine (CID) 75

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

EFI, MFI  
 nV-nVenturi Carburetor  
 VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst  
 PAI-Pulse Air Injection  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst

Special Features

CCAV-Combustion Chamber Air Valve  
 EFI-Electronic Fuel Injection  
 MFI-Mechanical Fuel Injection  
 TC-Turbo Charged

Engine Code

ABA12CM  
 BA12CM

Model

210 2-door sedan

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-15-37

Passenger Cars     Light-Duty Trucks     Medium-Duty Vehicles     Gas     Diesel

Manufacturer Nissan

Page 2

Engine Family A12C

CID-Type 75-I4

Engine Code

ECS (Special Features) AI, EGR, OC

+ 10% (A/C)

Yes \_\_\_\_\_ No X

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Test Weight Class (Inertia)	Ign. System CA, VA, EI Distributor Part No.	Fuel System 2V Carburetor Part No.	EGR Valve Part No.	Label Ident.
ABA12CM BA12CM	B210	M4	2250	Hitachi D4K9-12	Hitachi DCH306-115	AEY 75-34	See Page 3

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

Date of Issue -

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer

Nissan


Executive Order No. A-15-37

Page 3


VEHICLE EMISSION CONTROL INFORMATION

THIS VEHICLE CONFORMS TO U.S. EPA REGULATIONS APPLICABLE TO 1980 MODEL YEAR NEW MOTOR VEHICLES PROVIDED THAT THIS VEHICLE IS ONLY INTRODUCED INTO COMMERCE FOR SALE IN THE STATE OF CALIFORNIA. THIS VEHICLE IS CERTIFIED AS HAVING DEMONSTRATED CONFORMANCE WITH FEDERAL AND CALIFORNIA EMISSION STANDARDS ONLY AT ELEVATIONS EQUAL TO OR LOWER THAN 1,219 METERS (4,000 FEET).

- ENGINE FAMILY: A12C ENGINE DISPLACEMENT: 75.4 C.I.D.
- EVAPORATIVE FAMILY: EVP-CARB-2A
- EXHAUST EMISSION CONTROL TYPE: AIS+EGR+OX.CAT
- EVAPORATIVE EMISSION CONTROL TYPE: CARBON CANISTER
- ENGINE TUNE UP SPECIFICATIONS AND ADJUSTMENT
  - AT NORMAL OPERATING TEMPERATURE
  - LIGHTS AND AIR CONDITIONER OFF

TIMING MARK 	TRANSMISSION	MANUAL
	IDLE SPEED	700 R.P.M.(N)
	IGNITION TIMING	10° B.T.D.C.
	IDLE MIXTURE SETTING	IDLE MIXTURE SCREW IS PRESET AND SEALED AT FACTORY.
	VALVE LASH	INTAKE : .35 MM (.014 IN) -HOT EXHAUST: .35 MM (.014 IN) -HOT

VACUUM HOSE ROUTING DIAGRAM



CATALYST  
NISSAN MOTOR CO., LTD.