

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-34-16
Relating to Certification of New Motor Vehicles

ALFA ROMEO AUTO, S.P.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Alfa Romeo Auto, S.p.A. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
DART20V5F4L4	119.7 (2.0)	Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.41	7.0	0.4

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.25	1.9	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 31 day of August, 1982.


K. D. Drachand, Chief
Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Alfa Romeo Executive Order No. A-34-16 Page 1
 Engine Family DAR120V5F4L4 Evaporative Family E1544
 Engine CID (Liters) 119.7 (2.0)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TR-Thermal Reactor
 TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 MFI-Mechanical Fuel Injection
 TC-Turbocharged

Vehicle Model

Spider Veloce 2000
 (115.41)

DRIVE SYSTEM: Front engine/Rear wheel drive

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer Alfa Romeo E.O. # A-34-16

Engine Family DAR120V5F4L4 CID (liter) - Type 119.7 (2.0) L-4

ECS (Special Features) TWC/CL (EFI)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System EEC,ESAC,EI Part No.	Fuel System EFI Part No.	EGR Valve Part No.	Label Ident. Part No.
01544	Spider Veloce	5M		115.44.05.011	.00 Fuel Injection Control Unit 115.44.11.042.00 Air Flow Meter 116.85.11.013.00	NA	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -
Revisions:

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Alfa Romeo Auto, S.p.A. Executive Order No. A-34-16 Page 3

Engine Family	Vehicle Model	Actual Dyno Horsepower	Inertia Class	Equivalent Test Weight
DAR120V5F4L4 (1)	Spider Veloce 2000	9.0 (2)	2750 lb.	2875 lb.

(1) 50 State E.F.

(2) Includes 10% A/C Factor.

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer ALFA ROMEO AUTO, S.P.A. Executive Order No. A-34-16 Page 3

Engine Family	Vehicle Model	Actual Dyno Horsepower	Inertia Class	Equivalent Test Weight
MAR120V5F4L4 (1)	Spider Veloce 2000	9.0 (2)	2750 lb.	2875 lb.

(1) 50 State E.F.

(2) Includes 10% A/C Factor.