

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-233  
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
DFM5.0V4GMCO	302 (5.0)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.20	2.2	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 9<sup>th</sup> day of November, 1982.

  
K. D. Drachand, Chief  
Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Ford Motor Company Executive Order No. A-10-233 Page 1

Engine Family DFM5.0V4GMC0 Evaporative Family 3JL

Engine CID (Liters) 302 (5.0L)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst System

Special Features

CCV-Combustion Chamber Valve  
 CFI-Central Fuel Injection  
 DID-Diesel Injection-Direct  
 DIP-Diesel Injection-Prechamber  
 MFI-Mechanical Fuel Injection  
 TC-Turbocharged

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 nV-nVenturi Carburetor  
 VV-Variable Venturi

<u>Vehicle Line</u>	<u>Body Type</u>	<u>Body Code</u>
Mustang	2 Dr Sedan	Mustang GL, Mustang GLX
Mustang	3 Dr Sedan	Mustang GL, Mustang GLX, Mustang GT
Mustang	B2L 2 Dr Convertible	Mustang GLX
Capri	2 Dr Sedan	Capri L, Capri GS, Capri RF, Capri Blackmagic

DRIVE SYSTEM:

Passenger Cars  Light Duty Trucks  Medium Duty Vehicles  Gas  Diesel

Manufacturer Ford Motor Company E.O. #A -10-233

Engine Family DFM5.0V4GMC0 CID (Liter) - Type 302 (5.0L)

ECS (Special Features) AIP/EGR/TWC

Engine Code	Vehicle Models ( , Dyno Hp)	Trans	Equiv Test Weight	Ign. System CA, VA Part No.	Fuel System AV Part No.	EGR Valve Part No.	Label Ident Part No.
3-21P, R01A	Must B2L (9.6)	M4X307 M5X295*	3500	E3ZE-12127- JA	E3ZE-9510- BGA	E2DE- 9D448-AA	E3AE-9 485-DT
	Must 66B (9.5)		3375				
	Must 61B (9.4)		3375				
	Capri 61D(9.1)		3375				
3-21P, R01N	Must B2L (8.7)	M4X307 M5X295*	3375	E3ZE-12127- JA	E3ZE-9510- BGA	E2DE- 9D448-AA	E3AE-9 485-DT
	Must 66B (8.6)		3250				
	Must 61B (8.5)		3375				
	Capri 61D(8.3)		3375				

Comments: See page one for abbreviations and evaporative emission family identification.  
 If two test weights are listed, the lower weight will be used for testing.  
 \* Added per Running Change 5.0-215

Date of Issue:  
 Revisions:

Passenger Cars  Light Duty Trucks  Medium Duty Vehicles  Gas  Diesel

Manufacturer Ford Motor Company

E.O. #A -10-233

Engine Family DFM5.0V4GMC0 CID (Liter) - Type 302 (5.0L)

ECS (Special Features) AIP/EGR/TWC

Engine Code	Vehicle Models ( <small>Dyno Hp</small> )	Trans	Equiv Test Weight	Ign. System CA, VA Part No.	Fuel System 4V Part No.	EGR Valve Part No.	Label Ident Part No.
3-21P, R01A	Must B2L (9.6)	M4X307	3500	E3ZE-12127- JA	E3ZE-9510- BGA	E2DE- 9D448-AA	E3AE-9 485-DT
	Must 66B (9.5)		3375				
	Must 61B (9.4)		3375				
	Capri 61D(9.1)		3375				
3-21P, R01N	Must B2L (8.7)	M4X307	3375	E3ZE-12127- JA	E3ZE-9510- BGA	E2DE- 9D448-AA	E3AE-9 485-DT
	Must 66B (8.6)		3250				
	Must 61B (8.5)		3375				
	Capri 61D(8.3)		3375				

Comments: See page one for abbreviations and evaporative emission family identification.  
If two test weights are listed, the lower weight will be used for testing.

\*With Air Conditioning

Date of Issue:

Revisions: