State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-19 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
DHN1.8V3AFC5	107	(1.8)	Air Injection - Valve Engine Modification - CVCC Exhaust Gas Recirculation Oxidation Catalyst		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.27	2.1	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of August, 1982

K. D. Drachand, Chief
Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer _	HONDA	_ Executive Order No.	A-23-19	Page	1
Engine Family	DHN1.8V3AFC5	_ Evaporative Family _	83FA		
		Engine CID (Liters)	107 (1.8)		

ABBREVIATIONS

Ignition System
CA-Centritugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
InjectionDirect
DIP-Diesel
InjectionPrechamber

MFI-Mechanical Fuel Injectio TC-Turbocharged



Vehicle Models

Honda Accord Hatchback Honda Accord LX Hatchback Honda Accord 4-Door Sedan

DRIVE SYSTEM: Front engine/Front drive

					۲	age	
		1983 /	AIR RESOL	JRCES BOARD SUPPLEMENT	AL DATA SHEET		
-	<u>X</u> Pass	enger Cars Li	ght-Duty	/ Trucks Medium-D	uty Vehicles	<u>X</u> Gas	_ Diesel
	Manu	facturer	НО	NDA	E.0.	#A23-19	
.**	Engi	ne FamilyI	OHN1.8V3	AFC5 CID (liter) - Type <u>107</u>	(1.8) I-4	
	ECS	(Special Features)		AIV,EGR,OC,EM		· · · · · · · · · · · · · · · · · · ·	
	igine lode	Vehicle Models (If Coded see attachment)	Trans.	Ign. System	Fuel System	EGR Valve	Label Ident.
		a conciniency	·	Part No.	Part No.	Part No.	Part No.
DFI DFI	l 1/1	Accord HB Accord LX HB Accord Sedan	5 <u>M</u>	Hitachi distributor D4R80-23 or Toyo Denso distribu- tor TD-24C	Keihin CB72C $\frac{1}{2}$ / CB74C $\frac{1}{2}$	18710-PB3 -6610	VECI See P 07.01.01-1 Vacuum Hose
DF.	3 3/1	Accord HB Accord LX HB Accord Sedan	4A	Hitachi distributor D4R80-22 or Toyo Denso distribu- tor TD-14C	Keihin CB72D $\frac{1}{2}$ / CB74D $\frac{1}{2}$	18710-PB3 -6911	17277-PC2 -681
					Note: 1/ Except LX HB	·	·

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

LX HB

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - Revisions:

Page	2	contid
.,		'
	_	/

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

			•	
Runn	ing	c4a	19	E

	X Pass	enger Cars Li	ight-Duty	/ Trucks Medium-D	uty Vehicles	<u>X</u> Gas	_ Diesel (
10	Manufacturer		HONDA DHN1.8V3AFC5 CID (liter		r.o. =A-23-19		
	ECS	(Special Features)		AIV,EGR,OC,EM			
	Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Ign. System	Fuel System	EGR Valve	Label Ident.
	•	a continuity		Part No.	Part No.	Part No.	Part No.
· · ·	DF1-23, DF1/1-23	Accord HB Accord LX HB Accord Sedan	5M	Hitachi distributor D4R80-23 or Toyo Denso distribu- tor TD-24C	CB72G <u>1</u> / CB74G <u>2</u> /	18710-PB3 -6610	VECI See P. 07.01.01-1. Vacuum Hose
	DF3-23, DF3/1-23	Accord HB Accord LX HB Accord Sedan	4A	Hitachi distributor D4R80-22 or Toyo Denso distribu- tor TD-14C	CB72H $\frac{1}{2}$ /	18710-PB3 -6911	17277-PC2 -681
		• ! \$	-	•	Note: 1/ Except LX HB 2/ Only for LX HB		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - Revisions: 09/10/82