

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-61  
Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
DNS2.0V2AAC4	120.4 (2.0)	Air Injection - Valve Exhaust Gas Recirculation Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.23	2.7	0.5

BE IT FURTHER RESOLVED: That the listed vehicle models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 17<sup>th</sup> day of August, 1982.



K. D. Drachand, Chief  
Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer NISSAN MOTOR CO., LTD. Executive Order No. A-15-61  
 Engine Family DNS2.OV2AAC4 Engine (CID) 120.4  
 Evaporative Emission Family EVP-CARB-1A

ABBREVIATIONS

Distributor

C-Centrifugal Advance  
 V-Vacuum Advance  
 VR-Vacuum Retard  
 HEI-High Energy Ignition  
 EI-Electronic Ignition  
Fuel System  
 EFI, FI  
 nV-nventuri Carburetor  
 VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection  
 CAI-Catalyst Air Injection  
 CAB-Chamber Air Bleed  
 DD-Dual Displacement  
 EFI-Electronic Fuel Injection  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 EFE-Early Fuel Evaporation  
 ESAC-Electronic Spark Advance Control  
 FI-Fuel Injection

OC-Oxidation Catalyst  
 PAI-Pulse Air Injection  
 RC-Reduction Catalyst  
 TC-Turbo Charged  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst (Feedback Control)  
EGR Syst. Service  
 I-Inspect, repair/replace as needed  
 R-Replace

Engine Code

Model

Transmission

	(1) DATSUN NISSAN STANZA 4-DOOR SEDAN XE.	
	DATSUN NISSAN STANZA 2-DOOR HATCHBACK DELUXE	
CA20SCM	DATSUN NISSAN STANZA 2-DOOR HATCHBACK XE	5 Speed Manual
ACA20SCM	DATSUN NISSAN STANZA 4-DOOR HATCHBACK DELUXE	
	DATSUN NISSAN STANZA 4-DOOR HATCHBACK XE	
	DATSUN NISSAN STANZA 2-DOOR HATCHBACK DELUXE	
CA20SCA	DATSUN NISSAN STANZA 2-DOOR HATCHBACK XE	Automatic
ACA20SCA	DATSUN NISSAN STANZA 4-DOOR HATCHBACK DELUXE	
	DATSUN NISSAN STANZA 4-DOOR HATCHBACK XE	
	(1) DATSUN NISSAN STANZA 4-DOOR SEDAN XE	

DRIVE SYSTEM: Front Wheel

(1) Model added by running change 1-27-83

Issue Date: 07/19/82	17.02-DNS2.OV2AAC4-1			PAGE IS <input type="checkbox"/> SATISFACTORY
Revision				<input type="checkbox"/> UNSATISFACTORY
Date				DATE ___/___/___
				EPA REP

Executive Order # A-15-61

1987<sup>2</sup> AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars  Light-Duty Trucks

Manufacturer NISSAN MOTOR CO., LTD. Engine Family DNS2.OV2AAC4 Engine (CID) 120.4  
 Emission Control System EGR, PAI, OC, 2 PLUG +10% (A/C) Yes  No

Issue Date: 07/19/82

17.02-DNS2.OV2AAC4-2

Date	Revision	Issue Date: 07/19/82
		17.02-DNS2.OV2AAC4-2
EPA REF	DATE	PAGE IS <input type="checkbox"/> SATISFACTORY <input type="checkbox"/> UNSATISFACTORY

Eng. Code	Vehicle Models (refer to page 1)	Trans mission	Inertia Weight Class	Distributor Type: Mfr. Part Number	Fuel System Type: Mfr. Part Number	EGR System Part No. Service	Tune-up Specification
CA20SCM ACA20SCM	DATSUN NISSAN STANZA	M5	2,500	HITACHI D4N82-01	HITACHI DCR342-37	#1EGR VALVE AEY76-41 #2EGR VALVE AEY76-42 VVT VALVE AVI78-6	(1) 0° BTDC @650RPM (2) IDLE MIXTURE SCREW IS PRESET AND SEALED AT FACTORY (3) 650RPM "N"
CA20SCA ACA20SCA		A3		HITACHI D4N82-07	HITACHI DCR342-38	EGR VC CONTROL VALVE AKN80-2 NO SERVICE	(1) 0° BTDC @650RPM (2) IDLE MIXTURE SCREW IS PRESET AND SEALED AT FACTORY (3) 650RPM "D"

Comments: See page 1 for abbreviations and evaporative emission family identification.

NISSAN

Eng. Family: DNS2.OV2AAC4

ARB

17.03.00.00 Test Weight/Horsepower List

Vehicle Model	Test Weight (lbs)	Tire Size	Without A/C factor		With A/C factor	
			Test HP	Coastdown Time(sec.)	Test HP	Coastdown Time(sec.)
DATSUN NISSAN STANZA 2-DOOR H/B	2,625 <u>1/</u>	165SR13 185/70SR13	7.9	12.88	8.7	12.30
DATSUN NISSAN STANZA 4-DOOR H/B						
DATSUN NISSAN STANZA 2-DOOR H/B XE	2,625	165SR13 185/70SR13	7.9	13.85	8.7	13.01
DATSUN NISSAN STAMZA 4-DOOR H/B						
DATSUN NISSAN STANZA 4-DOOR H/B XE						
DATSUN NISSAN STANZA 4-DOOR SEDAN XE <u>1/</u>	2,625 <u>1/</u>	165SR13 185/70SR13 <u>1/</u>	7.9 <u>1/</u>	13.52 <u>1/</u>	8.7 <u>1/</u>	12.76 <u>1/</u>

1/ with R/C No..20V2C-83-03

Issue Date: 7/27/82		17.03-DNS2.0V2AAC4-1			PAGE IS <input type="checkbox"/> SATISFACTORY <input type="checkbox"/> UNSATISFACTORY DATE ___/___/___ EPA REP
Revision	12/28/82 <u>1/</u>				
Date					

08.13.02.02 Test Horsepower of Emission-Data vehicles of DATSUN NISSAN STANZA Federal and California models.

This load road horsepower is determined by the coastdown method. (See 08.03.02.01)

Model	Coastdown DPA Value (HP)	Coastdown Time (Sec.)	Body Style	FTW (lbs)	A/C Factor	Tire Size	Coastdown Test VID
DATSUN NISSAN STANZA 2-DOOR HATCHBACK							
DATSUN NISSAN STANZA 2-DOOR HATCHBACK XE	8.7 * (7.9)	13.01 * (13.85)	HATCH BACK	2625	YES * (NO)	165SR13 1/ Radial 185/70SR13 Radial	GAF-240
DATSUN NISSAN STANZA 4-DOOR HATCHBACK XE							
DATSUN NISSAN STANZA 4-DOOR SEDAN		12.76 * (13.52)	SEDAN				GA-427

Issue Date: 2/15/82

08.13.02 - 2

Date	Revision	Issue Date: 2/15/82
	4/28/82 1/	
	12/28/82 2/	
EPA REP	DATE	PAGE IS <input type="checkbox"/> SATISFACTORY <input type="checkbox"/> UNSATISFACTORY

\* The specification in parentheses is for the vehicle without air conditioning.  
 2/ with R/C No. 20V2F-83-02  
 20V2C-83-02

NISSAN

E.O.# A-15-61  
 Eng. Family: DNS2.OV2AAC4

**ARB**

17.03.00.00 Test Weight/Horsepower List

Vehicle Model	Test Weight (lbs)	Tire Size	Without A/C factor		With A/C factor	
			Test HP	Coastdown Time(sec.)	Test HP	Coastdown Time(sec.)
DATSUN NISSAN STANZA 2-DOOR H/B	2,500	165SR13 185/70SR13	7.9	12.88	8.7	12.30
DATSUN NISSAN STANZA 4-DOOR H/B						
DATSUN NISSAN STANZA 2-DOOR H/B XE	2,625	165SR13 185/70SR13	7.9	13.85	8.7	13.01
DATSUN NISSAN STANZA 4-DOOR H/B						
DATSUN NISSAN STANZA 4-DOOR H/B XE						

Issue Date: 7/27/82	17.03-DNS2.OV2AAC4-1			PAGE IS <input type="checkbox"/> SATISFACTORY <input type="checkbox"/> UNSATISFACTORY DATE ___/___/___ EPA REP
Revision				
Date				