

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-40  
Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FSZ119T2FDG1	119 (1.9)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.41	9.0	1.0

The following are the certification emission values for the above engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.16	3.6	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 14<sup>th</sup> day of August, 1984.



K. D. Drachand, Chief  
Mobile Source Division

Manufacturer ISUZU MOTORS LIMITED Executive Order No. A-20-40  
Engine Family FSZ119T2FDG1 Evaporative Family CAN-B  
Engine CID (Liters) 119(1.9)

## ABBREVIATIONS

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Special Features</u>
CA-Centrifugal Advance	AIP-Air Injection-Pump	CCV-Combustion Chamber Valve
EEC-Electronic Engine Control	AIV-Air Injection-Valve	CFI-Central Fuel Injection
EI-Electronic Ignition	CL-Closed Loop	DID-Diesel Injection-Direct
ESAC-Electronic Spark Advance Control	EGR-Exhaust Gas Recirculation	DIP-Diesel Injection-Prechamber
VA-Vacuum Advance	EM-Engine Modification	EFI-Electronic Fuel Injection
VR-Vacuum Retard	OC-Oxidation Catalyst System	IC - Intercooler
	TOC-Trap Oxidizer Continual	MFI-Mechanical Fuel Injection
	TOP-Trap Oxidizer Periodical	TC-Turbocharged
	TR-Thermal Reactor	
	TWC-Three-Way Catalyst System	

Fuel System  
CFI, CL, DID, DIP, EFI, MFI  
nV-nVenturi Carburetor  
VV-Variable Venturi

VEHICLE MODELS:

Models: Isuzu P'UP

KG-1M : Pick-up 2WD (Short Wheel base)  
KG-2M : Pick-up 2WD (Long Wheel base)  
KG-4M : Pick-up 4WD (Short Wheel base)  
KG-5M : Pick-up 4WD (Long Wheel base)

Models: Isuzu Trooper

UG-7M : Special Purpose Vehicle 4WD

Models: Isuzu Trooper II

UG-7L : Special Purpose Vehicle 4WD

DRIVE SYSTEM: Front Engine/ Rear & 4 -Wheel Drive

## 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

   Passenger Cars      X   Light-Duty Trucks       Medium-Duty Vehicles      X   Gas       Diesel

Manufacturer Isuzu Motors Limited E.O. #A -20-40

Engine Family FSZ119T2FDG1 CID (liter) - Type 119(1.9)-L4

ECS (Special Features) TWC, CL, AIP and EGR

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System CA, VA, EI Distrib. Part No.	Fuel System 2V Carb. Part No.	EGR Valve  Part No.	Label Ident.  Part No.
TDG-1	KG-1M	M-4	2,750	8942537440	8941179160	8942123000	8941660330
		M-5	2,875				
	KG-2M	M-4	2,875				
		M-5					
	KG-4M	M-4	3,125				
	KG-5M						
TDG-2	KG-1M	A-3	2,875	8942537450	8941179170		
	KG-2M		3,000				
TDG-3	UG-7M & UG-7L	M-4	3,375		8941179160		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -  
Revisions: