State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-89 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
FNS1.6V9FBC2	97.5	(1.6)	Air Injection - Valve Three-Way Catalyst with Closed Loop Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.39	7.0	0.7	

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.2	4.5	0.4	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

K. D. Drachand, Chief Mobile Source Division

M) rulli

/ day of January, 1985.

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET 17.01.02.00 Manufacturer NISSAN MOTOR CO., Ltd. Executive Order No. A-16-89 Engine Family __FNS1.6V9FBC2 Evaporative Family <u>5ECC-3</u> Engine CID (Liters) 97.5 (1.6) ABBREVIATIONS Ignition System Exhaust Emissions Control System Special Features AIP-Air Injection-Pump CCV-Compustion CA-Centrifugal Advance AIV-Air Injection-Valve Chamber Valve EEC-Electronic Engine Control CFI-Central Fuel EI-Electronic Ignition CL-Closed Loop ESAC-Electronic Spark Advance EGR-Exhaust Gas Recirculation Injection EM-Engine Modification DID-Diesel Control OC-Oxidation Catalyst System VA-Vacuum Advance Injection-VR-Vacuum Retard TR-Thermal Reactor Direct TWC-Three Way Catalyst System DIP-Diesel Injection-ECC-Electronic Control Carburetor Prechamber ECCS-Electronic Concentrated Fuel System Control System EFI-Electronic CFI, CL, DID, DIP, EFI, MFI Fuel nV-nVenturi Carburetor Injection VV-Variable Venturi MFI-Mechanical Fuel Injection . TC-Turbocharged VEHICLE MODELS: SENTRA 2-DOOR SEDAN (STANDARD, DELUXE, XE) M5 BE16SCM2 SENTRA 4-DOOR SEDAN (STANDARD, DELUXE, XE) AE16SCM2 SENTRA 2-DOOR HATCHBACK COUPE (XE, SE) SENTRA 4-DOOR WAGON (DELUXE, XE) PULSAR NX L3 SENTRA 2-DOOR SEDAN (DELUXE, XE) BE16SCA2 SENTRA 4-DOOR SEDAN (DELUXE, XE) AE16SCA2 SENTRA 2-DOOR HATCHBACK COUPE (DELUXE, XE) SENTRA 4-DOOR WAGON (DELUXE, XE) PULSAR NX DRIVE SYSTEM: Front Engine/ Front -Wheel Drive

Issue Date: 12/12/84

Revision Date:

17.01.02.00 - cont.

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

		-	Trucks Medi			_ Diesel
Manufactur	er NISSAN	MOTOR CO.,	Ltd.	E.O. #	A-16-89	
Engine Fam	ily FNS1.	6V9FBC2	CID(lite	r) - Type97.	5(1.6)	
ECS (Specia	al Features)ECC/EGE	R/TWC/CL/AIV	:		Parameter State State Control of the State Control
Engine Code	Vehicle Models*	Trans.	Ign. System	Fuel System	EGR Valve	Label Ident.
			Part No.	Part No.	Part No.	Part No.
AE16SCM2 BE16SCM2	SENTRA	N5	HITACHI D4R82-12	HITACHI DFC328-1	AEY76-68	14805 31M14
AE16SCA2 BE16SCA2	PULSAR	L3	HITACHI D4R82-24	HITACHI DFC328-2	AEY76-69	

Comments: See page before for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment on 17.01.03.00.

* See page before.

Issue Date: 12/12/84

Revision Date:

17.01.03.00 Test Weight/Horsepower List

·	•	Test Horsepower			
Vehicle Model	Test Weight	Determination Method	With A/C factor	Without A/C factor	
SENTRA SEDAN STANDARD	2,250			7.5	
SENTRA SEDAN DELUXE SENTRA SEDAN XE	2,250		8.2		
	2,375	··· • · · · • • · · • • · · •			
SENTRA HATCHBACK COUPE	2,375	Coastdown	8.0	7.3	
SENTRA WAGON	2,375		8.8	8.0	
PULSAR NX	2,375		8.4	7.6	

Issue Date: 12/12/84 Revision Date: