State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-120 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacen Cubic Inches		Exhaust Emission Control Systems (Special Features)		
HNS1.6V5FBCX	97.5	(1.6)	Exhaust Gas Recirculation Air Injection - Valve Three-Way Catalyst Heated Oxygen Sensor (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	<u>Grams per Mile</u>	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>	
0.21	1.2	0.4	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{1}{\sqrt{T_f}}$ day of September, 1986.

K. D. Drachand, Chief Mobile Source Division

198 7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manuracturer Nissan Motor (Engine Family	HNS1.6V	HNS1.6V5FBCX		
Evaporative Family FI4-2	. <u>.</u>	Engine Type	In-line	4 (DOHC)	
		Liters (CID) 1.6 1		iter (97.5 CID)	
ABBREVIATIONS			,		
Ignition System	Exhaust	Emissions Control S	ystem	Special Features	
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIV-Air CL-Close EGR-Exh EM-Engi OC-Oxid SPL-Smol Throt TOC-Tra TOP-Tra	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System ECC-Electronic Control Carburetor		CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection	
System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	ECCS-El	ectronic Concentrationtrol System	ed	IC-Intercooler or aftercoole MFI-Mechanical Fuel Injection TC-Turbocharger	
VEHICLE MODELS:					
Engine Code AC16DCM1 BC16DCM1	Model Pulsar Sport	NX 3-door ———— Coupe	Transmi — 5-Speed		
	d	Rear	4WD Par	t Time	

Revision Date :

Manufactur Liter (CID	19 <u>8 7</u> Cars X Lighter Property 1.6 liter Cars X Lighter Ca	Duty Tructor Co., (97.5 C)	Ltd.	Engine Fam	ehicles@ nily <u>HNS1.6V</u> TypeIn_line	Sas <u>x</u> Ďi SFBCX 24 (DOHC)	esel
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve	Catalyst Part No.
AC16DCM1	Pulsar NX 3-door Sport Coupe (7.3)	MS	2875	Crank Angle Sensor: * T4T 90174	Control Unit: A18-674 Air flow meter: AFH45		20802 84MC
BC16DCM1	Pulsar NX 3-door Sport Coupe (6.6)		2750		Injector: A46-003 (JECS) A46-004 (DKC)		20802 84MC

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Issue Date : 06/19/86

Revision Date :01/29/87 *