Ec K.

(Page 1 of 2)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-3-84 Relating to Certification of New Motor Vehicles

## DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family JMB2.3V6FA15	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
	2.3	(140)	Dual Warm-Up Three-Way Catalysts Three-Way Catalyst Heated Oxygen Sensor (Mechanical Port Fuel Injection) (On-Board Diagnostics)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per mile	Grams per Mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.22	2.1	0.6	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the Malfunction and Diagnostic System for 1988 and Subsequent Modle Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 9th day of October, 1987.

K. D. Drachand, Chief Mobile Source Division

Bob Gross for

## 198 8 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

$\cdot I$	•				
an cturer Mercedes-Benz	Engine Family	Engine Family			
vaporative FamilyJMBV6-2_	(alt.IMBV6-1) Engine Type In-li	ne/4cv1.			
	Liters (CID) 1	40.			
ABBREVIATIONS	· · · · · · · · · · · · · · · · · · ·				
gnition System	Exhaust Emissions Control System	Special Features			
CA-Centrifugal Advance CU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard  CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyt	CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or Aftercoole MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger			
VEHICLE MODELS: 190E2.3		•			

 Engine:
 Front \_ x \_ Mid. \_ \_\_\_\_ Rear \_\_\_\_\_

 Drive:
 FWD \_ x \_ 4WD Full Time \_ 4WD Part Time \_\_\_\_\_

'ass <b>t g</b> er lanufactu	Cars <u>x</u> Light	-Duty Tru	ick's	Medium-Duty V	ehicles	Gas x D	e lesel
iter (CI	rer <u>Mercedes</u>	Benz		Engine Fa	milyJMB2.	3V6FA15	
mission (	D) <u>2.3(140)</u> Control Sys. (Spe	cial Feat	úres)	HOS, TWC	TypeIn-lin	ne/4cyl.	BD)
Engine Code	"Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System	EGR Valve	Catalysi
·	(Dyno Hp)			Part No.	Part No.	Part No.	Part No.
102-1	190E2.3 (8.2)	M-5 A-4	3125 3250	0055453032 0055453232*	Fuel Distrib. 0438101026	DNA	Underhood: 2014902614* 1244900114
					Oxygen Sensor: 0065429617		1244900814* Underfloor: 2014901114 2014901214* 2014902014* 2014902114*
			. ,	· ,			•
							,
				*) alternate manufacturer			
·			·				