

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-91
Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
JMT2.6T2FBCX	2.6 (155.9)	Air Injection-Valve Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Combustion Chamber Valve)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Loaded Vehicle Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0-3750	0.39	9.0	1.0

The following are the certification emission values for this engine family:

<u>Loaded Vehicle Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3750	0.28	5.6	0.8

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of August, 1987.



K. D. Drachand, Chief
Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp. Executive Order No. A-86-91

ABBREVIATIONS

Ignition System

CA -Centrifugal Advance
ECU -Electronic Control Unit
EI -Electronic Ignition
ESAC-Electronic Spark Advance Control
VA -Vacuum Advance
VR -Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor

Exhaust Emissions Control System

AIP -Air Injection-Pump
AIV -Air Injection-Valve
DBC -Dual Bed Catalyst
EGR -Exhaust Gas Recirculation
EIC -Electronic Injection Control
EM -Engine Modification
OC -Oxidation Catalyst
OS -Oxygen Sensor
HOS -Heated Oxygen Sensor
SPL -Smoke Puff Limiter or Throttle Delay
TOC -Trap Oxidizer, Continual
TOP -Trap Oxidizer, Periodical
TWC -Three Way Catalyst
WUOC -Warm-Up Oxidation Catalyst
WUTWC-Warm-Up Three-Way Catalyst

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection or Throttle body Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC -Intercooler or Aftercooler
MFI-Mechanical Fuel Injection
OBD-On-Board Diagnostics
TC -Turbocharger

Issued :
Revised:

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp.
 Engine Family JMT2.6T2FBCX Evaporative Family C
 Passenger Cars Light-Duty Trucks X Medium-Duty Vehicles Gas X Diesel
 Engine CID (liter) - Type 155.9 (2.6) - L4
 ECS (Special Features) AIV+EGR+OS+TWC (CCV)

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	ETW	Ign. System CA, EI, VA Part No.	Fuel System CL, 2V Part No.	EGR Valve Part No.	Catalyst Part No.
CM	Dodge RAM50 2WD	M5	3000	Distributor	32-35DID	K5T55788	MD096609
ACM	Mitsubishi Truck 2WD		3125 3250	T3T65572	EF-435		or MD131489
CA		A4	3125		32-35DID	K5T55789	
ACA			3250		EF-436		
CM-F	Dodge Power	M5	3375	Distributor	32-35DID	K5T55788	
ACM-F	RAM50 4WD Mitsubishi Truck 4WD		3500 3625	T3T65572	EF-435		
CA-F		A4	3500		32-35DID	K5T55789	
ACA-F			3625 3750		EF-436		
CM-J	Dodge Raider	M5	3625	Distributor	32-35DID	K5T55788	
ACM-J	Mitsubishi Montero			T3T65571	EF-441		
CA-J		A4	3625		32-35DID	K5T55789	
ACA-J			3750		EF-442		

Note: Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

Issued :
 Revised: