(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-58
Relating to Certification of New Motor Vehicles

DR. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Dr. 1NG. h.c.f. PORSCHE, AKTIENGESELLSCHAFT exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
JPR201V5FC12	3.3 (201)	Three-Way Catalyst (Mechanical Port Fuel Injection) (Turbocharger)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.23	2.1	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s] ... " (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 🥰

day of July, 1987.

K. D. Drachand, Chief Mobile Source Division

Engine Fam.: JPR201V5FC12	Eng. Code: ALL	Issue Date: May 11, 1987
Rev. No.:	any, cone, and	Date:
WEA. MO.:		bate.
17.04.00.00 Air Resources 19 88 AIR RES		Sheets TAL DATA SHEET E.O. # A-19-58
Manufacturer Porsche	Engine Fam	nily JPR201V5FC12
Evaporative Family I	Engine Typ	oe 6-horiz ont ally opposed
and the second of the second o	Liters (C)	D) 3.3 (201)
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Cont. EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	Exhaust Emissions Cont AIP-Air Injection-Pump AIV-Air Injection-Valv CL-Closed Loop EGR-Exhaust Gas Recirc EM - Engine Modification OC-Oxidation Catalyst SPL-Smoke Puff Limiter Throttle Delay TOC-Trap Oxidizer, Cor TOC-Trap Oxidizer, Per TR-Thermal Reactor TWC-Three-Way Catalyst	CCV-Combustion Chamber Valve CFI-Central Fuel Injection Con DID-Diesel Injection DIP-Diesel Injection DIP-Diesel Injection OFFI-Electronic Fuel Injection IC-Intercooler OFFI-Mechanical
VEHICLE MODELS:	911 Turbo	
Engine: Front Mid	Rear X	
Drive: FWD RWD		•

·					€	,
Section	: 17.00.00.00 S	ECTION FOR CAL	IFORNIA	Page No.:	17.04-03	
Engine	Fam.: JPR201V5FC12	Eng. Code:	ALL	Issue Date:	May 11, 19	87
Rev. No	.:			Date:		
	19 <u>88</u> AIR RES	OURCES BOARD S	SUPPLEMENTAL	DATA SHEET	E.O. #	-19-58
Passenge	r Cars X Light-D	uty Trucks	Medium-Du	uty Vehicles	G as <u>X</u>	Diesel _
Manufact	urer Porsche	E	Ingine Family	y JPR201V5F	C12	
Liter (C	ID) 3.3 (201)		Engine Type	≅ H.6		
Emission	Control Sys. (Speci	al Features) _	MFI, TC	twc		
Engine Code	Vehicle Models Tra (If coded see Typ attachment) (Dyno Hp)	e Test	Ggn. System (ECU) Part No.			_
930/68	911 Turbo M4 (8.5 Hp)			MFI,CL 5 0.438.060.		930.113. 235.00
family i	: See page one for dentification. Plead dyno test HP setting ghts are listed, the	se refer to ma s based on mod	nufacturer's lel and equip	s HP list for pment. If tw	<i>1</i> 0	