Eccor

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-121 Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Volkswagen AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)
JVW1.8V5FWB3	1.8	(109)	Three-Way Catalyst Heated Oxygen Sensor (Mechanical Port Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per mile	Grams per Mile		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.15	2.0	0.1		

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of September, 1987.

K. D. Drachand, Chief Mobile Source Division

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer

W AG

Engine Family

JW1.8V5FWB3

Evap. Family

HWA

Engine Type

Otto - 14

Displacement (Liters)

1.8

ABBREVIATIONS

Ignition System

CA - Centrifugal Advance EEC - Electronic Engine Control

EI - Electronic Ignition

ESAC - Electronic Spark Advance Control

VA - Vacuum Advance VR - Vacuum Retard

Exhaust Emissions Control System

AIP - Air Injection-Pump AIV - Air Injection-Valve

CL - Closed Loop

EGR - Exhaust Gas Recirculation

EM - Engine Modification

OC - Oxidation Catalyst System

SPL - Smoke Puff Limiter or Throttle Delay

TOC - Trap Oxidizer Continual

TOP - Trap Oxidizer Periodical

TR - Thermal Reactor

TWC - Three-Way Catalyst System

WUOC - Warm-Up Oxidation Catalyst

WUTWC - Warm-Up Three-Way-Catalyst

Special Features

CCV - Combustion Chamber Valve

CFI - Central Fuel Injection

DID - Diesel

Injection-Direct

DIP - Diesel

Injection-Prechamber

EFI - Electronic Fuel Injection

IC - Intercooler

MFI - Mechanical Fuel Injection

080 - On-Board Diagnostics

TC - Turbocharged

Fuel System

CFI, CL, DID, DIP, EFI, MFI nV - nVenturi Carburetor

VEHICLE MODELS:

Golf Jetta

Engine:

Front X

Mid.

Rear

DRIVE SYSTEM:

FWD

X

RMD

4ND Full Time

4MD Part Time

1988 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger C	ars <u>X</u> Lig	ht-Duty Ti	rucks	Medium-Duty Vehic	cles Gas	<u>X</u> D	esel
Manufacture	er W	AG		Engine Family	JW 1.8	V5FWB3	
Displacemen	t (Ltr.) 1.8			Engine Type	Otto - 44	1	
Emission Co	entrol System (1	MPFI) HOS,	TWC, 108	(0)			
			Equiv.				
Engine Code	Vehicle Models (Dyno HP)	Trans. Type	Test Weight	Ignition System Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
RV	Jetta Golf (7,0)	M 4+E	2,750 2,625	EI-ESAC 191 905 351 A 191 905 351 B 191 905 351 C	MFI 037 906 031 C		165 131 701 F 191 131 701 H
					037 906 022 AJ 037 906 022 S		
	Jetta Golf (7,0)	A3	2,750				

Comments:

See page one for abbreviations and evaporative emission family identification family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.