

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-68
Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Audi AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement</u>		<u>Exhaust Emission Control Systems</u> <u>(Special Features)</u>
	<u>Liters</u>	<u>(Cubic Inches)</u>	
KAD2.2V6FCYX	2.2	(136)	Heated Oxygen Sensor Three-Way Catalyst (Mechanical Port Fuel Injection) (Turbocharger) (Intercooler)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.26	1.5	0.3

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission

standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "In lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2nd day of May, 1988.



K. D. Drachand, Chief
Mobile Source Division

E.O. # A-30-68

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer AUDI AG Engine Family KAD 2.2 V6FCYX
 Evaporative Family ADTN Engine Type L 5
 Liters (CID) 2.22 (136)

ABBREVIATIONS

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Special Features</u>
CA-Centrifugal Advance	AIP-Air Injection-Pump	CFI-Central Fuel
ECU-Electronic Control Unit	AIV-Air Injection-Valve	Injection or Throttle Body
EI-Electronic Ignition	EGR-Exhaust Gas Recirculation	Injection
ESAC-Electronic Spark Advance Control	EIC-Electronic Injection Control (Diesel Only)	EPFI-Electronic Port Fuel Injection
VA-Vacuum Advance	EM-Engine Modification	MPFI-Mechanical Port Fuel Injection
VR-Vacuum Retard	SPL-Smoke Puff Limiter or Throttle Delay	SFI-Sequential Fuel Injection
	TOC-Trap Oxidizer, Continual	DID-Diesel Injection-Direct
	TOP-Trap Oxidizer, Periodical	DIP-Diesel Injection-Prechamber
	DBC-Dual Bed Catalyst	TC-Turbocharger
	OC-Oxidation Catalyst	SC-Supercharger
	TWC-Three-Way Catalyst	IC-Intercooler or Aftercooler
	WUOC-Warm-Up Oxidation Catalyst	CCV-Combustion Chamber Valve
	WUTWC-Warm-Up Three-Way Catalyst	OBD-On-Board Diagnostic
	OS-Oxygen Sensor	
	HOS-Heated Oxygen Sensor	

Fuel System

CFI, EPFI, MPFI, SFI
 DID, DIP, HOS, OS
 nV-nVenturi Carburetor
 VV-Variable Venturi Carburetor

VEHICLE MODELS:

Audi 200 Turbo
 (with automatic transmission only)

Engine: Front X Mid. Rear
 Drive: FWD X RWD 4WD Full Time 4WD Part Time

E.O. # A-30-68

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks Medium-Duty Vehicles Gas X Diesel

Manufacturer AUDI AG Engine Family KAD 2.2 V6FCYX

Liter (CID) 2.22 (136) Engine Type L 5

Emission Control System (Special Features) TWC, HOS, (MPFI, TC, IC)

Engine Code	Vehicle Models (If coded see attachment) (Dyno HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
TLMKZAP	200 Turbo (7.0)	A3	3375	ECU 035905383 T	MFI 034133353 D TC 035145703 L	N/A	447131701, or 447131701 A

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 02-04-88 Revisions: