

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-220-25
Relating to Certification of New Motor Vehicles

JAGUAR CARS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Jaguar Cars Limited exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
KJR3.6V5FLH6	3.6 (219)	Heated Oxygen Sensor Three-Way Catalyst (Two) (Electronic Port Fuel Injection) No On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0.25	3.0	0.4

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission

standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "In lieu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 4th day of August, 1988.


K. D. Drachand, Chief
Mobile Source Division

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 2Passenger Cars x Light-Duty Trucks Medium-Duty Vehicles Gas x Diesel Manufacturer Jaguar Cars Ltd Engine Family KJR3.6V5FLH6Liter (CID) 3.6 (219) Eng. Type L6Emission Control Sys. (Special Features) TWC(2):HOS(EPFI)

Engine Code	Vehicle Models (Dyno Hp)	Trans Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System (ECU) Part No.	EGR Valve Part No.	Catalyst Part No.
3.6HFC-88	Jaguar XJ6 Jaguar Vanden Plas (7.9)	L4-2	4250	ECU DBC 3713 or DBC 4413	EPFI; DBC 3713 or DBC 4413	not used	CBC 572 and CBC 572 or CBC 629 or CBC 726

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

E.O. # A-220-25

1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Jaguar Cars Ltd Engine Family KJR3.6V5FLH6Evaporative Family XJFI Engine Type L6Liters (CID) 3.6 (219)AbbreviationsIgnition System

ECU-Electronic Control Unit

Exhaust Emissions Control SystemTWC(2)-Twin Three Way Catalysts
HOS - Heated Oxygen SensorFuel System

EPFI, HOS

Special Features

EPFI-Electronic Port Fuel Injection

MODEL : Jaguar XJ6

Jaguar Vanden Plas

Engine: Front x Mid. _____ Rear _____Drive: FWD _____ RWD x 4WD Full Time _____ 4WD Part Time _____