#### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-7-128 Relating to Certification of New Motor Vehicles

#### VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1989 model-year Volkswagen AG exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
KVW2.1T5FVA1	W2.1T5FVA1 2.1 (129)		Heated Oxygen Sensor Three-Way Catalyst (Electronic Port Fuel Injection) On-Board Diagnostics (Exempt)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.50	9.0	1.0		

The following are the certification emission values for this engine family:

Hydrocarbons (Grams_per_Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)		
0.35	4.5	0.4		

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emission standard, or is allowed a delay in implementation under small volume manufacturer provisions, or is allowed a delay in implementation under the "in ileu" standards, or is certifying passenger cars weighing more than 5250 lbs. loaded vehicle weight.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model—year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with the 2 year/24,000 mile warranty provisions of Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 242

<u>°</u>day of June, 1988

K. D. Drachand, Chief Mobile Source Division

## 989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET .

Manufacturer

W AG

Engine Family

KW2.1F5FVA1

Evap. Family

1. W-V

Engine Type

Otto

2. VW-VS

Displacement (Liters)

2.1

#### **ABBREVIATIONS**

### Ignition System

CA - Centrifugal Advance
ECU - Electronic Control Unit

EI - Electronic Ignition

ESAC - Electronic Spark Advance Control

VA - Vacuum Advance

VR - Vacuum Retard

## Exhaust Emissions Control System

AIP - Air Injection-Pump

AIV - Air Injection-Valve

EGR - Exhaust Gas Recirculation

EIC - Electronic Injection Control (Diesel only)

EM - Engine Modification

SPL - Smoke Puff Limiter or Throttle Delay Fuel Injection

TOC - Trap Oxidizer Continual

TOP - Trap Oxidizer Periodical

DBC - Dual Bed Catalyst

OC - Oxidation Catalyst System

TWC - Three-Way Catalyst System

WUOC - Wann-Up Oxidation Catalyst WUTWC - Wann-Up Three-Way-Catalyst

OS - Oxygen Sensor

HOS - Heated Oxygen Sensor

#### Special Features

CFI - Central Fuel Injection or Throttle Body Injection

EPFI - Electronic Port

Fuel Injection

MPFI - Mechanical Port

SFI - Sequential Fuel Injection

DID - Diesel

Injection-Direct

DIP - Diesel

Injection-Prechamber

TC - Turbocharged

SC - Supercharged

IC - Intercooler

CCV - Combustion

Chamber Valve

OBD - On-Board Diagnostics

## Fuel System

CFI, EPFI, MPFI, SFI, DID, DIP, HOS, OS

nV - nVenturi Carburetor

VV - Variable Venturi Carburetor

## VEHICLE MODELS:

- Vanagon Bus/Kombi Vanagon Campmobile
- 2. Vanagon Syncro Bus/Kombi Vanagon Syncro Campmobile

Engine:	Front	Mid	Rear X	·
DRIVE SYSTEM:	FWD	RWD X (1.)	4WD Full Time X (2.)	4WD Part Time

## 1989 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty TrucksX Medium-Duty Vehicles Gas _X _ Diesel							
Manufacture	r W	<b>G</b>		Engine Family	KW 2.1	T5FVA1	
Displacemen	t (Ltr.) 2.1			Engine Type	Otto		
Emission Co	ntrol System	EPFI, HOS	S, TWC, E	I (OBD exemptel)	•		
					,		
Engine Code	Vehicle Models (Dyno HP)	Trans. Type	Equiv. Test Weight	Ignition System Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
	Vanagon			Part of ECU	ECU		025 131 701
MV .	Bus/Karbi (16.4)	M4	3875	Distributor 025 905 205 M	025 906 022 D 025 906 022 E 025 906 022 Fuel pump	•	025 131 701 A
MV	Camprobile (17.4)		4250		251 906 091 Fuel pressure governor		
MV	Bus/Kanbi (16.4)	A3	3875	•	025 133 035 Fuel injector 025 906 031		
MV	Camprobile (17.4) Syncro		4250				
MV	Bus/Karbi (19.2)	M4+Cr	4250				
MV	Campmobile (20.0)		4500				

Comments:

See page one for abbreviations and evaporative emission family identification family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.