

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-74
Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Audi AG emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family LAD3.6V5FNE7 Displacement: 3.6 Liters (217 inches³)
Equipped with the following exhaust emission control systems:

- Heated Oxygen Sensor
- Dual Three-Way Catalyst
- Sequential Multipoint Electronic Fuel Injection
- On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.23	1.5	0.1

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of the Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emissions standard.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2th day of May, 1989.



K. D. Drachand, Chief
Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-30-74

Manufacturer AUDI AG Engine Family LAD3.6V5FNE7
 Evaporative Family LNE4 Engine Type V8
 Liters (CID) 3.6 (217)

ABBREVIATIONS

<u>Ignition System</u>	<u>Exhaust Emissions Control System</u>	<u>Special Features</u>
EI-Electronic Ignition	AIR-Secondary Air Injection	CIS-Continous Fuel Injection
PCM2-Powertrain Control Module	PAIR-Pulsed Secondary Air	MPI-Multipoint Electronic Fuel Injection
	EGR-Exhaust Gas Recirculation	SMPI-Sequential Multipoint Electronic Fuel Injection
	EM-Engine Modification	TBI-Throttle Body Electronic Fuel Injection
	SPL-Smoke Puff Limiter	IDI-Indirect Diesel Injection
	TOC-Trap Oxidizer, Continual	DI-Direct Diesel Injection
	TOP-Trap Oxidizer, Periodical	TC-Turbocharger
	OC-Oxidation Catalyst	SC-Supercharger
	TWC-Three-Way Catalyst	OBD-On-Board Diagnostics
	WUOC-Warm-Up Oxidation Catalyst	
	WUTWC-Warm-Up Three-Way Catalyst	
	TWC+OC-Three-Way Catalyst + Oxidation Catalyst	
	O2S-Exhaust Gas Oxygen Sensor	
	H02S-Heated Oxygen Sensor	

VEHICLE MODELS: Audi V8

Engine: Front X Mid. _____ Rear _____
 Drive: ¹⁾FWD X RWD _____ ²⁾4WD Full Time X 4WD Part Time _____

111586

1) on Dyno

2) on Road

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-30-74

Manufacturer AUDI AG Engine Family LAD 3.6 V5FNE7
 Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel
 Engine Type V8 Liter (CID) 3.6 1 Evap. Family LNE4
 Emission Control System (Special Features) SMPI, TWC, HO2S

Engine Code	Vehicles Models (If coded see attachment)	Trans. Type A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
NCD1	Audi V8	A (L4)	4250	8.8	441907404 C	n.a.	441131702 J, 441131702 H, A,
NCD2	Audi V8	A (L4)	4250	8.8	441907404 H	n.a.	- " -
NCD3	Audi V8	M (M5)	4250	8.8	441907404 F	n.a.	441131702 AD 441131702 AC

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue: 02-10-89

Revisions: 01-11-90