

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-109
Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: LTK2.6T5FH85 Displacement: 2.6 Liters (159 Inches³)
Equipped with the following exhaust emission control systems:

- Oxygen Sensor
- Three-way Catalyst
- Multipoint Electronic Fuel Injection
- On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0-3750	0.39	9.0	0.7

The following are the certification emission values for this engine family:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
0-3750	0.20	2.4	0.3

BE IT FURTHER RESOLVED: That the listed models are certified to the optional EPA emissions standards set forth in the vehicle manufacturer subject to Section 1950.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1989 model-year California-certified light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions of California Health and Safety Code Section 43205.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7th day of July, 1989.


For K. D. Drachand, Chief
Mobile Source Division

Manufacturer Mazda Motor Corporation Eng. Family LTK2.6T5FHB5

Pass Cars ___ Lt-Duty Trucks X Med-Duty Vehicles ___ Gas X Diesel ___

Eng. Type I-4 Liter (CID) 2.6L(159CID) Evap. Family H

Emission Control Sys. (Use SAE Abbrv.) OS, TWC, EPFI, OBD

Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT ___

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.	
CG6A-M (Std.:*3)	Mazda MPV	M-5	3875	10.1*1	Distributor G601	---	G601	
CG6A-MC (Std.:*3)				10.0*2				
CG6A-A (Std.:*3)				11.1*1				
CG6A-AC (Std.:*3)				11.0*2				
CG6B-M (Std.:*4)		A-4		3625				10.1*1
CG6B-MC (Std.:*4)								10.0*2
CG6B-A (Std.:*4)								11.1*1
CG6B-AC (Std.:*4)								11.0*2
CG6B-M (Std.:*4)		M-5	3625					10.4*1
CG6B-MC (Std.:*4)								10.0*2
CG6B-A (Std.:*4)								11.4*1
CG6B-AC (Std.:*4)								11.1*2
CG6B-M (Std.:*4)	A-4	3625		10.4*1				
CG6B-MC (Std.:*4)				10.0*2				
CG6B-A (Std.:*4)				11.4*1				
CG6B-AC (Std.:*4)				11.1*2				
			*1:for P205/70 R14 tire *2:for P215/65 R15 tire *3,*4 Certification Standard: Non-Methane HE: $\frac{*3}{0.50}$ $\frac{*4}{0.39}$ CO: 9.0 9.0 NOV: 1.0 0.7 Evap: 2.0 2.0					

Date of Issue: _____ Revisions: _____

Issue Date: Apr. 29, 1989					
Rev. No.					
Date					