

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-111
Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Mitsubishi Motors Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LMT1.5V5FC19 Displacement: 1.5 Liters (89.6 Inches³)

Equipped with the following exhaust emission control systems:

Exhaust Gas Recirculation On-Board Diagnostic System
Three-Way Catalyst Sequential Multipoint Electronic Fuel Injection
Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| <u>Hydrocarbons</u> <u>(Grams per Mile)</u> | <u>Carbon Monoxide</u> <u>(Grams per Mile)</u> | <u>Nitrogen Oxides</u> <u>(Grams per Mile)</u> |
|--|---|---|
| 0.39 | 7.0 | 0.4 |

The following are the certification emission values for this engine family:

| <u>Hydrocarbons</u> <u>(Grams per Mile)</u> | <u>Carbon Monoxide</u> <u>(Grams per Mile)</u> | <u>Nitrogen Oxides</u> <u>(Grams per Mile)</u> |
|--|---|---|
| 0.21 | 1.6 | 0.2 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.


BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order rescinds Executive Order A-89-111 issued on June 21, 1989.

Executed at El Monte, California this 10th day of August, 1989.



K. D. Drachard, Chief
Mobile Source Division

17.16.02

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-86-111 Page 1

Mfr.: Mitsubishi Motors Corporation Eng. Family: LMT1.5V5FC19

Passenger Cars: X Light-Duty Trucks: Gas: X
 Eng. Type: IL4 Liter (CID): 1.5 (89.6) Evap. Family: I
 Emission Control Sys.: EGR+O2S+TWC+(SMPI+OBD)
 (Special Features)

Engine: Front X Rear
 Drive : FWD X RWD 4WD-FT 4WD-PT

| Eng. Code | Vehicle Models | Trans. Type | ETW | Ign. System (ECU/PROM) Part No. | EGR System Part No. | Catalyst Part No. |
|---------------|--|-------------|----------------------|---|---|----------------------|
| CM4 ACM4 | Dodge Colt Plymouth Colt Mitsubishi Mirage | M4 | 2500 | Distributor T3T64173 ECU E2T33479 E2T36972 \$ | EGR Valve K5T50382 Solenoid K5T47172 | MD131027 (E3) |
| CM5 ACM5 | Dodge Colt Plymouth Colt Mitsubishi Mirage Eagle Summit | M5 | 2500 2625 2750 | | | |
| CA ACA | Dodge Colt Plymouth Colt Mitsubishi Mirage Eagle Summit | L3 | 2500 2625 2750 | | | |
| CM-L ACM-L | Dodge Colt Wagon Plymouth Colt Wagon | M5 | 2625 | Distributor T3T64173 ECU E2T33578 E2T33581 \$ | EGR Valve K5T50382 Solenoid K5T47172 | MD131501 (E4) |
| CA-L ACA-L | Dodge Colt Wagon Plymouth Colt Wagon | L3 | 2625 2750 | | | |

Note: Refer to §08.13.02 for RLHP.

Date of Issue: _____ Revisions: 10-16-89 §

TEST WEIGHT & TEST HORSEPOWER

E.O. # A-86-111

Engine Family: LMT1.5V5FC19

| (Engine Family) Car Line | Body Style | T/M Type | Test Weight | Tire | W/O A.C. | | With A.C. | | A.C. (%) |
|---|------------|----------|-------------|---------------------------|------------|----------|-----------|----------|----------|
| | | | | | Test HP | C/D Time | Test HP | C/D Time | |
| (1.5EF & 1.5EC) Dodge Colt Plymouth Colt Mitsubishi Mirage Eagle Summit | 2-HB | M/T | 2500 | P155/80R13 | 6.9 | 14.30 | 7.6 | 13.42 | >33 |
| | | | 2625 | P155/80R13 | --- | --- | 7.6 | 14.09 | |
| | | | | P175/70R13 | 7.1 | 14.41 | 7.8 | 13.59 | |
| | | A/T | 2500 | P155/80R13 | 6.9 | 13.27 | --- | --- | |
| | | | 2625 | P155/80R13 | 6.9 | 13.93 | 7.6 | 13.26 | |
| | 4-SD | M/T | 2625 | P155/80R13 P175/70R13* | 7.5 | 13.86 | 8.2 | 13.08 | |
| | | | 2750 | P175/70R13 | --- | --- | 8.2 | 13.70 | |
| | | | A/T | 2625 | P155/80R13 | 7.5 | 13.26 | 8.2 | |
| | | 2750 | | P155/80R13 P175/70R13* | 7.5 | 13.89 | 8.2 | 13.18 | |
| | | 4-SW | M/T | 2625 | P175/70R13 | 8.4 | 13.45 | 9.2 | |
| A/T | 2625 | | | P175/70R13 | 8.4 | 13.17 | --- | --- | |
| | 2750 | | P175/70R13 | --- | --- | 9.2 | 12.57 | | |
| Mitsubishi Mirage Wagon | | | | | | | | | |

- Notes: 1. W/O A.C. ; Without Air Con.
 2. Body Style; 2-HB; 2-door hatchback
 ; 4-SD; 4-door sedan
 ; 4-SW; 4-door station wagon
 3. * ; Test Tire