

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-178
Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: LNS3.0T5FDC1 Displacement: 3.0 Liters (180.6 Cu. In.)

Exhaust Emission Control Systems (Special Features):

- Three-Way Catalyst
- Heated Oxygen Sensor
- Exhaust Gas Recirculation
- Sequential Multipoint Electronic Fuel Injection
- On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
3,751 - 5,750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
3,751 - 5,750	0.28	4.4	0.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 17th day of August, 1989.


K. D. Drachard, Chief
Mobile Source Division

#17.11.00-3

E.O. # A-15-178

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS3.OT5FDC1

Pass Cars Lt-Duty Trucks X Med-Duty Vehicles Gas X Diesel

Eng.Type V-6, OHC Liter (CID) 3.0 (180.6) Evap.Family FI6-3

Emission Control Sys. (Use SAE Abbrv.) TWC/HO2S/EGR/SMPI/OBD EXEMPT

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst *** Part No.
AV30ECA8 -R01 1/	PATHFINDER 2-DOOR 4X2 SPORT UTILITY XE	L4	** 4000	15.5	Control Unit MECM-V281 1/	EGR Valve AEY77-39	Gxx,xxK Gxx,xxL Gxx,xxB Gxx,xxC
BV30ECA8 -R01 1/	PATHFINDER 2-DOOR 4X2 SPORT UTILITY XE		3895	14.0 14.5			
AV30ECM8 -R01 1/	PATHFINDER 2-DOOR 4X2 SPORT UTILITY XE	M5	** 4000	15.5	Control Unit MECM-V271 1/	EGR Valve AEY77-38	Gxx,xxK Gxx,xxL Gxx,xxB Gxx,xxC
BV30ECM8 -R01 1/	PATHFINDER 2-DOOR 4X2 SPORT UTILITY XE		3875	14.0			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIW of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/02/89

Revision Date: 1/ 03/13/90

1/ With R/C No. L30T5FDC-01

#17.11.00-4

E.O. # A-15-178

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 2

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS3.0T5FDC1

Pass Cars Lt-Duty Trucks X Med-Duty Vehicles Gas X Diesel

Eng.Type V-6, OHC Liter (CID) 3.0 (180.6) Evap.Family FI6-3

Emission Control Sys.(Use SAE Abbv.) TWC/HO2S/EGR/SMPI/OBD EXEMPT

Engine:Front X Mid. Rear Drive:FWD RWD 4WD-FT 4WD-PT X

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst *** Part No.
	HARDBODY 4X4 SE V8 KING CAB				Control Unit MECH-V241 1/		
	PATHFINDER 4-DOOR 4X4 SPORT UTILITY SE						
BV30ECAB -R01 1/	PATHFINDER 2-DOOR 4X4 SPORT UTILITY SE	L4	** 4250	14.5	Control Unit MECH-V281 1/	EGR Valve AEY77-39	Gxx,xxK Gxx,xxL Gxx,xxB Gxx,xxC
	PATHFINDER 2-DOOR 4X4 SPORT UTILITY SE						
	PATHFINDER 4-DOOR 4X4 SPORT UTILITY XE						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIW of these models are between 4000 - 5999 lbs.
***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/02/89
Revision Date: 1/ 03/13/90 1/ With R/C No. L30T5FDC-01

#17.11.00-5

E.O. # A-15-178

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 3

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS3.0T5FDC1

Pass Cars Lt-Duty Trucks X Med-Duty Vehicles Gas X Diesel

Eng.Type V-6, OHC Liter (CID) 3.0 (180.6) Evap.Family FI6-3

Emission Control Sys. (Use SAE Abbrv.) TWC/HO2S/EGR/SMPI/OBD EXEMPT

Engine: Front X Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT X

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst *** Part No.	
AV30ECA8 -R01 1/	HARDBODY 4X4 V6 REGULAR BED	L4	3875	14.5	Control Unit MECM-V241 1/	EGR Valve AEY77-39	Gxx,xxK Gxx,xxL Gxx,xxB Gxx,xxC	
	PATHFINDER 2-DOOR 4X4 SPORT UTILITY XE		**	4250	15.5			Control Unit MECM-V281 1/
	PATHFINDER 4-DOOR 4X4 SPORT UTILITY XE							
	HARDBODY 4X4 SE V6 KING CAB		14.5	Control Unit MECM-V241 1/				
	PATHFINDER 4-DOOR 4X4 SPORT UTILITY SE		16.0	Control Unit MECM-V281 1/				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIV of these models are between 4000 - 5999 lbs.
***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/02/89
Revision Date: 1/ 03/13/90
1/ With R/C No. L30T5FDC-01

#17.11.00-6

E.O. # A-15-178

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 4

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS3.0T5FDC1

Pass Cars _____ Lt-Duty Trucks X Med-Duty Vehicles _____ Gas X Diesel _____

Eng. Type V-6, OHC Liter (CID) 3.0 (180.6) Evap. Family FI6-3.

Emission Control Sys. (Use SAE Abbrev.) TWC/HO2S/EGR/SMPI/OBD EXEMPT

Engine: Front X Mid. _____ Rear _____ Drive: FWD _____ RWD _____ 4WD-FT _____ 4WD-PT X

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU)	EGR Valve	Catalyst ***
					Part No.	Part No.	Part No.
AV30ECA8 -R01 1/	PATHFINDER 2-DOOR 4X4 SPORT UTILITY SE		** 425Q	16.0	Control Unit MECM-V281 1/		
	PATHFINDER 2-DOOR 4X4 SPORT UTILITY XE						
BV30ECA8 -R01 1/	HARDBODY 4X4 V6 REGULAR BED	L4	3875	14.5	Control Unit MECM-V241 1/	EGR Valve AEY77-39	Gxx,xxK Gxx,xxL Gxx,xxB Gxx,xxC
	PATHFINDER 2-DOOR 4X4 SPORT UTILITY XE		** 4250	14.0	Control Unit MECM-V281 1/		
	PATHFINDER 4-DOOR 4X4 SPORT UTILITY XE						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIV of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/02/89

Revision Date: 1/ 03/13/90

1/ With R/C No. L30T5FDC-01

#17.11.00-7

E.O. # A-15-178

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 5

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS3.0T5FDC1

Pass Cars Lt-Duty Trucks X Med-Duty Vehicles Gas X Diesel

Eng.Type V-6, OHC Liter (CID) 3.0 (180.6) Evap.Family FI6-3

Emission Control Sys. (Use SAE Abbrv.) TWC/HO2S/EGR/SMPI/OBD EXEMPT

Engine: Front X Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT X

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst *** Part No.
AV30ECM8 -R01 1/	HARDBODY 4X4 V6 REGULAR BED		3875	14.5	Control Unit MECM-V231 1/		
	HARDBODY 4X4 SE V6 KING CAB						
	PATHFINDER 2-DOOR 4X4 SPORT UTILITY XE	M5	** 4250	15.5	Control Unit MECM-V271 1/	EGR Valve AEY77-38	Gxx,xxK Gxx,xxL Gxx,xxB Gxx,xxC
	PATHFINDER 4-DOOR 4X4 SPORT UTILITY XE						
	PATHFINDER 4-DOOR 4X4 SPORT UTILITY SE			18.0			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIV of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/02/89

Revision Date: 1/ 03/13/90

1/ With R/C No. L30T5FDC-01

#17.11.00-8

E.O. # A-15-178

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 6

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS3.0T5FDC1

Pass Cars _____ Lt-Duty Trucks X Med-Duty Vehicles _____ Gas X Diesel _____

Eng. Type V-6, OHC Liter (CID) 3.0 (180.6) Evap. Family FI6-3

Emission Control Sys. (Use SAE Abbrv.) TWC/HO2S/EGR/SMPI/OBD EXEMPT

Engine: Front X Mid. _____ Rear _____ Drive: FWD _____ RWD _____ 4WD-FT _____ 4WD-PT X

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equip. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst *** Part No.
AV30ECM8 -R01 1/	PATHFINDER 2-DOOR 4X4 SPORT UTILITY SE		** 4250	16.0	Control Unit MECM-V271 1/		
	HARDBODY 4X4 V6 REGULAR BED		3875	14.5	Control Unit MECM-V231 1/		
BV30ECM8 -R01 1/	PATHFINDER 2-DOOR 4X4 SPORT UTILITY XE	M5		14.0	Control Unit MECM-V271 1/	EGR Valve AEY77-38	Gxx,xxK Gxx,xxL Gxx,xxB Gxx,xxC
	PATHFINDER 4-DOOR 4X4 SPORT UTILITY XE		** 4250				
	HARDBODY 4X4 SE V6 KING CAB			14.5	Control Unit MECM-V231 1/		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIV of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/02/89

Revision Date: 1/ 03/13/90

1/ With R/C No. L30T5FDC-01

#17.11.00-9

E.O. # A-15-178

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 7

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS3.0T5FDC1

Pass Cars Lt-Duty Trucks X Med-Duty Vehicles Gas X Diesel

Eng.Type V-6, OHC Liter (CID) 3.0 (180.6) Evap.Family FI6-3

Emission Control Sys. (Use SAE Abbrev.) TWC/HO2S/EGR/SMPI/OBD EXEMPT

Engine: Front X Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT X

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst *** Part No.
BV30ECM8 -R01 1/	PATHFINDER 4-DOOR 4X4 SPORT UTILITY SE	M5	** 4250	14.5	Control Unit MECM-V271 1/	EGR Valve AEY77-38	Gxx,xxK
	Gxx,xxL						
	PATHFINDER 2-DOOR 4X4 SPORT UTILITY SE						Gxx,xxB
							Gxx,xxC

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIV of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 05/02/89

Revision Date: 1/ 03/13/90

1/ With R/C No. L30T5FDC-01