

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-151  
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Toyota Motor Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LTY2.5V5FCCX Displacement: 2.5 Liters (153 Inches<sup>3</sup>)

Equipped with the following exhaust emission control systems:

- Exhaust Gas Recirculation
- Heated Oxygen Sensor
- Oxygen Sensor
- Three-Way Catalyst
- Multipoint Electronic Fuel Injection
- On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.4

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.15	1.5	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2 day of May, 1989.



K. D. Drachand, Chief  
Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer TOYOTA Engine family LTY2.5V5FCCX

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel

Eng. Type 60° V-6 Liter (CID) 2.5 (153.0) Evap. Family EV-E

Emission Control Sys. (Use SAE Abbrv.) MPI, EGR, HO2S, O2S, TWC

Engine : Front  Mid.  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT

Engine Code/ (Cert std.)	Veh. Models (If Coded see attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
1	VZV21L-AEMDKA -UEMDKA	M5	3,375	7.2	89661-32480*3 89661-32581*4	25620-62010	18450-62060 (G04) *1 18450-62060 (G04) *1*2 (G04) *1
1R1	VZV21L-AEMDKA -UEMDKA	M5	3,375	7.2	89661-32580*3 89661-32581*4		
2	VZV21L-AEMDKA -CTMNKA -UEMDKA	M5	3,375 3,500	6.0 7.9	89661-32480*3 89661-32581*4	25620-62020	
2R1	VZV21L-AEMDKA -CTMNKA -UEMDKA	M5	3,375 3,500	6.0 7.9	89661-32580*3 89661-32581*4		
3	VZV21L-AEPDKA -UEPDKA VZV21LG-UWPDKA	A4	3,375 3,500	7.2 8.1	89661-32490*3 89661-32591*4	25620-62020	
3R1	VZV21L-AEPDKA -UEPDKA VZV21LG-UWPDKA	A4	3,375 3,500	7.2 8.1	89661-32590*3 89661-32591*4		

17.11.00

Engine Code/ (Cert std.)	Veh. Models (If Coded see attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
4	VZV21L-AEPDKA -AEPNKA -CTPNKA -UEPDKA -UEPNKA VZV21LG-UWPDKA -UWPNKA	A4	3,375 3,500 3,625	6.0 7.9 8.9	89661-32490*3 89661-32500*2*3 89661-32591*4 89661-32611*2*4	25620-62020	18450-62060 (G04) *1 18450-62060 (G04) *1*2
4R1	VZV21L-AEPDKA -AEPNKA -CTPNKA -UEPDKA -UEPNKA VZV21LG-UWPDKA -UWPNKA	A4	3,375 3,500 3,625	6.0 7.9 8.9	89661-32590*3 89661-32610*2*3 89661-32591*4 89661-32611*2*4		

EO# A-14-151

17.11.00

Comment : Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note \*1 : Parenthetical information represents identifying marks found on production parts

\*2 : Applicable vehicle model is VZV21L-CTPNKA

\*3 : Before field fix 90-TF-3

\*4 : After field fix 90-TF-3

VEHICLE MODELS :

<u>ES250</u>	<u>Camry</u>	<u>Camry Wagon</u>
VZV21L-CTMNKA	VZV21L-AEMDKA	VZV21LG-UWPDKA
-CTPNKA	-UEMDKA	-UWPNKA
	-AEPDKA	
	-AEPNKA	
	-UEPDKA	
	-UEPNKA	