

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-173
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Toyota Motor Company, Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MTY2.4T5FCGX Displacement: 2.4 Liters (148.8 Cu. In.)

Exhaust Emission Control Systems (Special Features):

- Three-Way Catalyst
- Heated Oxygen Sensor -
- Oxygen Sensor
- Exhaust Gas Recirculation
- Multipoint Electronic Fuel Injection
- On-Board Diagnostics

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
3,751 - 5,750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Hydrocarbons (Grams per Mile)</u>	<u>Carbon Monoxide (Grams per Mile)</u>	<u>Nitrogen Oxides (Grams per Mile)</u>
3,751 - 5,750	0.27	2.5	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1983 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1983 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26th day of December, 1989


K. D. Drachand, Chief
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer TOYOTA Engine family MTY2.4T5FCGX

Passenger Cars ___ Light-Duty Trucks x Medium-Duty Vehicles ___ Gas x Diesel ___

Eng. Type 4 cyl. in-line Liter (CID) 2.4 (148.8) Evap.Family EV-E

Emission Control Sys. (Use SAE Abbv.) MPI + EGR + HO2S + O2S + TWC

Engine :Front x Mid. ___ Rear ___ Drive: FWD ___ RWD x 4WD-FT x 4WD-PT ___

Engine Code/ (Cert std.)	Veh. Models (If Coded see attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
1, 2, 1R1 & 2R1	TCR10L-REMDKA TCR20L-REMDKA	M5	3,875 4,000 4,250	11.3 12.4 12.8	89661-28130	25620-76010	18450-76051 (F03) *1
1R2 & 2R2				14.0 89661-28131			
3, 4, 3R1 & 4R1	TCR10L-RESDKA -RFSGKA	A4	3,875 4,000 4,250	11.3 12.4 12.8	89661-28140		
3R2 & 4R2	TCR20L-RESDKA -RFSGKA			14.0 89661-28141			

Comment : Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note *1 : Parenthetical information represents identifying marks found on production parts.

VEHICLE MODELS :

<u>Previa</u>	<u>Previa All-Trac</u>
TCR10L-REMDKA	TCR20L-REMDKA
-RESDKA	-RESDKA
-RFSGKA	-RFSGKA