

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-597  
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model General Motors Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: P3G4.3TBXE4 Displacement: 4.3 Liters (262 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Exhaust Gas Recirculation
- Three Way Catalytic Converter
- Heated Oxygen Sensor
- Multiport Fuel Injection (Poppet Valves)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (pounds)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0-3750	50,000	0.39	9.0	0.4
3751-5750	50,000	0.50	9.0	1.0

The certification exhaust emission values for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (pounds)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0-3750	50,000	0.15	2.6	0.1
3751-5750	50,000	0.22	3.0	0.3

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile non-methane hydrocarbons and carbon monoxide standards based on its projected total sales of 1993 model California-certified passenger cars and light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24<sup>th</sup> day of June, 1992.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

Example, Pattern A: CC10703+E62

Example, Pattern B: 1UM05

Digit 1 = Marketing Division

<u>Pattern A</u>	<u>Pattern B</u>
C = Chevrolet	1 = Chevrolet
T = GMC	2 = Pontiac
H = Oldsmobile	3 = Oldsmobile

Note: Digit 1 is not used for Pattern A models on engine family pages or California Supplemental Data Sheets.

Digit 2 = Chassis Type (all)

U	= Conventional 4x2 Front Wheel Drive
C, R, S, M	= Conventional 4x2 Rear Wheel Drive
G	= Forward Control 4x2 Rear Wheel Drive
K, V, T, L	= Conventional 4x4 Four Wheel Drive, All Wheel Drive

Digit 3 = Series/GVWR

<u>Pattern A</u>	<u>Pattern B</u>
1 = 10,15,1500/3500-7300	Letter code designates trim level rather than series/GVWR.
2 = 20,25,2500/6400-8600	
3 = 30,35,3500/7100-14500	

Digits 4 & 5

<u>Pattern A = Dimensional Grouping</u>	<u>Pattern B</u>
05 = Blazer, Jimmy, Bravada	05 = Cargo (APV)
06 = S/T Short Box	06 = Passenger (Lumina APV, Trans Sport, Silhouette)
07 = C/K Short Box	
08 = S/T Long Box & Cab-Chassis	
09 = C/K Long Box, R/V Suburban, M/L Short Body	
10 = G Short Wheelbase, M/L Long Body	
13 = G Long Wheelbase	

Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

03 = Conventional Cab, Cab-Chassis
05 = Cargo Van
06 = Passenger Van, 4 Door Special Purpose Vehicle
16 = 2 Door Special Purpose Vehicle
53 = Extended Cab

Pickup Body Codes (Optional, Used with Pattern A Only)

+E62 = Stepside, Fenderside
+E63 = Fleetside, Wideside
+ZW9 = Cab-Chassis

ISSUED: 05-28-92  
(ML-PP346)

REVISED:

17-P3G4.3TBXB4-1  
(1993)

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: P3G4.3TBXE4  
 PASSENGER CARS\_\_\_ LIGHT DUTY TRUCKS\_X (T1) MEDIUM DUTY VEHICLES\_\_\_  
 FUEL TYPE: GAS STANDARDS TYPE: TIER 0 VEHICLE TYPE: NA  
 ENGINE CONFIG: V6 LITER (CID): 4.3 (262) EVAP FAMILY: PBO-3H  
 ENGINE: FRONT\_X MID\_\_\_ REAR\_\_\_ DRIVE: FWD\_\_\_ RWD\_X 4WD-FT\_\_\_ 4WD-PT\_\_\_  
 EMISSION CONTROL SYSTEM & SPECIAL FEATURES: EGR/TWC/O2S (OBD,CPI)  
 DPA: SECTION 08.13.02.00

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV TEST WEIGHT	IGN SYSTEM (ECM/PCM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
51	S10603+E63 S10803+E63 S10653+E63	A4	3375  3625	16168581	17093134	25104269
51A				16179611		
52	S10603+E63 S10803+E63 S10653+E63		3375 3500 3625	16168581		
52A	S10603+E63 S10803+E63 S10653+E63		3500  3625	16179611		

ISSUED: 05-28-92  
(ML-PP346)

REVISED: ML-PR029, PR142

17-P3G4.3TBXE4-2  
(1993)

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: P3G4.3TBXE4

PASSENGER CARS\_\_\_

LIGHT DUTY TRUCKS X (T2)

MEDIUM DUTY VEHICLES\_\_\_

FUEL TYPE: GAS

STANDARDS TYPE: TIER 0

VEHICLE TYPE: NA

ENGINE CONFIG: V6

LITER (CID): 4.3 (262)

EVAP FAMILY: PBO-3H

ENGINE: FRONT X MID\_\_\_ REAR\_\_\_

DRIVE: FWD\_\_\_ RWD X 4WD-FT\_\_\_ 4WD-PT\_\_\_

EMISSION CONTROL SYSTEM & SPECIAL FEATURES: EGR/TWC/~~O2S~~ (OBD, ~~CPI~~), HO2S, MFI (PUPPET VALVES)

DPA: SECTION 08.13.02.00

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE:		EQUIV TEST WEIGHT	IGN SYSTEM (ECM/PCM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
		A-AUTO	M-MAN				
53	T10603+E63 T01083+E63 T10653+E63	A4		3875 4000	16168561	17093134	25104269
53A					16179601		
54	T10603+E63 T10803+E63 T10653+E63			3875 4000	16168561		
54A					16179601		

ISSUED: 05-28-92  
(ML-PP346)

REVISED: ML-PR029

17-P3G4.3TBXE4-3  
(1993)