

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-140-A
Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PHN2.2V5FPZ0 Displacement: 2.2 Liters (132 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Heated Oxygen Sensor
Sequential Multiport Fuel Injection
Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25	3.4	0.4
100,000	0.31	4.2	N/A

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.07	1.1	0.1
100,000	0.08	1.2	N/A

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10th day of August, 1992.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-140-A Page 1

Manufacturer HONDA Engine Family PHN2.2V5FPZ0
 Passenger Car X Light-Duty Truck Medium-Duty Vehicle
 Stds Type: Tier-1 Vehicle Type: Not applicable
 Fuel Type: Gasoline Evaporative Family: 93FG
 Engine Config. I-4 Liter (CID) 2.2 (132)
 Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT
 Exhaust ECS & Special Features TWC/HO2S/SFI/EGR

Engine Code/ (Cert. Std.)	Vehicle Models (if coded see attachment)	Trans. Type: A-Auto. M-Man.	ETW	DPA or RLHP (Tire maker)	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.		
PPZ1 (2/)	Accord Sedan DX	M	3125	6.8 (BS) 7.2 (GY)	EI Distributor: <u>1/</u> ECM: 37820-PT3 -L05(37820 -PT3-L050)	EGR Valve: 10U(18710 -PT3-A002)	KC(18150- PT6-L101)		
	Accord 2 Dr Coupe DX		3000	6.8 (BS) 7.5 (BS) 7.9 (GY)					
PPZ1/1 (2/)	Accord Sedan DX		3125					7.0 (MI)	
	Accord Sedan LX							7.5 (BS)	
	Accord 2 Dr Coupe DX							7.0 (MI)	
	Accord 2 Dr Coupe LX								
PPZ3 (2/)	Accord Sedan DX		A	3125				6.8 (BS) 7.2 (GY)	
	Accord 2 Dr Coupe DX							6.8 (BS) 7.5 (BS) 7.9 (GY)	
PPZ3/1 (2/)	Accord Sedan DX			3250					7.0 (MI)
	Accord Sedan LX								7.5 (BS)
	Accord 2 Dr Coupe DX	3125			7.0 (MI)				
	Accord 2 Dr Coupe LX	3250			7.5 (BS)				

Note 1/: TD-52U (30105-PT3-A121)
2/: HC 0.25, CO 3.4, NOx 0.4 g/mile (@ 50K)
 HC 0.31, CO 4.2 g/mile (@ 100k)
 EVAP 2.0 g/test

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-140-A

Manufacturer HONDA Engine Family PHN2.2V5FPZ0
 Passenger Car Light-Duty Truck Medium-Duty Vehicle
 Stds Type: Tier-1 Vehicle Type: Not applicable
 Fuel Type: Gasoline Evaporative Family: 93FG
 Engine Config. I-4 Liter (CID) 2.2 (132)
 Engine: Front Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT
 Exhaust ECS & Special Features TWC/HO2S/SFI/EGR

Engine Code/ (Cert. Std.)	Vehicle Models (if coded see attachment)	Trans. Type: A-Auto. M-Man.	ETW	DPA or RLHP (Tire maker)	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.					
PPZ1 (2/)	Accord Sedan DX	M	3125	6.8(BSA) 7.5(BSJ) 7.2(GY)	EI Distributor:1/ ECM:37820-PT3 -L05(37820 -PT3-L050)	EGR Valve: 10U(18710 -PT3-A002)	KC(18150- PT6-L101)					
	Accord 2 Dr Coupe DX		3000	6.8 (BS)								
PPZ1/1 (2/)	Accord Sedan DX		3125					7.5(BSA) 8.2(BSJ) 7.9(GY)				
	Accord Sedan LX							7.0 (MI)				
	Accord 2 Dr Coupe DX							7.5 (BS)				
	Accord 2 Dr Coupe LX							7.0 (MI)				
PPZ3 (2/)	Accord Sedan DX		A	3125				6.8(BSA) 7.5(BSJ) 7.2 (GY)	EI Distributor:1/ ECM:37820-PT3 -L55(37820 -PT3-L550)			
	Accord 2 Dr Coupe DX							6.8 (BS)				
PPZ3/1 (2/)	Accord Sedan DX			3250								7.5(BSA) 8.2(BSJ) 7.9(GY)
	Accord Sedan LX											7.0(MI- LX1)
	Accord Sedan 10th Anniversary											7.7(MI- MXV4)
	Accord 2 Dr Coupe DX											3125
	Accord 2 Dr Coupe LX	3250			7.0 (MI)							

Note 1/: TD-52U (30105-PT3-A121)
 2/: HC 0.25, CO 3.4, NOx 0.4 g/mile (@ 50K)
 HC 0.31, CO 4.2 g/mile (@ 100k)
 EVAP 2.0 g/test

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-140-A

Page 1

Manufacturer HONDA Engine Family PHN2.2V5FPZ0
 Passenger Car X Light-Duty Truck Medium-Duty Vehicle
 Stds Type: Tier-1 Vehicle Type: Not applicable
 Fuel Type: Gasoline Evaporative Family: 93FG
 Engine Config. I-4 Liter (CID) 2.2 (132)
 Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT
 Exhaust ECS & Special Features TWC/HO2S/SFI/EGR

Engine Code/ (Cert. Std.)	Vehicle Models (if coded see attachment)	Trans. Type: A-Auto. M-Man.	ETW	DPA or RLHP (Tire maker)	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.					
PPZ1 (2/)	Accord Sedan DX	M	3125	6.8(BSA) 7.5(BSJ) 7.2(GY)	EI Distributor: 1/ ECM: 37820-PT3 -L05(37820 -PT3-L050)	EGR Valve: 10U(18710-PT3-A002)	KC(18150-PT6-L101, 18150-PT6-L001)					
	Accord 2 Dr Coupe DX		3000	6.8 (BS)								
PPZ1/1 (2/)	Accord Sedan DX		3125					7.5(BSA) 8.2(BSJ) 7.9(GY)				
	Accord Sedan LX							7.0 (MI)				
	Accord 2 Dr Coupe DX							7.5 (BS)				
	Accord 2 Dr Coupe LX							7.0 (MI)				
PPZ3 (2/)	Accord Sedan DX		A	3125				6.8(BSA) 7.5(BSJ) 7.2 (GY)	EI Distributor: 1/ ECM: 37820-PT3 -L55(37820 -PT3-L550)			
	Accord 2 Dr Coupe DX											6.8 (BS)
PPZ3/1 (2/)	Accord Sedan DX			3250								7.5(BSA) 8.2(BSJ) 7.9(GY)
	Accord Sedan LX											7.0(MI-LX1)
	Accord Sedan 10th Anniversary											7.7(MI-MXV4)
	Accord 2 Dr Coupe DX											3125
	Accord 2 Dr Coupe LX	3250			7.0 (MI)							

Note 1/: TD-52U (30105-PT3-A121)
 2/: HC 0.25, CO 3.4, NOx 0.4 g/mile (@ 50K)
 HC 0.31, CO 4.2 g/mile (@ 100k)
 EVAP 2.0 g/test

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-140-A Page 1

Manufacturer HONDA Engine Family PHN2.2V5FPZ0
 Passenger Car X Light-Duty Truck Medium-Duty Vehicle
 Stds Type: Tier-1 Vehicle Type: Not applicable
 Fuel Type: Gasoline Evaporative Family: 93FG
 Engine Config. I-4 Liter (CID) 2.2 (132)
 Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT
 Exhaust ECS & Special Features TWC/HO2S/SFI/EGR

Engine Code/ (Cert. Std.)	Vehicle Models (if coded see attachment)	Trans. Type: A-Auto. M-Man.	ETW	DPA or RLHP (Tire maker)	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.					
PPZ1 (2/)	Accord Sedan DX	M	3125	6.8(BSA) 7.5(BSJ) 7.2(GY)3/ 7.1(GY)4/	EI Distributor:1/ ECM:37820-PT3 -L05(37820 -PT3-L050)	EGR Valve:10U(18710 -PT3-A002)	KC(18150-PT6-L101, 18150-PT6-L001)					
	Accord 2 Dr Coupe DX		3000	6.8(BS)								
PPZ1/1 (2/)	Accord Sedan DX		3125					7.5(BSA) 8.2(BSJ) 7.9(GY)3/ 7.8(GY)4/				
	Accord Sedan LX							7.0(MI)				
	Accord 2 Dr Coupe DX							7.5(BS)				
	Accord 2 Dr Coupe LX							7.0(MI)				
PPZ3 (2/)	Accord Sedan DX		A	3125				6.8(BSA) 7.5(BSJ) 7.2(GY)3/ 7.1(GY)4/	EI Distributor:1/ ECM:37820-PT3 -L55(37820 -PT3-L550)			
	Accord 2 Dr Coupe DX							6.8(BS)				
PPZ3/1 (2/)	Accord Sedan DX			3250								7.5(BSA) 8.2(BSJ) 7.9(GY)3/ 7.8(GY)4/
	Accord Sedan LX											7.0(MI-LX1)
	Accord Sedan 10th Anniversary	7.7(MI-MXV4)										
	Accord 2 Dr Coupe DX	3125			7.5(BS)							
	Accord 2 Dr Coupe LX	3250			7.0(MI)							

- Note 1/: TD-52U (30105-PT3-A121)
 2/: HC 0.25, CO 3.4, NOx 0.4 g/mile (@ 50K)
 HC 0.31, CO 4.2 g/mile (@ 100k)
 EVAP 2.0 g/test
 3/: DOT MKRV EC5R
 4/: DOT MKRV EC6R