

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-285
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Chrysler Corporation exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: SCR360H8G1FA Displacement: 5.2 Liters (318 Cubic Inches)
5.9 Liters (360 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

- Three Way Catalytic Converter
- Heated Oxygen Sensor
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>
3751-5750	50,000	0.32	4.4	0.7
	120,000	0.46	6.4	0.98

The certification exhaust emission values for this engine family in grams per mile are:

<u>Test Weight</u> <u>(lbs.)</u>	<u>Miles</u>	<u>Non-Methane</u> <u>Hydrocarbons</u>	<u>Carbon</u> <u>Monoxide</u>	<u>Nitrogen</u> <u>Oxides</u>
3751-5750	50,000	0.17	2.9	0.4
	120,000	0.19	3.5	0.50

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23rd day of May, 1994.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Manufacturer Chrysler Corporation Engine Family SCR360H8G1FA

Pass Car Light-Duty Truck Medium-Duty Vehicle Fuel Type Gasoline

Engine Config. V-8 Liter (CID) 5.2/5.9l (318/360) Evaporative Family SCR1065AYPOA

Exhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC,EGR,SFI,H02S

(Use abbreviations per SAE J1930 June 88)

Engine: Front Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Atchmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight.	R L H P	Ign.Sys. ** (PCME/PROM) Part No.	EGR Syst. Part No.	-- Catalyst Part No.
CA-100 (.32/4.4/.7) (.46/6.4/.98)	AB2L11	A3	5000	S E E A T T A C H M E N T	56028465 56028467 56028348 56028347	04287784	52019269
	AB1L51		5250				
	AB2L12						
	AB2L12		5500				
	AB1L51						
	AB2L52						
	AB2L53						
	AB1L51	A4	5500		56028417	52021160	
	AB2L11				56028419		
	AB2L12				56028321		
	AB2L13				56028322		
	AB2L52						
	BR1L31						
	BR1L32						
BR1L61							
BR1L62							
BR6L61							
BR6L62							
----- CA-200 (.32/4.4/.7) (.46/6.4/.98)	----- AB2L12		5250		----- 56028477 56028479		----- 52019269
	AB2L12		5500				
	AB2L13						
	AB2L52						

199 5 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: CHRYSLER CORPORATION Exh Engine Family: SCR360H8G1FA
 Evap Std: 50K X Useful Life with R/L Evap Engine Family: SCR1065AYP0A
 Exh Std: Tier-0 Tier-1 X TLEV LEV ULEV ZEV ; EPA Tier-0 Tier-1
 Veh Class(es): PC LDT1 LDT2 MDV1 MDV2 X MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4, MDV5)
 Exh Cert Fuel(s): Indo X Ph2 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or -94
 M85 CNG LPG Other (specify)
 Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Gasoline X Diesel M85
 CNG LNG LPG Other (specify)
 Hybrid: Type A B C , APU Cycle (e.g., Otto, Diesel, Turbine)
 Engine Configuration: V-8 Displacement: 5.2 / 5.9 Liters 318 / 360 Cubic Inch
 Engine: Front X Mid Rear Drive: FWD RWD X 4WD-FT 4WD-PT
 Exhaust ECS (eg., EGR, MFI, TC, CAC): TWC, EGR, HO2S, SFI
 (use abbreviations per SAE J1930 SEP91)

Engine Code (also list A/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type A-automatic M-manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyt Convert Part N

Date Issued:

Revisions:

VEHICLE CARLINE / MODELS

Engine / Evap: SCR360H8G1FA/SCR1065AYPOA
 Exhaust Control System: TWC, EGR, SFI, H02S
 Evap. Control System: CANISTER
 Engine Displacement: 5.2L / 5.9L

Carline	Model Code
AB2L11 AB2L12 AB2L13	B150/B250 VAN 2WD
AB1L51 AB2L52 AB2L53	B150/B250 WAGON 2WD
BR1L31 BR1L32	BR1500 P.U. 2WD
BR1L61 BR1L62	BR1500 P.U.
BR6L61 BR6L62	BR1500 P.U. 4WD

ATTACHMENT TO SDS PG. 1 of 6
OF EXECUTIVE ORDER A-9-285

1995

Chrysler Corporation

SCR360H8G1FA

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GW	A	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	DYNO HP	TIRE F	PRE R
AB1L51	ELF DGH RW 5250	6010	Y	STD	95	TSC	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSC	TAD	TZH	14.68	16.80	35	35
				OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSD	TAD	TZH	14.68	16.80	35	35
				OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSF	TAD	TZH	14.68	16.80	35	35
				STD	95	TSC	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSC	TAD	TZH	14.68	16.80	35	35
				OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSD	TAD	TZH	14.68	16.80	35	35
				OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSF	TAD	TZH	14.68	16.80	35	35
AB2L11	ELF DGH RW 5000	6010	Y	STD	95	TRE	TAD	TZA	14.06	16.50	35	35
				OPT	95	TRF	TAD	TZA	14.06	16.50	35	35
				OPT	95	TSC	TAD	TZA	13.69	16.50	35	35
				OPT	95	TSC	TAD	TZH	14.08	16.50	35	35
				OPT	95	TSD	TAD	TZA	13.69	16.50	35	35
				OPT	95	TSD	TAD	TZH	14.08	16.50	35	35
				OPT	95	TSF	TAD	TZA	13.69	16.50	35	35
				OPT	95	TSF	TAD	TZH	14.08	16.50	35	35
				OPT	95	TW9	TAD	TZA	13.20	14.20	35	35
				OPT	95	TRE	TAD	TZH	13.63	13.60	35	35
				STD	95	TRE	TAD	TZA	14.06	16.50	35	35
				OPT	95	TRF	TAD	TZA	14.06	16.50	35	35
AB2L12	ELF DGH RW 5250	6010	Y	STD	95	TSC	TAD	TZA	13.69	16.50	35	35
				OPT	95	TSC	TAD	TZH	14.08	16.50	35	35
				OPT	95	TSD	TAD	TZA	13.69	16.50	35	35
				OPT	95	TSD	TAD	TZH	14.08	16.50	35	35
				OPT	95	TSF	TAD	TZA	13.69	16.50	35	35
				OPT	95	TSF	TAD	TZH	14.08	16.50	35	35
				STD	95	TRE	TAD	TZA	14.66	16.80	35	35
				OPT	95	TRF	TAD	TZA	14.66	16.80	35	35
				OPT	95	TSC	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSC	TAD	TZH	14.68	16.80	35	35
				OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSD	TAD	TZH	14.68	16.80	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - T602 - 400 /

Report Date: 02/02/94
Time: 14:30:35

ATTACHMENT TO SDS PG. 2 of 6
 OF EXECUTIVE ORDER A-9-285

1995 Chrysler Corporation

SCR36DH8G1FA

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GVW	A	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AB2L12	ELF DGH RW 5250	6400	Y	OPT	95	TSF	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSF	TAD	TZH	14.68	16.60	35	35
				OPT	95	TW9	TAD	TZA	13.76	14.10	35	35
				OPT	95	TW9	TAD	TZH	14.20	14.60	35	35
				STD	95	TRE	TAD	TZA	14.66	16.80	35	35
				OPT	95	TRF	TAD	TZA	14.66	16.80	35	35
				OPT	95	TSC	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSC	TAD	TZH	14.68	16.60	35	35
				OPT	95	TSD	TAD	TZA	14.27	16.80	35	35
				OPT	95	TSD	TAD	TZH	14.68	16.60	35	35
				OPT	95	TSF	TAD	TZA	14.68	16.60	35	35
				OPT	95	TW9	TAD	TZA	13.76	14.10	35	35
AB2L12	ELF DGR RW 5250	6010	Y	STD	95	TRE	TAD	TZA	14.20	14.60	35	35
			OPT	95	TRF	TAD	TZA	14.66	16.80	35	35	
			OPT	95	TSC	TAD	TZA	14.27	16.80	35	35	
			OPT	95	TSC	TAD	TZH	14.68	16.60	35	35	
			OPT	95	TSD	TAD	TZA	14.27	16.80	35	35	
			OPT	95	TSD	TAD	TZH	15.67	16.60	35	35	
			OPT	95	TSF	TAD	TZA	14.27	16.80	35	35	
			OPT	95	TSF	TAD	TZH	14.68	16.60	35	35	
			STD	95	TRE	TAD	TZA	14.96	16.80	35	35	
			OPT	95	TSC	TAD	TZA	15.37	16.20	35	35	
			OPT	95	TSD	TAD	TZH	14.96	16.80	35	35	
			AB2L12	EML DGR RW 5250	6010	Y	STD	95	TRE	TAD	TZA	14.66
OPT	95	TSC				TAD	TZA	14.27	16.80	35	35	
OPT	95	TSC				TAD	TZH	14.68	16.60	35	35	
OPT	95	TSD				TAD	TZA	14.27	16.80	35	35	
OPT	95	TSD				TAD	TZH	14.68	16.60	35	35	
OPT	95	TSF				TAD	TZA	14.27	16.80	35	35	
OPT	95	TSF				TAD	TZH	14.68	16.60	35	35	
STD	95	TRE				TAD	TZA	14.96	16.80	35	35	
OPT	95	TSC				TAD	TZA	15.37	16.20	35	35	
OPT	95	TSD				TAD	TZH	14.96	16.80	35	35	
OPT	95	TSD				TAD	TZA	14.96	16.80	35	35	
AB2L12	EML DGR RW 5500	6400				Y	STD	95	TSC	TAD	TZA	14.68
			OPT	95	TSF	TAD	TZA	14.27	16.80	35	35	
			OPT	95	TSF	TAD	TZH	14.68	16.60	35	35	
			STD	95	TSC	TAD	TZA	14.96	16.80	35	35	
			OPT	95	TSC	TAD	TZH	14.68	16.60	35	35	
			OPT	95	TSD	TAD	TZA	14.27	16.80	35	35	
			OPT	95	TSD	TAD	TZH	14.68	16.60	35	35	
			OPT	95	TSF	TAD	TZA	14.27	16.80	35	35	
			OPT	95	TSF	TAD	TZH	14.68	16.60	35	35	
			STD	95	TSC	TAD	TZA	14.96	16.80	35	35	
			OPT	95	TSC	TAD	TZA	15.37	16.20	35	35	

* - For DYNO HP = 0.00
 Ref To FRONTAL AREA

ATTACHMENT TO SDS PG. 3 of 6
OF EXECUTIVE ORDER A-9-285

1995

Chrysler Corporation

SCR360H8G1FA

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GVW	A	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE	PRES
				C	YR	CODE					F R	
AB2L13	ELF DGR RW 5500	6400	Y		OPT	95	TSF	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH 15.37	16.20	35	35
					STD	95	TSC	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH 15.37	16.20	35	35
					OPT	95	TW9	TAD	TZA 14.22	13.80	35	35
					OPT	95	TW9	TAD	TZH 14.66	14.50	35	35
AB2L13	ELF DGR RW 5500	6400	Y		STD	95	TSC	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSC	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH 15.37	16.20	35	35
AB2L52	ELF DGR RW 5500	6010	Y		STD	95	TSC	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSD	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH 15.37	16.20	35	35
					STD	95	TSC	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSD	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA 14.96	16.80	35	35
AB2L52	ELF DGR RW 5500	6010	Y		STD	95	TSC	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSC	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH 15.37	16.20	35	35
					STD	95	TSC	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSD	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSD	TAD	TZH 15.37	16.20	35	35
					OPT	95	TSF	TAD	TZA 14.96	16.80	35	35
					OPT	95	TSF	TAD	TZH 15.37	16.20	35	35
					STD	95	TSC	TAD	TZA 14.96	16.80	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

Chrysler Corporation

1995

SCR360H8G1FA

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GVW	A	TIRE USE	DESCRIPTION	TRD	MF6	COASTDOWN TIME SEC	DYNO HP	TIRE F	PRES R
AB2L52	ELF DGR RW 5500	6400	6400	Y	STD	95 TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95 TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95 TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSF	TAD	TZH	15.37	16.20	35	35
AB2L52	EML DGR RW 5500	6010	6010	Y	STD	95 TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95 TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95 TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSF	TAD	TZH	15.37	16.20	35	35
AB2L52	EML DGR RW 5500	6400	6400	Y	STD	95 TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95 TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95 TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSF	TAD	TZH	15.37	16.20	35	35
AB2L53	ELF DGR RW 5500	6400	6400	Y	STD	95 TSC	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSC	TAD	TZH	15.37	16.20	35	35
					OPT	95 TSD	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSD	TAD	TZH	15.37	16.20	35	35
					OPT	95 TSF	TAD	TZA	14.96	16.80	35	35
					OPT	95 TSF	TAD	TZH	15.37	16.20	35	35
BR1L31	ELF DGR RW 5500	6400	6400	Y	STD	95 TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95 TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYF	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYF	TAD	TZH	15.37	16.20	35	35
					OPT	95 TYG	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYG	TAD	TZH	15.37	16.20	35	35
BR1L32	ELF DGR RW 5500	6400	6400	Y	STD	95 TRW	TAD	TZA	15.95	15.90	35	35
					OPT	95 TRW	TAD	TZA	15.95	15.90	35	35
					OPT	95 TYF	TAD	TZA	15.95	15.90	35	35
					OPT	95 TYF	TAD	TZH	15.37	16.20	35	35
					OPT	95 TYG	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYG	TAD	TZH	15.37	16.20	35	35
BR1L61	ELF DGR RW 5500	6400	6400	Y	STD	95 TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95 TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYF	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYF	TAD	TZH	15.37	16.20	35	35
					OPT	95 TYG	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYG	TAD	TZH	15.37	16.20	35	35
BR1L62	ELF DGR RW 5500	6400	6400	Y	STD	95 TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95 TRW	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYF	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYF	TAD	TZH	15.37	16.20	35	35
					OPT	95 TYG	TAD	TZA	14.84	16.00	35	35
					OPT	95 TYG	TAD	TZH	15.37	16.20	35	35
BR6L61	ELF DGR 4W 5500	6400	6400	Y	STD	95 TWA	TAD	TZH	13.29	15.50	50	50

Report Date: 02/02/94
Time: 14:30:35

/ 10. - TG02 - 403 /

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

1995

Chrysler Corporation

SCR360H8G1FA

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GW	A C	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
BR6L62	ELF DGR 4W 5500	6400	Y		OPT 95	TXD TAD	TZA	12.85	17.60	40		
					OPT 95	TYK TAD	TZA	13.31	18.30	35		
					OPT 95	TYL TAD	TZA	12.90	16.70	45		
					OPT 95	TYH TAD	TZA	12.90	16.70	45		
					STD 95	TWA TAD	TZH	13.29	15.50	50		
					OPT 95	TXD TAD	TZA	12.85	17.60	40		
					OPT 95	TYK TAD	TZA	13.31	18.30	35		
					OPT 95	TYL TAD	TZA	12.90	16.70	45		
					OPT 95	TYH TAD	TZA	12.90	16.70	45		

* - For DYNO HP ± 0.00
 Ref To FRONTAL AREA

/ 10. - TG02 - 404 /

Report Date: 02/02/94
 Time: 14:30:35

ATTACHMENT TO SDS PG. 6 of 6
OF EXECUTIVE ORDER A-9-285

1995
SCR360H8G1FA

Chrysler Corporation
FAMILY TIRE DESCRIPTION

TIRE DESCRIPTION YR COD TRD MFG NAME	SIZE	RPM	CONSTRUCTION COD TREAD MATERIAL	P L		SIDEWALL MATERIAL	OVERLAY MATERIAL	TREAD DEPTH (IN.)	
				Y	L			X	1/32
95 TRE TAD TZA INVICTA-GL	(A/S)	736	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	10
95 TRF TAD TZA INVICTA-GL	(A/S)	736	SBR 2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE	10
95 TRW TAD TZA WRANGLER AP	(A/S)	713	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	11
95 TRY TAD TZA WRANGLER AP	(A/S)	713	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	11
95 TSC TAD TZA INVICTA-GL	(A/S)	724	SBR 2-STEEL/2-POLYESTER	2	BSW	POLYESTER	2	NYLON	10
95 TSC TAD TZH	(A/S)	736	SBR -STEEL/ -POLYESTER	4	BSW	POLYESTER	2	NONE	10
95 TSD TAD TZA INVICTA-GL	(A/S)	724	SBR 2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NYLON	10
95 TSD TAD TZH XW4	(A/S)	720	SBR 2-STEEL/2-POLYESTER	4	WSW	POLYESTER	2	NONE	10
95 TSF TAD TZA INVICTA-GL	(A/S)	724	SBR 2-STEEL/2-POLYESTER	4	OHL	POLYESTER	2	NYLON	10
95 TSF TAD TZH XW4	(A/S)	720	SBR 2-STEEL/2-POLYESTER	4	OHL	POLYESTER	2	NONE	10
95 TW9 TAD TZA WRANGLER AT	(A/S)	720	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	13
95 TW9 TAD TZH XCH4	(A/S)	720	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	10
95 TWA TAD TZH LTX	(A/S)	712	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	13
95 TXD TAD TZA WRANGLER AT	(A/S)	661	SBR 2-STEEL/2-POLYESTER	4	OHL	POLYESTER	2	NONE	17
95 TYF TAD TZA WRANGLER AP	(A/S)	687	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	11
95 TYG TAD TZA WRANGLER AP	(A/S)	688	SBR 2-STEEL/2-POLYESTER	4	OHL	POLYESTER	2	NONE	11
95 TYK TAD TZA WRANGLER RT/S	(A/S)	683	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	14
95 TYL TAD TZA WRANGLER AT	(A/S)	679	SBR 2-STEEL/2-POLYESTER	4	BSW	POLYESTER	2	NONE	16
95 TYM TAD TZA WRANGLER AT	(A/S)	679	SBR 2-STEEL/2-POLYESTER	4	OHL	POLYESTER	2	NONE	16