

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-280
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: SCR2.5V5GEEA Displacement: 2.5 Liters (153 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Three Way Catalytic Converter
Heated Oxygen Sensor
Throttle Body Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)
100,000	0.31 (n/a)	4.2 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.08	1.6	0.1
100,000	0.08	1.6	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 21st day of March, 1994.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Manufacturer Chrysler Corporation Engine Family SCR2.5V5GEEA

Passenger Car X (PC) Light-Duty Truck (T1/T2) Medium-Duty Vehicle (M1/M2/M3/M4/M5

Stds. Type: Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh. Type (FFV, HEV (type A/B/C)):

Fuel Type: Unleaded Gasoline Evaporative Family: SCR1050AYM01

Engine Config. SOHC4 Liter (CID) 2.5L (153)

Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) TWC, HO2S, TBI, EGR
(use abbreviations per SAE 1930 MAY91)

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attchmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
AA-100	AADH41, AAPH41	A3	3125	S E E A T T A C H M E N T	04686801 04686803	04287781	04427030

VEHICLE CARLINE / MODELS

Engine / Evap: SCR2.5V5GEEA/SCR1050AYM01
Exhaust Control System: TWC, HO2S, TBI, EGR
Evap. Control System: Canister
Engine Displacement: 2.5L

Model Code	Car Line
AADH41	Dodge Spirit
AAPH41	Plymouth Acclaim

1995

Chrysler Corporation

SCR2.5V56EEA

FAMILY TIRE USAGE

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVM	A C	TIRE USE	DESCRIPTION	TRD	MFG TIME SEC	COASTDOWN	*DYNO HP	TIRE F	TIRE R	PRES
AADH41	EDM DGC FW 3125		0	Y	STD	95 TJB	TAD	TZA 15.03		7.80	32	32	
					OPT	95 TKH	TAD	TZA 14.56		8.70	29	29	
					OPT	95 TKH	TAD	TZH 15.00		7.70	29	29	
					OPT	95 TKJ	TAD	TZA 14.56		8.70	29	29	
					OPT	95 TKJ	TAD	TZH 15.00		7.70	29	29	
AAPH41	EDM DGC FW 3125		0	Y	STD	95 TJB	TAD	TZA 15.03		7.80	32	32	
					OPT	95 TKH	TAD	TZA 14.56		8.70	29	29	
					OPT	95 TKH	TAD	TZH 15.00		7.70	29	29	
					OPT	95 TKJ	TAD	TZA 14.56		8.70	29	29	
					OPT	95 TKJ	TAD	TZH 15.00		7.70	29	29	
					OPT	95 TPX	TAD	TZA 13.30		7.30	29	29	
					OPT	95 TPX	TAD	TZH 13.34		7.70	29	29	

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - VC01 - 400 /

Report Date: 01/25/94
Time: 09:32:56