

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-590
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Ford Motor Company exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: SFM5.088G0JA Displacement: 5.0 Liters (302 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

- Three Way Plus Oxidation Catalytic Converter
- Secondary Air Injection
- Heated Oxygen Sensor
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	50,000	0.50	9.0	1.0

The certification exhaust emission values for this engine family in grams per mile are:

<u>Loaded Vehicle Weight(lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	50,000	0.09	0.8	0.4

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile exhaust emission standards applicable to 1994 model-year medium-duty vehicles in the "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on an exhaust emission compliance schedule submitted by the vehicle manufacturer for medium-duty vehicles, the listed vehicle models shall not be subject to the 50,000-mile and 120,000-mile standards applicable to 1995 and subsequent model-year medium-duty vehicles set forth in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).


FORD MOTOR COMPANY

EXECUTIVE ORDER A-10-590
(Page 3 of 3)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 18th day of April, 1994.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: FORD MOTOR COMPANY

Eng. Family: SFM5.088G0JA (S5.080J)

Pass Car: (PC) Light-Duty Truck: (T1/T2) Med-Duty Vehicle: M2 (M1/M2/M3/M4/M5)
 Standards Type: T-0 (Tier 0/1, AB965, TLEV,LEV,ULEV) Vehicle Type: (FFV,HEV(type A/B/C))
 Fuel Type: Gasoline (Indolene) Evaporative Family: SFM1045AYM0A
 Engine Config: V-8 Liter (CID): 5.0L (302)
 Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT X

Exhaust ECS & Special Features:(incl. CARB, MFI TWC+OC, AIR, HO2S, EGR, SEI)
 (Use abbreviations per SAE J1930 May91)

Engine Code (Cert Std.)	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
554PR00N	Bronco 4X4	A	525013.9/13.4#		F4TF-ABA	F3TE-DA	F4TA-LA
554PR00A	Bronco 4X4	A	525015.3/14.8#				
454TR10N	E150 RVL 2WD RV	A*	5250	14.0	F4TF-ATA	F3TE-DA	F4UA-NA
454TR10N	E150 RVL 2WD	A*	5250	14.0			
454TR10A	E150 RVL 2WD RV	A*	5250	15.4			
454TR00N	E150 RVL 2WD	A*	5250	14.0			
454TR10N	E150 CWL 2WD	A*	5500	14.0	F4TF-BCA	F3TE-DA	F4TA-LA
454TR10A	E150 CWL 2WD	A*	5500	15.4			
454RR10N	F150 SKL 4X2	A*	4750	15.4	F4TF-ABA		
454RR10N	F150 SKS 4X2	A*	4750	13.6			
554PR00N	F150 SKL 4X2	A	5000	14.0	F4TF-ARA		
554PR00N	F150 SKS 4X2	A	4750	14.0			
454RR10A	F150 SKL 4X2	A*	5000	15.0	F4TF-BCA		
454RR10A	F150 SKS 4X2	A*	4750	15.0			
554PR00A	F150 SKL 4X2	A	5000	15.4	F4TF-ABA		
554PR00A	F150 SKS 4X2	A	4750	15.4			
454RR10N	F150 RKL 4X4	A*	4500	14.0	F4TF-ARA		
454RR10N	F150 RKS 4X4	A*	4500	14.0			
554PR00N	F150 RKL 4X4	A	4750	14.1	F4TF-ABA		
554PR00N	F150 RKS 4X4	A	4750	14.1			
454RR10A	F150 RKL 4X4	A*	4750	15.5	F4TF-ARA		
454RR10A	F150 RKS 4X4	A*	4500	15.5			
554PR00A	F150 RKL 4X4	A	5000	15.5	F4TF-ABA		
554PR00A	F150 RKS 4X4	A	4750	15.5			
454RR10N	F150 SKL 4X4	A*	5000	14.1	F4TF-ARA		
454RR10N	F150 SKS 4X4	A*	5000	14.1			
554PR00N	F160 SKL 4X4	A	5250	14.1			
554PR00N	F150 SKS 4X4	A	5000	14.1			
454RR10A	F150 SKL 4X4	A*	5250	15.5			
454RR10A	F150 SKS 4X4	A*	5000	15.5			
554PR00A	F150 SKL 4X4	A	5250	15.5			
554PR00A	F150 SKS 4X4	A	5000	15.5			
554QR00N	F250 RKL 4X2	A	5000	15.5			
552QR00A	F250 RKL 4X2	A	5000	16.9			

Last Character
in Engine Code:

N = no A/C
A = A/C

Vehicle Codes:

1st character:
R = regular
S = super
C = club

2nd character:
K = cab
V = van
W = wagon

3rd character:
S = short
L = long

Engine Family: S5.080J

20.09.17.02 - 1

Date Issued: 3-04-94
Revised:

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: FORD MOTOR COMPANYEng. Family: SFM5.088G0JA (S5.080J)Pass Car: (PC) Light-Duty Truck: T2 (T1/T2) Med-Duty Vehicle: M2 (M1/M2/M3/M4/M5)Standards Type: T-0 (Tier 0/1, AB965, TLEV, LEV, ULEV) Vehicle Type: (FFV, HEV(type A/B/C))Fuel Type: Gasoline Evaporative Family: SFM1045AYM0AEngine Config: V-8 Liter (CID): 5.0L (302)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT XExhaust ECS & Special Features: (incl. CARB, MFI) TWC+OC, AIR, HO2S, EGR, SF1
(Use abbreviations per SAE J1930 May91)

Engine Code (Cert Std.)	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
----------------------------	--	--	-----	-----	-----------------------------------	---------------------------	----------------------

554PR10N	Bronco 4X4	A	525013.9/13.4#		F5TF-GB	F3TE-DA	F4TA-LA
554PR10A	Bronco 4X4	A	525015.3/14.8#				
554PR10N	F150 SKL 4X2	A	5000	14.0	F5TF-GB		
554PR10N	F150 SKS 4X2	A	4750	14.0			
554PR10A	F150 SKL 4X2	A	5000	15.4			
554PR10A	F150 SKS 4X2	A	4750	15.4			
554PR10N	F150 RKL 4X4	A	4750	14.1	F5TF-GB		
554PR10N	F150 RKS 4X4	A	4750	14.1			
554PR10A	F150 RKL 4X4	A	5000	15.5			
554PR10A	F150 RKS 4X4	A	4750	15.5			
554PR10N	F160 SKL 4X4	A	5250	14.1			
554PR10N	F150 SKS 4X4	A	5000	14.1			
554PR10A	F150 SKL 4X4	A	5250	15.5			
554PR10A	F150 SKS 4X4	A	5000	15.5			
554QR10N	F250 RKL 4X2	A	5000	15.5	F5TF-HB		
552QR10A	F250 RKL 4X2	A	5000	16.9			

With P265 Tires

R/C 5.0-102

Engine Family: S5.080J

20.09.17.02 - 2

Date Issued: 6-09-94

Revised:

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: FORD MOTOR COMPANYEng. Family: SFM5.088G0JA (S5.080J)Pass Car: ___ (PC) Light-Duty Truck: ___ (T1/T2) Med-Duty Vehicle: M2 (M1/M2/M3/M4/M5)Standards Type: T-0 (Tier 0/1, AB965, TLEV, LEV, ULEV) Vehicle Type: (FFV, HEV (type A/B/C))Fuel Type: Gasoline Evaporative Family: SFM1045AYMQAEngine Config: V-8 Liter (CID): 5.0L (302)Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT XExhaust ECS & Special Features: (incl. CARB, MFI) TWC+OC, AIR, HO2S, EGR, SF!
(Use abbreviations per SAE J1930 May91)

Engine Code (Cert Std.)	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
554PR00N	Bronco 4X4	A	5250	13.9	F4TF-ABB	F3TE-DA	F4TA-LA
554PR00A	Bronco 4X4	A	5250	15.3/14.8#	alt: F5TF-GA		
454TR10N	E150 RVL 2WD RV	A*	5250	14.0	F4TF-ATB	F3TE-DA	F4UA-NA
454TR10N	E150 RVL 2WD	A*	5250	14.0	alt: F4TF-ATC		
454TR10A	E150 RVL 2WD RV	A*	5250	15.4			
454TR10N	E150 RVL 2WD	A*	5250	14.0			
454TR10N	E150 CWL 2WD	A*	5500	14.0			
454TR10A	E150 CWL 2WD	A*	5500	15.4			
454RR10N	F150 SKL 4X2	A*	4750	15.4	F4TF-ARB	F3TE-DA	F4TA-LA
454RR10N	F150 SKS 4X2	A*	4750	13.6			
554PR00N	F150 SKL 4X2	A	5000	14.0	F5TF-GA		
554PR00N	F150 SKS 4X2	A	4750	14.0	alt: F4TF-ABB		
454RR10A	F150 SKL 4X2	A*	5000	15.0	F4TF-ARB		
454RR10A	F150 SKS 4X2	A*	4750	15.0			
554PR00A	F150 SKL 4X2	A	5000	15.4	F5TF-GA		
554PR00A	F150 SKS 4X2	A	4750	15.4	alt: F4TF-ABB		
454RR10N	F150 RKL 4X4	A*	4500	14.0	F4TF-ARB		
454RR10N	F150 RKS 4X4	A*	4500	14.0			
554PR00N	F150 RKL 4X4	A	4750	14.1	F5TF-GA		
554PR00N	F150 RKS 4X4	A	4750	14.1	alt: F4TF-ABB		
454RR10A	F150 RKL 4X4	A*	4750	15.5	F4TF-ARB		
454RR10A	F150 RKS 4X4	A*	4500	15.5			
554PR00A	F150 RKL 4X4	A	5000	15.5	F5TF-GA		
554PR00A	F150 RKS 4X4	A	4750	15.5	alt: F4TF-ABB		
454RR10N	F150 SKL 4X4	A*	5000	14.1	F4TF-ARB		
454RR10N	F150 SKS 4X4	A*	5000	14.1			
554PR00N	F160 SKL 4X4	A	5250	14.1	F5TF-GA		
554PR00N	F150 SKS 4X4	A	5000	14.1	alt: F4TF-ABB		
454RR10A	F150 SKL 4X4	A*	5250	15.5	F4TF-ARB		
454RR10A	F150 SKS 4X4	A*	5000	15.5			
554PR00A	F150 SKL 4X4	A	5250	15.5	F5TF-GA		
554PR00A	F150 SKS 4X4	A	5000	15.5	alt: F4TF-ABB		
554QR00N	F250 RKL 4X2	A	5000	15.5	F5TF-HA		
552QR00A	F250 RKL 4X2	A	5000	16.9	alt: F4TF-BFB		

* DUC Automatic Transmission
With P265 TiresEngine Family: S5.080J

20.09.17.02 - 1

Date Issued: 3-04-94

Revised: 9-21-94

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: FORD MOTOR COMPANY

Eng. Family: SFM5.088G0JA (S5.080J)

Pass Car: (PC) Light-Duty Truck: (T1/T2) Med-Duty Vehicle: M2 (M1/M2/M3/M4/M5)
 Standards Type: T-0 (Tier 0/1, AB965, TLEV,LEV,ULEV) Vehicle Type: (FFV,HEV(type A/B/C))

Fuel Type: Gasoline Evaporative Family: SFM1045AYM0A
 Engine Config: V-8 Liter (CID): 5.0L (302)

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT X

Exhaust ECS & Special Features:(incl. CARB, MFI TWC+OC, AIR, HO2S, EGR, SFI)
 (Use abbreviations per SAE J1930 May91)

Engine Code (Cert Std.)	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
554PR10N	Bronco 4X4	A	525013.9/13.4#		F5TF-GB	F3TE-DA	F4TA-LA
554PR10A	Bronco 4X4	A	525015.3/14.8#				
554PR10N	F150 SKL 4X2	A	5000	14.0	F5TF-GB		
554PR10N	F150 SKS 4X2	A	4750	14.0			
554PR10A	F150 SKL 4X2	A	5000	15.4			
554PR10A	F150 SKS 4X2	A	4750	15.4			
554PR10N	F150 RKL 4X4	A	4750	14.1	F5TF-GB		
554PR10N	F150 RKS 4X4	A	4750	14.1			
554PR10A	F150 RKL 4X4	A	5000	15.5			
554PR10A	F150 RKS 4X4	A	4750	15.5			
554PR10N	F160 SKL 4X4	A	5250	14.1			
554PR10N	F150 SKS 4X4	A	5000	14.1			
554PR10A	F150 SKL 4X4	A	5250	15.5			
554PR10A	F150 SKS 4X4	A	5000	15.5			
554QR10N	F250 RKL 4X2	A	5000	15.5	F5TF-HA		
552QR10A	F250 RKL 4X2	A	5000	16.9 alt:	F4TF-BFB		

With P265 Tires

R/C 5.0-102

Engine Family: S5.080J

20.09.17.02 - 2

Date Issued: 6-09-94

Revised: 9-21-94