

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-666
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: S1G2.3VJG2GK Displacement: 2.3 Liters (139 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Oxygen Sensor
Heated Oxygen Sensor
Sequential Multiport Fuel Injection
On-Board Diagnostic II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>
50,000	0.125	3.4	0.4	0.015
100,000	0.156	4.2	0.6	0.018

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1995 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>
50,000	0.080	1.8	0.1	0.002
100,000	0.080	1.8	0.2	0.002

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 15th day of March, 1995.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS: 1 J C 3 7 (EXAMPLE)

Digit 1 - Selling Division

- 1 - Chevrolet
- 2 - Pontiac
- 3 - Oldsmobile
- 4 - Buick
- 6 - Cadillac
- 8 - Saturn

Digit 2 - Body Designation

- A - Cutlass Ciera, Cutlass Cruiser, Century, Century Wagon
- B - Caprice, Custom Cruiser, Roadmaster Wagon, Coachbuilder Wagon, Roadmaster
- C - Ninety-Eight, Park Avenue
- D - Fleetwood, Limousine, Hearse/Coachbuilder
- E - Eldorado
- F - Camaro, Firebird, Trans Am
- G - Riviera, Aurora
- H - Bonneville, Eighty-Eight, LeSabre
- J - Cavalier, Sunfire
- K - Seville
- Ksp - Concours, Deville
- L - Corsica, Beretta
- N - Grand Am, Cutlass Calais, Skylark
- W - Grand Prix, Regal, Cutlass Supreme, Lumina, Monte Carlo
- Y - Corvette
- Z - Saturn Coupe/Sedan

Digit 3 - Trim Level

B, C, D, E, F, G, H, J, K, L, M, N, P, R, S, T, U, V, W, X, Y, Z

Digits 4 & 5 - Body Style

- | | |
|----------------------------|----------------------------|
| 07 - 2Dr Sport Coupe | 57 - 2Dr Hardtop Coupe |
| 08 - 2Dr Hatchback Coupe | 67 - 2Dr Convertible Coupe |
| 19 - 4Dr Sedan | 68 - 4Dr Hatchback Sedan |
| 27 - 2Dr (Notchback) Coupe | 69 - 4Dr (Notchback) Sedan |
| 35 - 4Dr Station Wagon | 87 - 2Dr Hatchback Coupe |
| 37 - 2Dr Hardtop Coupe | 90 - Commercial Chassis |
| 47 - 2Dr Hardtop Coupe | 97 - 2Dr Hardtop Coupe |

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: S1G2.3VJG2GK

VAP STD: 50K___ USEFUL LIFE WITH R/L___X___

EVAPORATIVE FAMILY: S1G6089AYM0M

EXH STD: TIER-0___ TIER-1___ TLEV___X___ LEV___ ULEV___ ZEV___; EPA TIER-0___ TIER-1___

VEH CLASS(ES): PC___X___ LDT1___ LDT2___ MDV1___ MDV2___ MDV3___ MDV4___ MDV5___

SINGLE CERT STD FOR MULTI-CLASS ENGINE FAMILY: NA

EXH CERT FUEL(S): INDO___ PH2___X___ DIESEL: 13 CCR 2282___ OR 40 CFR 86.113-90___

OR -94___ M85___ CNG___ LPG___ OTHER (SPECIFY)_____

FUEL TYPE(S): DEDICATED___X___ FLEX-FUEL___ DUAL-FUEL___ GASOLINE___X___ DIESEL___ M85___

CNG___ LNG___ LPG___ OTHER (SPECIFY)_____

HYBRID: TYPE A___ B___ C___ APU CYCLE (E.G., OTTO, DIESEL, TURBINE): NA

ENGINE CONFIGURATION: I4 DISPLACEMENT: 2.3 LITERS 139 CUBIC INCHES

ENGINE: FRONT___X___ MID___ REAR___ DRIVE: FWD___X___ RWD___ 4WD-FT___ 4WD-PT___

EXHAUST EMISSION CONTROL SYSTEM & COMPONENTS: TWC, O2S, HO2S, SFI

RLHP/DPA: SECTION 08.13.02.00

(LOC) ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV. TEST WEIGHT	IGN SYSTEM (PCME/PROM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
	2JB37	A	3125	16204433	NA	25160528
	1JF37					
	2JD37		3250			
	1JF67					
	1JF69					
	2JB69					
	2JB67		3375			
1A				16228263		

CARLINE NAME
CAVALIER
SUNFIRE

CARLINE CODE
12060
33060

ISSUED: ML-SP196

REVISED: ML-SP200, ML-SR148

17-S1G2.3VJG2GK-2